

KÖZLEMÉNYEK

1. Michalis, M., Finn, K. J., Podstawski, R., Gabnai, S., Koller, Á., Cziráki, A., ... Ihász, F. (2020). Differences in cardiorespiratory responses of young and senior male endurance athletes to maximal graded exercise test. *PHYSIOLOGY INTERNATIONAL*. <http://doi.org/10.1556/2060.2020.00032>
2. Pató, A., Németh, Z., Járai, Z., & Koller, Á. (2020). Nem minden fiatal, sportoló egyetemista él optimális vérnyomással. A 2019. évi Májusi Mérési Hónap (MMM-19) eredményei. *HYPERTONIA ÉS NEPHROLOGIA*, 24(3), 121–125. <http://doi.org/10.33668/hn.24.014>
3. Ferdinandy, P., Koller, Á., Weber, C., & Waltenberger, J. (2020). Postponement of Frontiers in Cardiovascular Biomedicine (FCVB) 2020 due to COVID-19. *CARDIOVASCULAR RESEARCH*, 116, e78–e81. <http://doi.org/10.1093/cvr/cvaa108>
4. Vaccarino, V., Badimon, L., Bremner, J. D., Cenko, E., Cubedo, J., Dorobantu, M., ... ESC, S. D. G. (2020). Depression and coronary heart disease: 2018 position paper of the ESC working group on coronary pathophysiology and microcirculation. *EUROPEAN HEART JOURNAL*, 41(17), 1687–1696. <http://doi.org/10.1093/eurheartj/ehy913>
5. Padro, T., Manfrini, O., Bugiardini, R., Canty, J., Cenko, E., De Luca, G., ... Badimon, L. (2020). ESC Working Group on Coronary Pathophysiology and Microcirculation position paper on “coronary microvascular dysfunction in cardiovascular disease.” *CARDIOVASCULAR RESEARCH*, 116(4), 741–755. <http://doi.org/10.1093/cvr/cvaa003>
6. Czigler, A., Toth, L., Szarka, N., Szilágyi, K., Kellermayer, Z., Harci, A., ... Toth, P. (2020). Prostaglandin E2, a postulated mediator of neurovascular coupling, at low concentrations dilates whereas at higher concentrations constricts human cerebral parenchymal arterioles. *PROSTAGLANDINS & OTHER LIPID MEDIATORS*, 146. <http://doi.org/10.1016/j.prostaglandins.2019.106389>
7. Leibach, Á., Dörnyei, G., Ihász, F., & Koller, Á. (2020). Post-sport career healthy ageing: the Janus-faced high performance sport. *DEVELOPMENTS IN HEALTH SCIENCES*, *In press*, *In press*. <http://doi.org/10.1556/2066.2020.00002>
8. Amaduzzi, P. L., Kedev, S., Kalpak, O., Stankovic, G., Vasiljevic, Z., Vavlukis, M., ... Manfrini, O. (2019). Primary angioplasty vs. early fibrinolysis: the role of reperfusion delay. *EUROPEAN HEART JOURNAL SUPPLEMENTS*, 21, I146.
9. Neumann, F.-J., Sousa-Uva, M., Ahlsson, A., Alfonso, F., Banning, A. P., Benedetto, U., ... Rappresentanti, dell'Associazione E. di C. C. (EACTS). (2019). [2018 ESC/EACTS Guidelines on myocardial revascularization. The Task Force on myocardial revascularization of the European Society of Cardiology (ESC) and European Association for Cardio-Thoracic Surgery (EACTS)]. *GIORNALE ITALIANO DI CARDIOLOGIA (2006-)*, 20(7–8 Suppl 1), 1S–61S. <http://doi.org/10.1714/3203.31801>
10. Gresz, Á., Ozsvárt, B., Göbl, G., Koller, Á., Vámos, Á., & Vámos, Z. (2019). Élménypedagógiai oktatás az újraélesztés készségeire gyakorolt hatása a tanárképzésben résztvevő laikus egyetemi hallgatók körében. In *XVIII. Magyar Sürgősségi Orvostani Kongresszus* (p. 14).
11. Koller, A. (2019). Exercise can reverse hypertension-induced microvascular dysfunction. *ACTA PHYSIOLOGICA*, 227(718 SI), 13–13.
12. Pató, A., Németh, Z., Nyakas, C., Dörnyei, G., & Koller, Á. (2019). A humán bőr mikrocirkuláció szerepe a termoregulációban és az iszkémia/reperfúzióban. In *Vaszkuláris diszfunkció és policisztás petefészek szindróma: D-vitamin hiány és tesztoszteron hatása a nagyerek acetilkolin-függő relaxációjára és a nitratív stresszre fiatal nőstény patkányokban* (pp. 147–148).
13. Pató, A., Németh, Z., Nyakas, C., Dörnyei, G., & Koller, Á. (2019a). A bőr mikrocirkuláció szerepe a termoregulációban és az iszkémiában: sportélettani vonatkozások. *MAGYAR SPORTTUDOMÁNYI SZEMLE*, 20(5 (82)), 60–61.
14. Koller, Á. (2019b). A preeclampsia hatása az agyi vérkeringés autoregulációjára: vaszkuláris és molekuláris mechanizmusok.
15. Szénási, A., Szarka, N., Czeiter, E., Amrein, K., Tóth, P., & Koller, Á. (2019). A traumás agysérülés a konstriktor 20-HETE termelés csökkentése révén, gyengíti a nyomás és áramlás-indukált konstriktor mechanizmusokat.
16. Pató, A., Németh, Z., Nyakas, C., Dörnyei, G., & Koller, Á. (2019b). A humán bőr mikrocirkuláció szerepe a termoregulációban és az iszkémia/reperfúzióban.
17. Koller, Á., Péter, C., Zoltán, V., Ivan, I., An, H., & Dong, S. (2019). Effects of extravascular blood on basal tone and myogenic responses of small cerebral arteries: an in vitro model of subarachnoid hemorrhage.
18. Németh, Z., Nyakas, C., Téglás, T., Dörnyei, G., & Koller, Á. (2019a). Increased level of homocysteine in the pericardial fluid may contribute to myocardial remodeling after ischemia.
19. Szekeres, M., Nádasy, G., Dörnyei, G., & Koller, Á. (2019). Rendszeres fizikai aktivitás hatása patkány koronária artériák a nyomás-indukált válaszára.
20. Koller, Á. (2019a). A koronária keringés adaptációja rendszeres fizikai aktivitáshoz.

21. Németh, Z., Nyakas, C., Téglás, T., Dörnyei, G., & Koller, Á. (2019b). Increased level of homocysteine in the pericardial fluid may contribute to myocardial remodeling after ischemia. In *Vaszkuláris diszfunkció és policisztás petefészkek szindróma: D-vitamin hiány és tesztoszteron hatása a nagyerek acetilkolin-függő relaxációjára és a nitratív stresszre fiatal nőstény patkányokban* (pp. 81–82).
22. Tóth, E., Kósa, L., Ihász, F., & Koller, Á. (2019). Az öregedés hatása a metabolikus válaszokra terhelés alatt, fiatal és szenior férfi versenysportolóknál. *MAGYAR SPORTTUDOMÁNYI SZEMLE*, 20(2 (79)), 91.
23. Szakály, Z., Bognár, J., Lengvári, B., & Koller, Á. (2019). A mindennapos testnevelés fitességi hatásai alsó és felső tagozatos fiúknál. *ÚJ PEDAGÓGIAI SZEMLE*, 69(3–4), 56–69.
24. Czigler, A., Toth, L., Szarka, N., Berta, G., Amrein, K., Czeiter, E., ... Toth, P. (2019). Hypertension exacerbates cerebrovascular oxidative stress induced by mild traumatic brain injury : protective effects of the mitochondria-targeted antioxidative peptide SS-31. *JOURNAL OF NEUROTRAUMA*, 36(23), 3309–3315. <http://doi.org/10.1089/neu.2019.6439>
25. Szarka, N., Toth, L., Czigler, A., Kellermayer, Z., Ungvari, Z., Amrein, K., ... Toth, P. (2019). Single Mild Traumatic Brain Injury Induces Persistent Disruption of the Blood-Brain Barrier, Neuroinflammation and Cognitive Decline in Hypertensive Rats. *INTERNATIONAL JOURNAL OF MOLECULAR SCIENCES*, 20(13). <http://doi.org/10.3390/ijms20133223>
26. Téglás, T., Németh, Z., Koller, Á., Van der Zee, E. A., Luiten, P. G. M., & Nyakas, C. (2019). Effects of Long-Term Moderate Intensity Exercise on Cognitive Behaviors and Cholinergic Forebrain in the Aging Rat. *NEUROSCIENCE*, 411, 65–75. <http://doi.org/10.1016/j.neuroscience.2019.05.037>
27. Neumann, F.-J., Sousa-Uva, M., Ahlsson, A., Alfonso, F., Banning, A. P., Benedetto, U., ... European, A. for C.-T. S. (EACTS). (2019). 2018 ESC/EACTS Guidelines on myocardial revascularization. *EUROINTERVENTION*, 14(14), 1435–1534. http://doi.org/10.4244/EIJY19M01_01
28. Ivic, I., Balasko, M., Fulop, B. D., Hashimoto, H., Toth, G., Tamas, A., ... Solymár, M. (2019). VPAC1 receptors play a dominant role in PACAP-induced vasorelaxation in female mice. *PLOS ONE*, 14(1). <http://doi.org/10.1371/journal.pone.0211433>
29. Barth, Z., Schwartz, T., Flato, B., Aalokken, T., Koller, A., Lund, M., ... Sanner, H. (2019). The Association Between Nailfold Capillary Density and Pulmonary and Cardiac Involvement in Medium- to Long-standing Juvenile Dermatomyositis. *ARTHRITIS CARE & RESEARCH*, 71(4), 492–497. <http://doi.org/10.1002/acr.23687>
30. Neumann, F. J., Sousa-Uva, M., Ahlsson, A., Alfonso, F., Banning, A. P., Benedetto, U., ... European, A. for C.-T. S. (EACTS). (2018). 2018 ESC/EACTS Guidelines on myocardial revascularization. *KARDIOLOGIA POLSKA*, 76(12), 1585–1664. <http://doi.org/10.5603/KP.2018.0228>
31. Koller, Á., Nádasy, G., Dörnyei, G., Szénási, A., & Szekeres, M. (2018). Négy hetes napi futás-tréning a patkány szívkoszorúerek biomechanikai és funkcionális adaptációját hozza létre. *MAGYAR SPORTTUDOMÁNYI SZEMLE*, 19(75), 55–56.
32. Karácsony, A., Albert, B., Kántor, M., Herfert, Z., Dawson, A., Lelbach, Á., & Koller, Á. (2018). A rendszeres testmozgás preventív szerepe az időskori hipertónia kialakulásában. *MAGYAR SPORTTUDOMÁNYI SZEMLE*, 19(5 (77)), 65–66.
33. Szekeres, M., Nádasy, G., Szénási, A., Dörnyei, G., & Koller, Á. (2018). Rendszeres fizikai aktivitás kedvező érfa remodeling hatásai. *ÉRBETEGSÉGEK / HUNGARIAN JOURNAL OF VASCULAR DISEASES*, 25(3), 115–115.
34. Lelbach, Á., Kántor, M., Dörnyei, G., & Koller, Á. (2018). Az extracelluláris mátrix, a kollagének és biomarkereik jelentősége a hipertónia kifejlődésében és előrejelzésében, a legújabb irodalmi adatok tükrében. *HYPERTONIA ÉS NEPHROLOGIA*, 22(5), 201–203.
35. Annamaria, S., Maria, S., Gyorgy, L. N., Gabriella, D., & Akos, K. (2018). Remodeling of wall mechanics and the myogenic mechanism of rat intramural coronary arterioles in response to a short-term daily exercise program: role of endothelial factors.
36. Koller, A., Szenasi, A., Dornyei, G., Kovacs, N., Lelbach, A., & Kovacs, I. (2018). Coronary microvascular and cardiac dysfunction due to homocysteine pathometabolism; a complex therapeutic design. *CURRENT PHARMACEUTICAL DESIGN*, 24(25), 2911–2920. <http://doi.org/10.2174/1381612824666180625125450>
37. Tóth, E., Ihász, F., Koller, Á., & Kósa, L. (2018). Vita maxima terhelés hatására kialakult kardiorespiratorikus és metabolikus válaszok vizsgálata állóképességi sportolóknál és a Terror Elhárítási Központ alkalmazottjainál. *MAGYAR SPORTTUDOMÁNYI SZEMLE*, 19(3 (75)), 89–89.
38. Sáfár, S., Horváth, D., Csáki, I., & Koller, Á. (2018). A mérközésterhelés hatása a szívfrekvencia-variabilitás változóira, azaz a szív neurovegetatív funkcióelemzése a terhelési szakaszok analizálásán keresztül. In *Mozgás - biológia - sport - tudomány* (pp. 130–141).
39. Shuting, L., Koller, A., & Jia, T. J. (2018). Effects of acute high-intensity interval training on 500m rowing time and lactate curves. In *2. Sport és Innováció Nemzetközi Konferencia* (pp. 77–78).

40. Deng, W., Kandhi, S., Zhang, B., Huang, A., Koller, A., & Sun, D. (2018). Extravascular Blood Augments Myogenic Constriction of Cerebral Arterioles: Implications for Hemorrhage-Induced Vasospasm. *JOURNAL OF THE AMERICAN HEART ASSOCIATION*, 7(8). <http://doi.org/10.1161/JAHA.118.008623>
41. Solymar, M., Ivic, I., Balasko, M., Fulop, B., Toth, G., Tamas, A., ... Reglodi, D. (2018). Pituitary adenylate cyclase-activating polypeptide ameliorates vascular dysfunction induced by hyperglycaemia. *DIABETES & VASCULAR DISEASE RESEARCH*, 15(4), 277–285. <http://doi.org/10.1177/1479164118757922>
42. Szekeres, M., Nadasy, G., Dornyei, G., Szenasi, A., & Koller, A. (2018). Remodeling of Wall Mechanics and the Myogenic Mechanism of Rat Intramural Coronary Arterioles in Response to a Short-Term Daily Exercise Program: Role of Endothelial Factors. *JOURNAL OF VASCULAR RESEARCH*, 55(2), 87–97. <http://doi.org/10.1159/000486571>
43. Szarka, N., Pabbidi, M., Amrein, K., Czeiter, E., Berta, G., Pohoczky, K., ... Toth, P. (2018). Traumatic brain injury impairs myogenic constriction of cerebral arteries: role of mitochondria-derived H₂O₂ and TRPV4-dependent activation of BKCa channels. *JOURNAL OF NEUROTRAUMA*, 35(7), 930–939. <http://doi.org/10.1089/neu.2017.5056>
44. Barth, Z., Witczak, B., Flato, B., Koller, A., Sjaastad, I., & Sanner, H. (2018). Assessment of Microvascular Abnormalities by Nailfold Capillaroscopy in Juvenile Dermatomyositis After Medium- to Long-Term Followup. *ARTHRITIS CARE & RESEARCH*, 70(5), 768–776. <http://doi.org/10.1002/acr.23338>
45. Koller, Á., & Török, L. (2017). Kitekintés a sporttudományok világába. *TESTNEVELÉS, SPORT, TUDOMÁNY / PHYSICAL EDUCATION, SPORT, SCIENCE*, 2(4), 89–92.
46. Lelbach, A., & Koller, A. (2017). Mechanisms underlying exercise-induced modulation of hypertension. *JOURNAL OF HYPERTENSION RESEARCH*, 3(2), 35–43.
47. Koller, Á. (2017). The effect of traumatic brain injury on the autoregulation of cerebral blood flow. In *Sport és innováció : nemzetközi konferencia* (p. 43).
48. Cséplő, P., Vámos, Z., & Koller, Á. (2017). A perivascularis vér hatása izolált agyi erek vazomotor működésére. *IDEGGYÓGYÁSZATI SZEMLE PROCEEDINGS / CLINICAL NEUROSCIENCE PROCEEDINGS*, 3, 281–282.
49. Ivic, I., Solymar, M., Fulop, B., Hashimoto, H., Toth, G., Tamas, A., ... Reglodi, D. (2017). Aging-Induced Modulation of Pituitary Adenylate Cyclase-Activating Peptide- and Vasoactive Intestinal Peptide-Induced Vasomotor Responses in the Arteries of Mice. *JOURNAL OF VASCULAR RESEARCH*, 54(6), 359–366. <http://doi.org/10.1159/000481781>
50. Répási, E., Nagy, Z. B., & Koller, Á. (2017). Az ACE-gén polimorfizmus vérnyomással és sporttáplálkozással kapcsolatos vonatkozásai. *HYPERTONIA ÉS NEPHROLOGIA*, 21(S2), 40–41.
51. Szarka, N., Pabbidi, M., Amrein, K., Czeiter, E., Pohoczky, K., Helyes, Z., ... Toth, P. (2017). Traumatic brain injury impairs myogenic constriction of cerebral arteries: role of mitochondria-derived H₂O₂, TRPV4 and calcium-activated potassium channels. *FASEB JOURNAL*, 31(1).
52. Selthofer-Relatic, K., Mihalj, M., Kibel, A., Stupin, A., Stupin, M., Jukic, I., ... Drenjancevic, I. (2017). Coronary Microcirculatory Dysfunction in Human Cardiomyopathies: A Pathologic and Pathophysiologic Review. *CARDIOLOGY IN REVIEW*, 25(4), 165–178. <http://doi.org/10.1097/CRD.0000000000000140>
53. Benke, K., Agg, B., Polos, M., Sayour, A., Radovits, T., Bartha, E., ... Szabolcs, Z. (2017). The effects of acute and elective cardiac surgery on the anxiety traits of patients with Marfan syndrome. *BMC PSYCHIATRY*, 17. <http://doi.org/10.1186/s12888-017-1417-9>
54. Bugiardini, R., Ricci, B., Cenko, E., Vasiljevic, Z., Kedev, S., Davidovic, G., ... Badimon, L. (2017). Delayed Care and Mortality Among Women and Men With Myocardial Infarction. *JOURNAL OF THE AMERICAN HEART ASSOCIATION*, 6(8). <http://doi.org/10.1161/JAHA.117.005968>
55. Badimon, L., Bugiardini, R., Cenko, E., Cubedo, J., Dorobantu, M., Duncker, D., ... Koller, A. (2017). Position paper of the European Society of Cardiology-working group of coronary pathophysiology and microcirculation: obesity and heart disease. *EUROPEAN HEART JOURNAL*, 38(25), 1951–1958. <http://doi.org/10.1093/eurheartj/ehx181>
56. Koller, Á., Lelbach, Á., & Kovács, I. (2017). Az obesitas szerepe a coronaria- és szívbetegségek kialakulásában. In *Klinikai obezitológia* (pp. 253–262).
57. Ivic, I., Fulop, B., Juhasz, T., Reglodi, D., Toth, G., Hashimoto, H., ... Koller, A. (2017). Backup Mechanisms Maintain PACAP/VIP-Induced Arterial Relaxations in Pituitary Adenylate Cyclase-Activating Polypeptide-Deficient Mice. *JOURNAL OF VASCULAR RESEARCH*, 54(3), 180–192. <http://doi.org/10.1159/000457798>
58. Szarka, N., Amrein, K., Horvath, P., Ivic, I., Czeiter, E., Buki, A., ... Toth, P. (2017). HYPERTENSION-INDUCED ENHANCED MYOGENIC CONSTRICTION OF CEREBRAL ARTERIES IS PRESERVED AFTER TRAUMATIC BRAIN INJURY. *JOURNAL OF NEUROTRAUMA*, 34(14), 2315–2319. <http://doi.org/10.1089/neu.2016.4962>
59. Cabrera, D. D., Somfai, G. M., & Koller, A. (2017). Retinal microvascular network alterations: potential biomarkers of cerebrovascular and neural diseases. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 312(2), H201–H212. <http://doi.org/10.1152/ajpheart.00201.2016>

60. Kovácsné, B. V., Szilágyi, B., Makai, A., Koller, Á., & Járomi, M. (2017). Új low back pain prevenció program, amely javítja a törzsizmok állapotát és a lumbalis motoros kontrollt. *ORVOSI HETILAP*, *158*(2), 58–66. <http://doi.org/10.1556/650.2017.30640>
61. Cseplo, P., Vamos, Z., Torok, O., Ivic, I., Toth, A., Buki, A., & Koller, A. (2017). Hemolyzed Blood Elicits a Calcium Antagonist and High CO₂ Reversible Constriction via Elevation of [Ca²⁺]_i in Isolated Cerebral Arteries. *JOURNAL OF NEUROTRAUMA*, *34*(2), 529–534. <http://doi.org/10.1089/neu.2015.4365>
62. Ivic, I., Vamos, Z., Cseplo, P., & Koller, A. (2017). From Newborn to Senescence Morphological and Functional Remodeling Leads to Increased Contractile Capacity of Arteries. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, *72*(4), 481–488. <http://doi.org/10.1093/gerona/glw085>
63. Ivic, I., Solymar, M., Pakai, E., Rumbus, Z., Pinter, E., Koller, A., & Garami, A. (2016). Transient Receptor Potential Vanilloid-1 Channels Contribute to the Regulation of Acid- and Base-Induced Vasomotor Responses. *JOURNAL OF VASCULAR RESEARCH*, *53*(5–6), 279–290. <http://doi.org/10.1159/000452414>
64. Englert, Z., Koller, Á., & Farsang, C. (2016). A medical fitness helye az orvosi praxisban - fókuszban az alternatív ambuláns rehabilitáció. *MAGYAR BELORVOSI ARCHIVUM*, *69*(supplementum), 30–35.
65. Cenko, E., Ricci, B., Kedev, S., Kalpak, O., Calmac, L., Vasiljevic, Z., ... Bugiardini, R. (2016). The no-reflow phenomenon in the young and in the elderly. *INTERNATIONAL JOURNAL OF CARDIOLOGY*, *222*, 1122–1128. <http://doi.org/10.1016/j.ijcard.2016.07.209>
66. Cenko, E., Ricci, B., Kedev, S., Vasiljevic, Z., Dorobantu, M., Gustiene, O., ... Bugiardini, R. (2016). Invasive versus conservative strategy in acute coronary syndromes: The paradox in women's outcomes. *INTERNATIONAL JOURNAL OF CARDIOLOGY*, *222*, 1110–1115. <http://doi.org/10.1016/j.ijcard.2016.07.211>
67. Cseplo, P., Vamos, Z., Ivic, I., Torok, O., Toth, A., & Koller, A. (2016). The Beta-1-Receptor Blocker Nebivolol Elicits Dilation of Cerebral Arteries by Reducing Smooth Muscle [Ca²⁺]_i. *PLOS ONE*, *11*(10). <http://doi.org/10.1371/journal.pone.0164010>
68. Lebach, Á., & Koller, Á. (2016). A Janus-arcú versenysport: az öregedési mechanizmusok, a metabolikus szindróma és a kardiovaszkuláris rizikófaktorok szerepe. *IDŐSGYÓGYÁSZAT*, *1*(1), 106–106.
69. Koller, Á. (2016). Az artériás simaizom öregedése: Lehet, hogy igaza volt B. Folkow-nak? *IDŐSGYÓGYÁSZAT*, *1*(1), 57.
70. Bence, R., Róbert, P., Gellért, G., Ferenc, B., Zoltán, G., Antal, T., ... Tímea, V. (2016). Food additives: sodium benzoate, potassium sorbate, azorubine and tartrazine modify the expression of NFκB, GADD45A and MAPK8 genes. *PHYSIOLOGY INTERNATIONAL*, *103*(3), 334–343. <http://doi.org/10.1556/2060.103.2016.3.6>
71. Toth, P., Szarka, N., Farkas, E., Ezer, E., Czeiter, E., Amrein, K., ... Koller, A. (2016). Traumatic brain injury-induced autoregulatory dysfunction and spreading depression-related neurovascular uncoupling: Pathomechanisms, perspectives, and therapeutic implications. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *311*(5), H1118–H1131. <http://doi.org/10.1152/ajpheart.00267.2016>
72. Manfrini, O., Ricci, B., Cenko, E., Dorobantu, M., Kalpak, O., Kedev, S., ... ISACS-TC, I. (2016). Association between comorbidities and absence of chest pain in acute coronary syndrome with in-hospital outcome. *INTERNATIONAL JOURNAL OF CARDIOLOGY*, *217*(S), S37–S43. <http://doi.org/10.1016/j.ijcard.2016.06.221>
73. Koller, Á., Nádasy, G., Dörnyei, G., & Szekeres, M. (2016). A fizikai tréning optimalizálja a patkány artériás erek vasomotor szabályozását. In *FAMÉ 2016* (p. 118).
74. Szekeres, M., Nádasy, G., Dörnyei, G., & Koller, Á. (2016). Fizikai terhelés és érfal remodeling. In *FAMÉ 2016* (p. 212).
75. Szénási, A., Dörnyei, G., Rácz, A., Debreczeni, B., & Koller, Á. (2016a). Vázizomkiszvénák vasomotor tónusának intrinszik szabályozó mechanizmusai.
76. Szénási, A., Dörnyei, G., Rácz, A., Debreczeni, B., & Koller, Á. (2016b). Vázizomkiszvénák vasomotor tónusának intrinszik szabályozó mechanizmusai. *ÉRBETEGSÉGEK / HUNGARIAN JOURNAL OF VASCULAR DISEASES*, *23*(2), 33–33.
77. Bugiardini, R., Cenko, E., Ricci, B., Vasiljevic, Z., Dorobantu, M., Kedev, S., ... Badimon, L. (2016). Comparison of Early Versus Delayed Oral beta Blockers in Acute Coronary Syndromes and Effect on Outcomes. *AMERICAN JOURNAL OF CARDIOLOGY*, *117*(5), 760–767. <http://doi.org/10.1016/j.amjcard.2015.11.059>
78. Szenasi, A., Dörnyei, G., Rácz, A., Debreczeni, B., & Koller, A. (2016). Vázizomkiszvénák vasomotor tónusának intrinszik szabályozómechanizmusai. *ORVOSI HETILAP*, *157*(21), 805–812. <http://doi.org/10.1556/650.2016.30461>
79. Barth, Z., Witczak, B., Schwartz, T., Gjesdal, K., Flato, B., Koller, A., ... Sjaastad, I. (2016). In juvenile dermatomyositis, heart rate variability is reduced, and associated with both cardiac dysfunction and markers of inflammation: a cross-sectional study median 13.5 years after symptom onset. *RHEUMATOLOGY (UNITED KINGDOM)*, *55*(3), 535–543. <http://doi.org/10.1093/rheumatology/kev376>
80. Koller, Á., & Tóth, P. (2016b). Kreislaufregulation im Nervensystem, Wechselwirkungen. In *Neurologische Regulierung humaner Lebensprozesse – vom Neuron zum Verhalten. Interdisziplinärer Lernstoff zum Thema Aufbau,*

Funktion und Klinik des Nervensystems für Studierende der Medizin, Gesundheits- und Biowissenschaften in Ungarn (pp. 1620–1634).

81. Hamar, J., Koller, Á., & Tóth, P. (2016). Blood circulation in the nervous system: regulation and interactions. In *Neural regulation of human life processes – from the neuron to the behaviour. Interdisciplinary teaching material concerning the structure, function and clinical aspects of the nervous system for students of medicine, health and life sciences in Hungary* (pp. 1500–1513).
82. Koller, Á., & Tóth, P. (2016a). Az idegrendszer vérkeringésének szabályozása és kölcsönhatások. In *Emberi életfolyamatok idegi szabályozása – a neurontól a viselkedésig. Interdiszciplináris tananyag az idegrendszer felépítése, működése és klinikuma témáiban orvostanhallgatók, egészség- és élettudományi képzésben résztvevők számára Magyarországon* (pp. 1518–1531).
83. A, L., & A, K. (2015). Aktivált sejtek és a lokális gyulladáshoz vezető mechanizmusok szerepe a hipertónia kialakulásában. *HYPERTONIA ÉS NEPHROLOGIA*, 19(1), 6–10.
84. Szénási, A., Dörnyei, G., Rácz, A., Debreczeni, B., & Koller, Á. (2015). Vázizom kisvénák vasomotoros tónusának lokális szabályozó mechanizmusai. In *A Magyar Élettani Társaság 79. Vándorgyűlése és a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság 2015. évi konferenciája* (pp. 137–138).
85. Rzepiel, A., Kerekes, É., Shenker-Horváth, K., Varga, N., Koller, Á., & Nagy, Z. B. (2015). Identification of thromboembolic genetic risk factors in young athletes and the development individual-specific prevention of thrombosis. *CARDIOLOGIA CROATICA*, 10(9–10), 245. <http://doi.org/10.15836/ccar.2015.245>
86. Répási, E., Kerekes, É., Shenker-Horváth, K., Koller, Á., & Nagy, Z. B. (2015). Role of genetic variations of angiotensin converting enzyme in modulation of blood pressure, body composition and dietary requirements in athletes involved in different sports. *CARDIOLOGIA CROATICA*, 10(9–10), 244. <http://doi.org/10.15836/ccar.2015.244>
87. Nemeth, Z., Cziraki, A., Szabados, S., Biri, B., Keki, S., & Koller, A. (2015). Elevated Levels of Asymmetric Dimethylarginine (ADMA) in the Pericardial Fluid of Cardiac Patients Correlate with Cardiac Hypertrophy. *PLOS ONE*, 10(8). <http://doi.org/10.1371/journal.pone.0135498>
88. Bugiardini, R., Dorobantu, M., Vasiljevic, Z., Kedev, S., Knežević, B., Miličić, D., ... ISACS-TC, I. (2015). Unfractionated heparin-clopidogrel combination in ST-elevation myocardial infarction not receiving reperfusion therapy. *ATHEROSCLEROSIS*, 241(1), 151–156. <http://doi.org/10.1016/j.atherosclerosis.2015.04.794>
89. Pries, A., Badimon, L., Bugiardini, R., Camici, P., Dorobantu, M., Duncker, D., ... de Wit, C. (2015). Coronary vascular regulation, remodelling, and collateralization: mechanisms and clinical implications on behalf of the working group on coronary pathophysiology and microcirculation. *EUROPEAN HEART JOURNAL*, 36(45), 3134–3146. <http://doi.org/10.1093/eurheartj/ehv100>
90. Nagy, Z. B., Kerekes, É., Szokolai, V., Harsányi, G., Elbert, G., Duray, P., ... Koller, Á. (2015). Trombózishajlam genetikai szűrése: sportolói algoritmus. *SPORTORVOSI SZEMLE*, 56(2), 54–63.
91. Nemeth, Z., Cziraki, A., Szabados, S., Horvath, I., & Koller, A. (2015). Pericardial fluid of cardiac patients elicits arterial constriction: role of endothelin-1. *CANADIAN JOURNAL OF PHYSIOLOGY AND PHARMACOLOGY*, 93(9), 779–785. <http://doi.org/10.1139/cjpp-2015-0030>
92. Drenjancevic, I., Koller, A., Selthofer-Relatic, K., Grizelj, I., & Cavka, A. (2015). Assessment of coronary hemodynamics and vascular function. *PROGRESS IN CARDIOVASCULAR DISEASES*, 57(5), 423–430. <http://doi.org/10.1016/j.pcad.2014.11.006>
93. Duncker, D., Koller, A., Merkus, D., & Canty, J. J. (2015). Regulation of coronary blood flow in health and ischemic heart disease. *PROGRESS IN CARDIOVASCULAR DISEASES*, 57(5), 409–422. <http://doi.org/10.1016/j.pcad.2014.12.002>
94. Toth, P., Tarantini, S., Springo, Z., Tucsek, Z., Gautam, T., Giles, C., ... Ungvari, Z. (2015). Aging exacerbates hypertension-induced cerebral microhemorrhages in mice: role of resveratrol treatment in vasoprotection. *AGING CELL*, 14(3), 400–408. <http://doi.org/10.1111/accel.12315>
95. Springo, Z., Tarantini, S., Toth, P., Tucsek, Z., Koller, A., Sonntag, W., ... Ungvari, Z. (2015). Aging exacerbates pressure-induced mitochondrial oxidative stress in mouse cerebral arteries. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, 70(11), 1355–1359. <http://doi.org/10.1093/gerona/glu244>
96. Springo, Z., Toth, P., Tarantini, S., Ashpole, M., Tucsek, Z., Sonntag, W., ... Ungvari, Z. (2015). Aging impairs myogenic adaptation to pulsatile pressure in mouse cerebral Arteries. *JOURNAL OF CEREBRAL BLOOD FLOW AND METABOLISM*, 35(4), 527–530. <http://doi.org/10.1038/jcbfm.2014.256>
97. Ungvari, Z., Koller, A., Toth, P., & Csiszar, A. (2014). Vascular aging and free radicals. In *Systems Biology of Free Radicals and Antioxidants* (pp. 1365–1382). Springer-Verlag Berlin Heidelberg. http://doi.org/10.1007/978-3-642-30018-9_52

98. Szijarto, I., Molnar, G., Mikolas, E., Fisi, V., Cseh, J., Laczy, B., ... Wittmann, I. (2014). Elevated Vascular Level of ortho-Tyrosine Contributes to the Impairment of Insulin-Induced Arterial Relaxation. *HORMONE AND METABOLIC RESEARCH*, 46(11), 749–752. <http://doi.org/10.1055/s-0034-1387701>
99. Toth, P., Tucsek, Z., Tarantini, S., Sosnowska, D., Gautam, T., Mitschelen, M., ... Ungvari, Z. (2014). IGF-1 deficiency impairs cerebral myogenic autoregulation in hypertensive mice. *JOURNAL OF CEREBRAL BLOOD FLOW AND METABOLISM*, 34(12), 1887–1897. <http://doi.org/10.1038/jcbfm.2014.156>
100. Csato, V., Peto, A., Koller, A., Edes, I., Toth, A., & Papp, Z. (2014). Hydrogen peroxide elicits constriction of skeletal muscle arterioles by activating the arachidonic Acid pathway. *PLOS ONE*, 9(8). <http://doi.org/10.1371/journal.pone.0103858>
101. Tucsek, Z., Toth, P., Tarantini, S., Sosnowska, D., Gautam, T., Warrington, J., ... Csiszar, A. (2014). Aging Exacerbates Obesity-induced Cerebromicrovascular Rarefaction, Neurovascular Uncoupling, and Cognitive Decline in Mice. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, 69(11), 1339–1352. <http://doi.org/10.1093/gerona/glu080>
102. Vamos, Z., Ivic, I., Cseplo, P., Toth, G., Tamas, A., Reglodi, D., & Koller, A. (2014). Pituitary Adenylate Cyclase-Activating Polypeptide (PACAP) Induces Relaxations of Peripheral and Cerebral Arteries, which are Differentially Impaired by Aging. *JOURNAL OF MOLECULAR NEUROSCIENCE*, 54(3), 535–542. <http://doi.org/10.1007/s12031-014-0349-9>
103. Csiszar, A., Gautam, T., Sosnowska, D., Tarantini, S., Banki, E., Tucsek, Z., ... Ungvari, Z. (2014). Caloric restriction confers persistent anti-oxidative, pro-angiogenic, and anti-inflammatory effects and promotes anti-aging miRNA expression profile in cerebromicrovascular endothelial cells of aged rats. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 307(3), H292–H306. <http://doi.org/10.1152/ajpheart.00307.2014>
104. Szijártó, I., Molnár, G., Mikolás, E., Fisi, V., Laczy, B., Gollasch, M., ... Wittmann, I. (2014). Increase in insulin-induced relaxation of consecutive arterial segments toward the periphery: Role of vascular oxidative state. *FREE RADICAL RESEARCH*, 48(7), 749–757. <http://doi.org/10.3109/10715762.2014.904507>
105. Trninic, D., Dilic, M., Vasiljevic, Z., Kulic, M., Srdic, S., Dobrijevic, N., ... Bugiardini, R. (2014). Clinical profile of patients with no-reperfusion therapy in Bosnia and Herzegovina and Serbia. *EUROPEAN HEART JOURNAL SUPPLEMENTS*, 16(Suppl. A), A67–A73. <http://doi.org/10.1093/eurheartj/sut015>
106. Manfrini, O., Dorobantu, M., Vasiljevic, Z., Kedev, S., Knezevic, B., Miličić, D., ... Working, G. on C. P. & M. of the E. S. of C. (2014). Acute coronary syndrome in octogenarian patients: Results from the international registry of acute coronary syndromes in transitional countries (ISACS-TC) registry. *EUROPEAN HEART JOURNAL SUPPLEMENTS*, 16(Suppl. A), A87–A94. <http://doi.org/10.1093/eurheartj/sut019>
107. Vasiljevic, Z., Krljanac, G., Davidovic, G., Panic, G., Radovanovic, S., Mickovski, N., ... Bugiardini, R. (2014). Gender differences in case fatality rates of acute myocardial infarction in Serbia. *EUROPEAN HEART JOURNAL SUPPLEMENTS*, 16(Suppl. A), A48–A55. <http://doi.org/10.1093/eurheartj/sut012>
108. Koller, A. (2014). Microvascular endothelial dysfunction and gender. *EUROPEAN HEART JOURNAL SUPPLEMENTS*, 16(Suppl. A), A16–A19. <http://doi.org/10.1093/eurheartj/sut005>
109. Knezevic, B., Vasiljevic, Z., Music, L., Krivokapic, L., Ljubic, V., Tomic, S., ... Bugiardini, R. (2014). Management of heart failure complicating acute coronary syndromes in Montenegro and Serbia. *EUROPEAN HEART JOURNAL SUPPLEMENTS*, 16(Suppl. A), A61–A66. <http://doi.org/10.1093/eurheartj/sut014>
110. Vamos, Z., Cseplo, P., Ivic, I., Matics, R., Hamar, J., & Koller, A. (2014a). Age Determines the Magnitudes of Angiotensin II-Induced Contractions, mRNA, and Protein Expression of Angiotensin Type 1 Receptors in Rat Carotid Arteries. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, 69(5), 519–526. <http://doi.org/10.1093/gerona/glt128>
111. Tucsek, Z., Toth, P., Sosnowska, D., Gautam, T., Mitschelen, M., Koller, A., ... Csiszar, A. (2014). Obesity in Aging Exacerbates Blood-Brain Barrier Disruption, Neuroinflammation, and Oxidative Stress in the Mouse Hippocampus: Effects on Expression of Genes Involved in Beta-Amyloid Generation and Alzheimer's Disease. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, 69(10), 1212–1226. <http://doi.org/10.1093/gerona/glt177>
112. Toth, P., Tarantini, S., Tucsek, Z., Ashpole, N., Sosnowska, D., Gautam, T., ... Ungvari, Z. (2014). Resveratrol treatment rescues neurovascular coupling in aged mice: role of improved cerebromicrovascular endothelial function and downregulation of NADPH oxidase. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 306(3), H299–H308. <http://doi.org/10.1152/ajpheart.00744.2013>
113. Marki, A., Ermilov, E., Zakrzewicz, A., Koller, A., Secomb, T., & Pries, A. (2014). Tracking of fluorescence nanoparticles with nanometre resolution in a biological system: assessing local viscosity and microrheology. *BIOMECHANICS AND MODELING IN MECHANOBIOLOGY*, 13(2), 275–288. <http://doi.org/10.1007/s10237-013-0499-7>

114. Bugiardini, R., Manfrini, O., Majstorovic, S. M., Cenko, E., Boytsov, S., Merkely, B., ... Badimon, L. (2014). Exploring In-hospital Death from Myocardial Infarction in Eastern Europe; From the International Registry of Acute Coronary Syndromes in Transitional Countries (ISACS-TC); on the behalf of the Working Group on Coronary Pathophysiology & Microcirculation of the European Society of Cardiology. *CURRENT VASCULAR PHARMACOLOGY*, 12(6), 903–909. <http://doi.org/10.2174/157016111206141210122150>
115. Vamos, Z., Cseplo, P., Ivic, I., Matics, R., Hamar, J., & Koller, A. (2014b). Changes in Angiotensin II-induced vasomotor function and AT1-receptor mRNA expression from newborn to senescence. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, in press.
116. Papp, J., Sándor, B., Vámos, Z., Botor, D., Tóth, A., Rábai, M., ... Tóth, K. (2014). Antiplatelet effect of acetylsalicylic acid, metamizole and their combination. *CLINICAL HEMORHEOLOGY AND MICROCIRCULATION*, 56(1), 1–12. <http://doi.org/10.3233/CH-2012-1636>
117. Buday, A., Orsy, P., Godó, M., Mózes, M., Kökény, G., Lacza, Z., ... Hamar, P. (2013). Elevated systemic TGF-beta impairs aortic vasomotor function through activation of NADPH oxidase-driven superoxide production and leads to hypertension, myocardial remodeling, and increased plaque formation in apoE(-/-) mice. In *Semmelweis Symposium 2013* (p. 25).
118. Debreczeni, B., Veresh, Z., Gara, E., Marki, A., Racz, A., Matics, R., ... Koller, A. (2013b). Hydrogen peroxide via thromboxane A(2) receptors mediates myogenic response of small skeletal muscle veins in rats (vol 54, pg 393, 2013). *CLINICAL HEMORHEOLOGY AND MICROCIRCULATION*, 55(4), 535–535. <http://doi.org/10.3233/CH-131805>
119. Toth, P., Tucsek, Z., Sosnowska, D., Deak, F., Koller, A., Sonntag, W., ... Ungvari, Z. (2013a). AGE-RELATED AUTOREGULATORY DYSFUNCTION AND CEREBROMICROVASCULAR INJURY IN MICE WITH ANGIOTENSIN II-INDUCED HYPERTENSION. *GERONTOLOGIST*, 53(1), 274–274.
120. Csiszar, A., Tucsek, Z., Toth, P., Sosnowska, D., Koller, A., Deak, F., ... Ungvari, Z. (2013). SYNERGISTIC EFFECTS OF HYPERTENSION AND AGING ON COGNITIVE FUNCTION AND HIPPOCAMPAL EXPRESSION OF GENES INVOLVED IN BETA-AMYLOID GENERATION AND ALZHEIMER'S DISEASE. *GERONTOLOGIST*, 53(1), 273–273.
121. Toth, P., Csiszar, A., Tucsek, Z., Sosnowska, D., Gautam, T., Koller, A., ... Ungvari, Z. (2013). Role of 20-HETE, TRPC channels, and BKCa in dysregulation of pressure-induced Ca²⁺ signaling and myogenic constriction of cerebral arteries in aged hypertensive mice. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 305(12), H1698–H1708. <http://doi.org/10.1152/ajpheart.00377.2013>
122. Cavka, A., Cosic, A., Grizelj, I., Koller, A., Jelakovic, B., Lombard, J., ... Drenjancevic, I. (2013). Effects of AT1 Receptor Blockade on Plasma Thromboxane A² (TXA²) Level and Skin Microcirculation in Young Healthy Women on Low Salt Diet. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 37(4–5), 432–442. <http://doi.org/10.1159/000355723>
123. Cziráki, A., Ajtay, Z., Sulyok, E., Horváth, I., Németh, A., Lenkey, Z., ... Bode-Boger, S. (2013a). Investigation of asymmetric dimethylarginine in patients with coronary artery disease. *EUROPEAN HEART JOURNAL*, 34(Suppl.), 563–563.
124. Koller, Á., Cziráki, A., & Németh, Z. (2013). L-arginine and Asymmetric Dimethylarginine (ADMA) levels in pericardial fluid in patients undergoing open heart surgery. In *ESC congress 2013*.
125. Cziráki, A., Ajtay, Z., Sulyok, E., Horváth, I., Németh, A., Lenkey, Z., ... Bode-Boger, S. (2013b). Investigation of asymmetric dimethylarginine in patients with coronary artery disease. In *ESC congress 2013*.
126. Németh, Z., Cziráki, A., Szabados, S., Biri, B., Kéki, S., Seffer, I., & Koller, A. (2013a). Az L-ARGININ és aszimmetrikus Dimethylarginin (ADMA) szintjének meghatározása nyitott szívűtéten átesett betegek pericardiális folyadékában. *CARDIOLOGIA HUNGARICA*, 43(Suppl.).
127. Cziráki, A., Ajtay, Z., Sulyok, E., Horváth, I., Németh, A., Lenkey, Z., ... Bode-Boger, S. (2013c). Investigation of asymmetric dimethylarginine in patients with coronary artery disease. *CARDIOLOGIA HUNGARICA*, 43(Suppl.).
128. Németh, Z., Cziráki, A., Szabados, S., Biri, B., Kéki, S., Seffer, I., & Koller, A. (2013b). L-arginine and Asymmetric Dimethylarginine (ADMA) levels in pericardial fluid in patients undergoing open heart surgery. *CARDIOLOGIA HUNGARICA*, 43(Suppl.).
129. Koller, Á., Németh, Z., Solymár, M., Párniczky, A., Seffer, I., Biri, B., ... Cziráki, A. (2013). Az L-arginin és az aszimmetrikus dimetil-arginin (ADMA) szintje humán szérumban és perikardiális folyadékban. *CARDIOLOGIA HUNGARICA*, 42(Suppl.), 114–114.
130. Németh, Z., Cziráki, A., Kéki, S., Biri, B., Szabados, S., Seffer, I., & Koller, Á. (2013). Nyitott szívűtéten átesett betegek perikardiális folyadékának L-arginin és aszimmetrikus dimethylarginin koncentrációja. *MAGYAR SEBÉSZET*, 66(2), 102–103.
131. Simon, M., Perjés, P. Á., Ulvila, J., Alakoski, T., Kónyi, A., Szabados, S., ... Szokodi, I. (2013). A prolaktin-releasing peptid csökkenti a doxorubicin citotoxikus hatását kardiomiocitákban. *CARDIOLOGIA HUNGARICA*, 43(Supplementum B), B29.

132. Ivic, I., Vámos, Z., Cseplo, P., & Koller, A. (2013). During physiological aging the contractile force of arteries increases. In *2nd International Doctoral Workshop on Natural Sciences 2013. Program and book of abstracts* (pp. 76–77).
133. Vámos, Z., Dancs, K., Cseplo, P., Ivic, I., Springo, Z., & Koller, A. (2013). Subcellular mechanisms of AT1-receptor mediated vasomotor responses change with aging. In *2nd International Doctoral Workshop on Natural Sciences 2013. Program and book of abstracts* (pp. 73–74).
134. Cséplő, P., Ivic, I., Vámos, Z., Reglődi, D., Tamás, A., Toth, G., & Koller, Á. (2013). Pituitary andenylate cyclase-activating peptide (PACAP) induces location- and age-dependent changes in vasomotor responses on isolated rat arteries. In *The 11th International Symposium on VIP, PACAP and Related Peptides* (p. 129).
135. Kalinics, P., Vámos, Z., Ivic, I., Cséplő, P., & Koller, Á. (2013). Aging increases the contractile responses of isolated arteries to potassium chloride (KCl). *ARCHIVES OF THE HUNGARIAN MEDICAL ASSOCIATION OF AMERICA*, 21(?), 54.
136. Ivic, I., Yousif, L., Vámos, Z., Cséplő, P., Hallmann, R., Sorokin, L., & Koller, Á. (2013). Aging - induced structural changes in arteries. Role of collagen and laminin isoforms. In *International Union of Physiological Sciences (IUPS)* (p. 839).
137. Cséplő, P., Vámos, Z., Török, O., Batai, I. Z., Hamar, J., & Koller, Á. (2013). Nebivolol induces dilation in isolated rat cerebral artery, independent of NO-cGMP pathway. In *International Union of Physiological Sciences (IUPS)* (p. 876).
138. Vámos, Z., Cséplő, P., Hamar, J., Molnár, T., & Koller, Á. (2013). Ca²⁺ binding protein-S100B elicits concentration-dependent relaxation of rat cerebral arteries. *CLINICAL HEMORHEOLOGY AND MICROCIRCULATION*, 54(2), 214–215.
139. Vámos, Z., Cséplő, P., Papp, J., Toth, K., & Koller, Á. (2013). Acetylsalicylic acid, but not metamizol elicits dose-dependent contraction of isolated rat carotid arteries. *CLINICAL HEMORHEOLOGY AND MICROCIRCULATION*, 54(2), 214–214.
140. Springo, Z., Tóth, P., Cséplő, P., Dóczy, T., Hamar, J., & Koller, Á. (2013). Áramlás indukálta vascularis válaszok izolált agyi erekben (humán és patkány vizsgálatokban). *MAGYAR SEBÉSZET*, 66(2), 108.
141. Cséplő, P., Török, O., Vámos, Z., Batai, I. Z., Hamar, J., Toth, A., & Koller, Á. (2013). Az intracelluláris Ca²⁺ ion szerepe az intracranialis vérzés indukálta vasospasmusban. *MAGYAR SEBÉSZET*, 66(2), 77.
142. Cséplő, P., Török, O., Batai, I. Z., Vámos, Z., Hamar, J., Csató, V., ... Koller, Á. (2013). A perivaszkuláris hemolizált vér a simaizom intracelluláris Ca²⁺ növekedése révén okoz cerebrovaszkuláris konstriktiót. In *A Magyar Élettani, Farmakológiai és Mikrocirkulációs Társaságok 2013. évi közös Tudományos Kongresszusa* (p. 58).
143. Cséplő, P., Batai, I. Z., Török, O., Ivic, I., Vámos, Z., Hamar, J., & Koller, Á. (2013). A B1 szelektív adrenerg receptoe gátló nebulol az NO-cGMP útvonaltól független dilatációt okoz izolált agyi erekben. In *A Magyar Élettani, Farmakológiai és Mikrocirkulációs Társaságok 2013. évi közös Tudományos Kongresszusa* (p. 57).
144. Koller, Á., Cséplő, P., Ivic, I., Hamar, J., & Vámos, Z. (2013). Az életkor hatása az Angiotensin II-AT1 receptor által kiváltott értériás kontrakcióra. In *A Magyar Élettani, Farmakológiai és Mikrocirkulációs Társaságok 2013. évi közös Tudományos Kongresszusa* (p. 56).
145. Batai, I. Z., Török, O., Koller, Á., Cséplő, P., & Vámos, Z. (2013). A nebulol dilatációt okoz izolált arteria basilarison. In *Tudományos Diákköri Konferencia - absztraktfüzet* (p. 44).
146. Török, O., Batai, I. Z., Koller, Á., & Cséplő, P. (2013). Az intracelluláris Ca²⁺ ion szerepe a perivaszkuláris hemolizált vér-indukált cerebrovaszkuláris konstriktió kialakulásában. In *Tudományos Diákköri Konferencia - absztraktfüzet* (p. 127).
147. Cséplő, P., Vámos, Z., Hamar, J., Molnár, T., & Koller, Á. (2013). Ca²⁺-binding protein-S100B elicits dose-dependent dilation/relaxation of rat cerebral arteries. *CLINICAL NEUROSCIENCE*, 66(3–4), 130–131.
148. Cséplő, P., Török, O., Csató, V., Vámos, Z., Batai, I., Hamar, J., ... Koller, Á. (2013). Role of intracellular calcium ion in the development of hemolysed blood induced cerebrovascular constriction. *CLINICAL NEUROSCIENCE*, 66(3–4), 130.
149. Vámos, Z., Cseplo, P., Batai, Z., Torok, O., Ivic, I., Matics, R., ... Koller, A. (2013). Changes in angiotensin II-induced vasomotor function from newborn to senescence: correlation with expression of AT1 and AT2 receptors. *FASEB JOURNAL*, 27(S1).
150. Toth, P., Tucsek, Z., Sosnowska, D., Gautam, T., Mitschelen, M., Tarantini, S., ... Ungvari, Z. (2013c). Aging exacerbates hypertension-induced cerebrovascular injury in mice: role of autoregulatory dysfunction in the development of vascular cognitive impairment. *FASEB JOURNAL*, 27.
151. Toth, P., Csiszar, A., Sosnowska, D., Tucsek, Z., Cseplo, P., Springo, Z., ... Koller, A. (2013a). INCREASED PRODUCTION OF THE ARACHIDONIC ACID METABOLITE 20-HETE CONTRIBUTES TO HYPERTENSION-INDUCED CEREBROVASCULAR ALTERATIONS. *FASEB JOURNAL*, 27.

152. Springo, Z., Solymar, M., Cseplo, P., Toth, P., Berta, G., Hamar, J., & Koller, A. (2013). In isolated vessels H₂S is a less effective scavenger of exogenous superoxide than SOD. *FASEB JOURNAL*, 27(S1).
153. Cavka, A., Grizelj, I., Cosic, A., Koller, A., Jelakovic, B., Lombard, J., ... Drenjancevic, I. (2013). The Effects of AT1 Receptor Blockade on Skin Microcirculatory Blood Flow and Thromboxane A₂ (TXA₂) Production in Young Healthy Women. *FASEB JOURNAL*, 27(1 suppl.).
154. Vaccarino, V., Badimon, L., Corti, R., de Wit, C., Dorobantu, M., Manfrini, O., ... Bugiardini, R. (2013). Presentation, management, and outcomes of ischaemic heart disease in women. *NATURE REVIEWS CARDIOLOGY*, 10(9), 508–518. <http://doi.org/10.1038/nrcardio.2013.93>
155. Toth, P., Tucsek, Z., Sosnowska, D., Gautam, T., Mitschelen, M., Tarantini, S., ... Ungvari, Z. (2013b). Age-related autoregulatory dysfunction and cerebrovascular injury in mice with angiotensin II-induced hypertension. *JOURNAL OF CEREBRAL BLOOD FLOW AND METABOLISM*, 33(11), 1732–1742. <http://doi.org/10.1038/jcbfm.2013.143>
156. Csiszar, A., Tucsek, Z., Toth, P., Sosnowska, D., Gautam, T., Koller, A., ... Ungvari, Z. (2013). Synergistic effects of hypertension and aging on cognitive function and hippocampal expression of genes involved in beta-amyloid generation and AD. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 305(8), H1120–H1130. <http://doi.org/10.1152/ajpheart.00288.2013>
157. Németh, Z., Cziráki, A., Kéki, S., Biri, B., Szabados, S., Horváth, I., ... Koller, Á. (2013). L-arginine and asymmetric dimethyl arginine (ADMA) levels in human pericardial fluid in patients with open cardiac surgery. In *International Union of Physiological Sciences (IUPS)* (p. x).
158. Koller, Á., Cziráki, A., Szabados, S., Biri, B., Kéki, S., Seffer, I., & Németh, Z. (2013). L-arginine and asymmetric dimethylarginine (ADMA) levels in pericardial fluid in patients undergoing open heart surgery. In *European Society of Cardiology Congress* (p. x).
159. Seffer, I., Németh, Z., Hoffmann, G., Mátics, R., Seffer, A. G., & Koller, Á. (2013). Unexplored potentials of epigenetic mechanisms of plants and animals - Theoretical considerations. *GENETICS AND EPIGENETICS*, 5, 23–41. <http://doi.org/10.4137/GEG.S11752>
160. Deres, L., Vámos, Z., Erős, K., Mátics, R., Cséplő, P., Halmosi, R., ... Koller, Á. (2013). Az AT1-receptor közvetített vasomotor válasz szubcelluláris mechanizmusainak változása a kor függvényében. In *Magyar Kardiológusok Társasága 2013. évi Tudományos Kongresszusa* (pp. B16–B16).
161. Vámos, Z., Deres, L., Erős, K., Mátics, R., Ivic, I., Bertalan, A., ... Cséplő, P. (2013). Az AT1 –receptor közvetített vasomotoros válasz változása a kor függvényében, izolált patkány carotis artériákon. In *Magyar Kardiológusok Társasága 2013. évi Tudományos Kongresszusa* (pp. B32–B32).
162. Papp, J., Sándor, B., Tóth, A., Bótor, D., Rábai, M., Kenyeres, P., ... Tóth, K. (2013). Trombocitaaggregáció-gátlás metamizollal, acetilszalicilsavval és kombinációjukkal. *CARDIOLOGIA HUNGARICA*, 43(Suppl. B), B115–B115.
163. Tarnoki, D., Tarnoki, A., Medda, E., Littvay, L., Lazar, Z., Toccaceli, V., ... Horvath, I. (2013). Genetic influence on the relation between exhaled nitric oxide and pulse wave reflection. *JOURNAL OF BREATH RESEARCH*, 7(2). <http://doi.org/10.1088/1752-7155/7/2/026008>
164. Debreczeni, B., Veresh, Z., Gara, E., Marki, A., Racz, A., Matics, R., ... Koller, A. (2013a). Hydrogen peroxide via thromboxane A₂ receptors mediates myogenic response of small skeletal muscle veins in rats. *CLINICAL HEMORHEOLOGY AND MICROCIRCULATION*, 54(4), 393–407. <http://doi.org/10.3233/CH-131709>
165. Koller, A., Balasko, M., & Bagi, Z. (2013). Endothelial regulation of coronary microcirculation in health and cardiometabolic diseases. *INTERNAL AND EMERGENCY MEDICINE*, 8(Suppl. 1), S51–S54. <http://doi.org/10.1007/s11739-013-0910-5>
166. Lukács, E. É., Magyarai, B., Tóth, L., Petneházy, Ö., Petrás, Z., Simor, T., ... Horváth, I. (2013). Evaluation of experimental myocardial infarction models via electromechanical mapping and magnetic resonance imaging. *CANADIAN JOURNAL OF PHYSIOLOGY AND PHARMACOLOGY*, 91(8), 617–624. <http://doi.org/10.1139/cjpp-2012-0410>
167. Toth, P., Csiszar, A., Sosnowska, D., Tucsek, Z., Cseplo, P., Springo, Z., ... Koller, A. (2013b). Treatment with the cytochrome P450 omega-hydroxylase inhibitor HET0016 attenuates cerebrovascular inflammation, oxidative stress and improves vasomotor function in spontaneously hypertensive rats. *BRITISH JOURNAL OF PHARMACOLOGY*, 168(8), 1878–1888. <http://doi.org/10.1111/bph.12079>
168. Koller, Á., Németh, Z., Solymár, M., Párniczky, A., Seffer, I., Biri, B., ... Cziráki, A. (2012). Az L-arginin és az aszimmetrikus dimetil-arginin szintje humán szérumban és perikardiális folyadékban. *CARDIOLOGIA HUNGARICA*, 42(Suppl. A).
169. Vámos, Z., Cséplő, P., Ivic, I., Toth, P., Ungvari, Z., & Koller, Á. (2012). Aging induced changes in angiotensin II-induced vasomotor responses and AT1-receptor expression. *GERONTOLOGIST*, 52(S1), 772.
170. Springo, Z., Tóth, P., Cséplő, P., Vámos, Z., Solymár, M., & Koller, Á. (2012). Az intraluminalis áramlás növekedése dilatációt okoz izolált artéria basilaris-ban. In *A Magyar Élettani Társaság, a Magyar Anatómusok*

Társasága, a Magyar Biofizikai Társaság és a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság Kongresszusa (p. 179).

171. Debreczeni, B., Gara, E., Veresh, Z., Rácz, A., Márki, A., Cséplő, P., ... Koller, Á. (2012). A hidrogén peroxid (H₂O₂) vasomotor mediáció szerepe arteriolákban és venulákban. In *A Magyar Élettani Társaság, a Magyar Anatómusok Társasága, a Magyar Biofizikai Társaság és a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság Kongresszusa* (p. 83).

172. Cséplő, P., Solymár, M., Debreczeni, B., Vámos, Z., Németh, Z., Springó, Z., ... Koller, Á. (2012a). Az érfal simaizom kontrakciójának iszkémia/iszkémia-reperfúzió okozta károsodása az artériákban és a vénákban. In *A Magyar Élettani Társaság, a Magyar Anatómusok Társasága, a Magyar Biofizikai Társaság és a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság Kongresszusa* (p. 73).

173. Springó, Z., Vámos, Z., Ivic, I., Cséplő, P., & Koller, Á. (2012). Aging induced alterations in the vasomotor function of smooth muscle. In *SmArt Symposium 2012. Vascular Progenitors in Biology and Medicine* (p. 37).

174. Vámos, Z., Cséplő, P., Gara, E., & Koller, Á. (2012). Treatments of hypertensive urgency in children and in elderly. *ARCHIVES OF THE HUNGARIAN MEDICAL ASSOCIATION OF AMERICA*, 20(2), 24.

175. Szijjártó, G., Cséplő, P., Springó, Z., Tóth, P., Török, O., Batai, I. Z., ... Koller, Á. (2012). Increases in intraluminal flow elicit biphasic responses in isolated rat basilar arteries. *ARCHIVES OF THE HUNGARIAN MEDICAL ASSOCIATION OF AMERICA*, 20(2), 17–18.

176. Török, O., Cséplő, P., Vámos, Z., Kósa, D., Ivic, I., Batai, I. Z., ... Koller, Á. (2012b). Nebivolol induces dilation in isolated rat basilar artery. *ARCHIVES OF THE HUNGARIAN MEDICAL ASSOCIATION OF AMERICA*, 20(2), 17.

177. Batai, I. Z., Cséplő, P., Török, O., Springó, Z., Vámos, Z., Kósa, D., ... Koller, Á. (2012). Ex-vivo modelling of vasoactive effects of subarachnoid hemorrhage on isolated cerebral arteries. *ARCHIVES OF THE HUNGARIAN MEDICAL ASSOCIATION OF AMERICA*, 20(2), 16–17.

178. Török, O., Kósa, D., Cséplő, P., Vámos, Z., & Koller, Á. (2012). Hemolizált vér részben reverzibilis vasomotor diszfunkciót okoz izolált cerebrális artériákon. In *Tudományos Diákköri Konferencia - absztraktfüzet* (p. 120).

179. Kósa, D., Vámos, Z., Török, O., Szijjártó, G., Cséplő, P., Hamar, J., & Koller, Á. (2012). Experimentális Oxyologia: Az öregedés hatása a vérnyomás szabályozásra - in vitro - kísérlet. In *10. Országos interdiszciplináris Grastyán konferencia előadásai* (Vol. 10, p. z).

180. Szijjártó, G., Cséplő, P., Török, O., Kósa, D., Vámos, Z., & Koller, Á. (2012). Experimentális Oxyologia: Az agy vérkeringésének modellezése izolált agyi ereken. In *10. Országos interdiszciplináris Grastyán konferencia előadásai* (Vol. 10, p. y).

181. Torok, O., Cséplő, P., Szijjártó, G., Kósa, D., Vámos, Z., & Koller, Á. (2012). Experimentális Oxyologia: gyógyszerhatások modellezése izolált agyi ereken. In *10. Országos interdiszciplináris Grastyán konferencia előadásai* (Vol. 10, p. x).

182. Kósa, D., Koller, Á., Vámos, Z., & Cséplő, P. (2012). Age related changes in NE-induced vasomotor activity. In *8th International Croatian Student Summit* (p. 15).

183. Torok, O., Cséplő, P., Vámos, Z., Kósa, D., Hamar, J., & Koller, Á. (2012). Nebivolol induces dilation in isolated rat basilar artery. In *8th International Croatian Student Summit* (p. 11).

184. Vámos, Z., Cséplő, P., Batai, I., Török, O., Hamar, J., & Koller, Á. (2012). Az angiozentzin II indukálta vasomotor válasz és az AT1R-expresszió változása a kor függvényében. *HYPERTONIA ÉS NEPHROLOGIA*, 16(S3), 40.

185. Cséplő, P., Vámos, Z., Török, O., Batai, I., Hamar, J., & Koller, Á. (2012). A nebivolol dilatációt okoz izolált arteria basilarisban. *HYPERTONIA ÉS NEPHROLOGIA*, 16(S3), 38.

186. Török, O., Cséplő, P., Vámos, Z., Kósa, D., Ivic, I., Batai, I., ... Koller, Á. (2012a). Nebivolol az izolált arteria basilaris dilatációját okozza. In *A Magyar Hemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyökutató Társaság 3. közös kongresszusa* (p. x).

187. Cséplő, P., Török, O., Németh, Z., Vámos, Z., Szijjártó, G., Batai, I., ... Koller, Á. (2012). Hemolizált vér vasomotor hatása izolált cerebrális artériákon – subarachnoidalis vérzés modellezése. In *A Magyar Hemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyökutató Társaság 3. közös kongresszusa* (p. y).

188. Szijjártó, G., Cséplő, P., Török, O., Batai, I., Vámos, Z., Németh, Z., ... Springó, Z. (2012). Az intralumináris áramlás növekedésének hatása patkány artéria basilarisra. In *A Magyar Hemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyökutató Társaság 3. közös kongresszusa* (p. z).

189. Cséplő, P., Solymár, M., Debreczeni, B., Vámos, Z., Németh, Z., Springó, Z., ... Koller, Á. (2012b). Az érfal simaizom kontrakciójának iszkémia/reperfúzió okozta károsodása az artériákban és vénákban. In *A Magyar Élettani Társaság, a Magyar Anatómusok Társasága, a Magyar Biofizikai Társaság és a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság Kongresszusa* (p. 9).

190. Németh, Z., Vámos, Z., Cséplő, P., Solymár, M., Seffer, I., Cziráki, A., & Koller, Á. (2012). A humán perikardiális folyadék (PF) növeli az izolált patkány artériák vazomotor tónusát. In *A Magyar Hemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyök-kutató Társaság 3. közös kongresszusa* (pp. 28–28).
191. Kósa, D., Vámos, Z., Cséplő, P., Török, O., Ivan, I., Németh, Z., ... Koller, Á. (2012). Az öregedés hatása a norepinephrin-indukálta vazomotor funkcióra és a vaszkuláris 1-receptor expresszióra. In *A Magyar Hemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyök-kutató Társaság 3. közös kongresszusa* (p. 41).
192. Papp, J., Sandor, B., Toth, A., Horvath, Z., Botor, D., Rabai, M., ... Toth, K. (2012). In vitro and in vivo comparison of platelet aggregation inhibitory effect of acetylsalicylic acid, metamizole and their combination. In *XVIII. Magyar Klinikai Hemoreológiai Kongresszus, a Magyar Haemorheológiai Társaság a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyök-kutató Társaság III. közös kongresszusa*.
193. Lukács, E., Magyar, B., Tóth, L., Petrás, Z., Repa, I., Koller, Á., & Horváth, I. (2012). Overview of large animal myocardial infarction models. *ACTA PHYSIOLOGICA HUNGARICA*, 99(4), 365–381. <http://doi.org/10.1556/APhysiol.99.2012.4.1>
194. PAPP, J., SANDOR, B., TOTH, A., HORVATH, Z., BOTOR, D., RABAI, M., ... TOTH, K. (2012). In vitro and in vivo comparison of platelet aggregation inhibitory effect of acetylsalicylic acid, metamizole and their combination. *BIORHEOLOGY*, 49(2–3), 110–111.
195. Hamar, J., Solymar, M., Tanai, E., Cseplo, P., Springo, Z., Berta, G., ... Koller, A. (2012). Bioassay-comparison of the antioxidant efficacy of hydrogen sulfide and superoxide dismutase in isolated arteries and veins. *ACTA PHYSIOLOGICA HUNGARICA*, 99(4), 411–419. <http://doi.org/10.1556/APhysiol.99.2012.4.5>
196. Koller, A., & Toth, P. (2012). Contribution of flow-dependent vasomotor mechanisms to the autoregulation of cerebral blood flow. *JOURNAL OF VASCULAR RESEARCH*, 49(5), 375–389. <http://doi.org/10.1159/000338747>
197. Koller, A. (2012). Editorial - The field of microcirculation and vascular biology. *JOURNAL OF VASCULAR RESEARCH*, 49(4), 281–283. <http://doi.org/10.1159/000338554>
198. Veresh, Z., Debreczeni, B., Hamar, J., Kaminski, P., Wolin, M., & Koller, A. (2012). Asymmetric Dimethylarginine Reduces Nitric Oxide Donor-Mediated Dilation of Arterioles by Activating the Vascular Renin-Angiotensin System and Reactive Oxygen Species. *JOURNAL OF VASCULAR RESEARCH*, 49(4), 363–372. <http://doi.org/10.1159/000337485>
199. Bela, Z. D., Edit, G., Zoltan, V., Robert, T., Janos, H., & Akos, K. (2012). Small skeletal muscle veins exhibit substantial myogenic response, which is mediated by hydrogen peroxide-induced activation of TP receptors. *FASEB JOURNAL*, 26, 858.1-858.1.
200. Lora, C. B.-D., Danuta, S., Peter, T., Matthew, M., Tripti, G., Jim, H., ... Zoltan, U. (2012). Growth hormone and IGF-1 deficiency exacerbate high fat diet-induced endothelial impairment in obese Lewis dwarf rats: implications for vascular aging. *FASEB JOURNAL*, 26.
201. Peter, T., Anna, C., Danuta, S., William, E. S., Zoltan, U., & Akos, K. (2012). In hypertension CYP450A metabolite 20-HETE exacerbates flow-induced arteriolar constriction and promotes cerebrovascular inflammation. *FASEB JOURNAL*, 26.
202. Alex, M., Eugeny, E., Akos, K., Timothy, S., & Axel, P. (2012). Nanometer precise vertical localization of single particles with standard fluorescent microscope in biological samples. *FASEB JOURNAL*, 26, 679.1-679.1.
203. Cseplo, P., Torok, O., Vámos, Z., Kosa, D., Springo, Z., Hamar, J., & Koller, A. (2012). Perivascular blood induces substantial constrictions of isolated basilar artery, which can be reversed by high pCO₂. *FASEB JOURNAL*, 26, 707.3-707.3.
204. Cziráki, A., Gaszner, B., Lenkey, Z., Németh, Á., Illyés, M., Horváth, I., ... Koller, Á. (2012). Az artériás stiffneszt jellemző paraméterek vizsgálata koszorúérbetegekben. *CARDIOLOGIA HUNGARICA*, 42(Supplementum A), A78.
205. Parniczky, A., Solymar, M., Porpaczy, A., Miseta, A., Lenkey, Z., Szabados, S., ... Koller, A. (2012). In the pericardial fluid (PF) increased levels of troponin-I and macrophage migration inhibitory factor (MIF) indicate myocardial ischemia and proinflammation. *CARDIOVASCULAR RESEARCH*, 93, S84–S85.
206. Cseplo, P., Torok, O., Springo, Z., Vámos, Z., Kosa, D., Hamar, J., & Koller, A. (2012). Hemolysed blood elicits substantial constriction of isolated basilar artery, which is restored by calcium channel blocker and increased CO₂. *CARDIOVASCULAR RESEARCH*, 93, S75–S75.
207. Springo, Z., Toth, P., Cseplo, P., Szijjarto, G., & Koller, A. (2012). The nature and mediation of flow-induced responses of cerebral arteries depends on the origin of vessels. *CARDIOVASCULAR RESEARCH*, 93, S33–S33.
208. Ivic, I., Vámos, Z., Cseplo, P., Kosa, D., Torok, O., Hamar, J., & Koller, A. (2012). Vascular contractility increases from newborn to senescence. *CARDIOVASCULAR RESEARCH*, 93, S122–S122.
209. Bailey-Downs, L., Mitschelen, M., Sosnowska, D., Toth, P., Pinto, J., Ballabh, P., ... Csiszar, A. (2012). Liver-Specific Knockdown of IGF-1 Decreases Vascular Oxidative Stress Resistance by Impairing the Nrf2-Dependent

- Antioxidant Response: A Novel Model of Vascular Aging. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, 67(4), 313–329. <http://doi.org/10.1093/gerona/blr164>
210. Bailey-Downs, L., Sosnowska, D., Toth, P., Mitschelen, M., Gautam, T., Henthorn, J., ... Ungvari, Z. (2012). Growth Hormone and IGF-1 Deficiency Exacerbate High-Fat Diet-Induced Endothelial Impairment in Obese Lewis Dwarf Rats: Implications for Vascular Aging. *JOURNALS OF GERONTOLOGY SERIES A-BIOLOGICAL SCIENCES AND MEDICAL SCIENCES*, 67(6), 553–564. <http://doi.org/10.1093/gerona/blr197>
211. Németh, N., Mikó, I., Furka, A., Kiss, F., Furka, I., Koller, Á., & Szilasi, M. (2012). Concerning the importance of changes in hemorheological parameters caused by acid-base and blood gas alterations in experimental surgical models. *CLINICAL HEMORHEOLOGY AND MICROCIRCULATION*, 51(1), 43–50. <http://doi.org/10.3233/CH-2011-1507>
212. Buday, A., Orsy, P., Godó, M., Mózes, M., Kökény, G., Lacza, Z., ... Hamar, P. (2011). Az emelkedett TGF- β -szint gyorsult érlemezésedést és hipertóniát okoz Apo-E knockout egerekben. *HYPERTONIA ÉS NEPHROLOGIA*, 16(Suppl. 3.), S36–S36.
213. Magyar, K., Riba, Á., Vámos, Z., Balogh, A., Deres, L., Hideg, K., ... Tóth, K. (2011). Az AKT és a MAP kináz rendszer szerepe krónikus hipertenzív patkánymodellben a PARP gátlás által kiváltott védelemben. *CARDIOLOGIA HUNGARICA*, 41(Suppl. F), F36–F37.
214. Solymár, M., Párniczky, A., Hamar, J., & Koller, Á. (2011). A plazma magas homociszteinszintje és a kardiovaszkuláris betegségek: a terápia eredményességének és hatástalanságának rejtélye. *KARDIOVASZKULÁRIS PREVENCIÓ ÉS REHABILITÁCIÓ*, 4(1), 27–32.
215. Párniczky, A., Solymár, M., Porpáczy, A., Miseta, A., Lenkey, Z., Szabados, S., ... Koller, Á. (2011a). Troponin-I and macrophage inhibitory factor (MIF) levels in the pericardial fluid (PF) could be early indicators of myocardial ischaemia and proinflammation. In *HMAA*.
216. Ivic, I., Vámos, Z., Cséplő, P., Kósa, D., Deres, L., Mátics, R., ... Koller, Á. (2011). Aging differently alters angiotensin II, norepinephrin and KCl-induced contractile responses of rat carotid arteries. In *International Meeting of Croatian Physiological Society* (p. 21).
217. Vámos, Z., Cséplő, P., Deres, L., Ivic, I., Kósa, D., Mátics, R., ... Koller, Á. (2011). Aging alters angiotensin-II induced vasomotor responses. Correlation with changes in AT1-receptor expression. In *International Meeting of Croatian Physiological Society* (p. 6).
218. Sijjártó, G., Springó, Z., Cséplő, P., Tóth, P., & Koller, Á. (2011). Increases in intraluminal flow elicit dilations in isolated rat basilar arteries. In *International Meeting of Croatian Physiological Society* (p. 5).
219. Vámos, Z., Cséplő, P., Tucsek, Z., Mátics, R., Kósa, D., Hamar, J., & Koller, Á. (2011). Az Angiotenzin-II indukálta vazomotor válasz, és az AT1R expresszió változása a kor függvényében. In *Fiatál Hypertonusok V. fóruma* (p. x).
220. Sijjártó, G., Springó, Z., Cséplő, P., Tóth, P., & Koller, Á. (2011). Increases in intraluminal flow elicit dilations in isolated rat basilar arteries. In *HMAA* (p. x).
221. Cséplő, P., Vámos, Z., Török, O., Kósa, D., Hamar, J., & Koller, Á. (2011). Vasomotor responses induced by hemolysed blood. In *Workshop on Animal Physiology and Immunology* (p. x).
222. Vámos, Z., Cséplő, P., Koller, Á., Kósa, D., Degrell, P., Hamar, J., & Koller, Á. (2011). Aging alters angiotensin II-induced contractile responses and tachyphylaxis of rat carotid arteries. Correlation with changes in blood pressure. *ACTA PHYSIOLOGICA*, 202(S684), 126.
223. Magyar, K., Riba, A., Vámos, Z., Balogh, A., Deres, L., Hideg, K., ... Toth, K. (2011). The role of Akt and mitogen-activated protein kinase systems in the vasoprotection elicited by PARP inhibition in hypertensive rats. *EUROPEAN HEART JOURNAL*, 32(Suppl. 1), 34–34.
224. Magyar, K., Riba, A., Vámos, Z., Balogh, A., Deres, L., Hideg, K., ... Tóth, K. (2011). The role of Akt and mitogen-activated protein kinase systems in the protective effect of PARP inhibition in a chronic hypertensive rat model. *ACTA PHYSIOLOGICA*, 202(Suppl. 684), 73.
225. Vámos, Z., P, C., L, D., I, I., D, K., R, M., ... A, K. (2011). Aging alters Angiotensin-II-induced vasomotor responses.
226. Vámos, Z., Cseplo, P., Deres, L., Hamar, J., & Koller, A. (2011). Aging dependent changes in angiotensin II-induced contractions of isolated rat carotid arteries.
227. Vámos, Z., Cséplő, P., Kósa, D., Mátics, R., Deres, L., Ivan, I., ... Koller, Á. (2011). Az Angiotenzin II. indukálta vazomotor válasz és az AT1R expresszió változása a kor függvényében. *HYPERTONIA ÉS NEPHROLOGIA*, 15(S3), 44–44.
228. Cséplő, P., Vámos, Z., Török, O., Springó, Z., Kósa, D., Hamar, J., & Koller, Á. (2011). Hemolizált vér vazomotor hatása izolált cerebrális artériákon. Hipertónia talaján kialakuló subarahnoidalis vérzés. *HYPERTONIA ÉS NEPHROLOGIA*, 15(S3), 20–20.
229. Papp, J., Vámos, Z., Sándor, B., Tóth, A., Rábai, M., Kenyeres, P., ... Tóth, K. (2011). In vitro comparison of platelet aggregation inhibitory effect of acetylsalicylic acid and metamizole in blood samples of healthy subjects. *ACTA PHYSIOLOGICA*, 202(Suppl. 684), 91–92.

230. Koller, A., Vámos, Z., Koller, H., & Cseplo, P. (2011). Új eredmények a renin-angiotenzin rendszer és a hipertonia kutatásában. *ORVOSTOVÁBKÉPZŐ SZEMLE, XVIII.*(5), 11–15.
231. Bailey-Downs, L., Mitschelen, M., Sosnowska, D., Toth, P., Koller, A., Sonntag, W., ... Csiszar, A. (2011). POST-DEVELOPMENTAL, LIVER-SPECIFIC KNOCKDOWN OF IGF-1 IN MICE: A NOVEL MODEL OF VASCULAR AGING. *GERONTOLOGIST, 51*, 506–506.
232. D, K., Z, V., P, C., O, T., J, H., & Á, K. (2011). Izolált patkány carotis artériák Norepinephrin indukálta vazomotor válasza és az α 1-receptor expresszió változása az életkorral. *HYPERTONIA ÉS NEPHROLOGIA, 15*(Suppl. 3), S41–S42.
233. P, C., O, T., Z, V., I, I., D, K., Zs, S., ... Á, K. (2011). A neivolol az izolált arteria basilaris dilatációját okozza. *HYPERTONIA ÉS NEPHROLOGIA, 15*(Suppl 3), 29–30.
234. P, C., Z, V., & Á, K. (2011). Hemolysed blood-induced vasomotor dysfunction in isolated rat cerebral arteries. *FASEB JOURNAL, 25*(suppl1).
235. Vámos, Z., Cséplő, P., Koller, A. H., D, H. J., & Koller, Á. (2011). Aging alters angiotensin II-induced contractile responses of rat carotid arteries. Correlation with changes in blood pressure and expression of AT1-receptors. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája*.
236. Ungvári, Z., Sonntag, W. E., Koller, Á., & Csiszár, A. (2011). Vasoprotection by caloric restriction mimetics in aging. *ACTA PHYSIOLOGICA, 202*(S684), 123–124.
237. Tóth, P., Rózsa, B., Springó, Z., Dóczi, T., & Koller, Á. (2011). Human and rat cerebral arteries constrict to increase in flow. A novel aspect of the autoregulation of cerebral blood flow. *ACTA PHYSIOLOGICA, 202*(S684), 120–120.
238. Solymár, M., Tanai, E., Párniczky, A., Porpáczy, A., Hamar, J., & Koller, Á. (2011). Comparison of antioxidant effects of hydrogen sulphide (H₂S) and superoxide dismutase (SOD) in isolated carotid arteries. *ACTA PHYSIOLOGICA, 202*(S684), 107–108.
239. Kovács, I., Koller, Á., Császár, A., Horváth, J., Szigeti, A., Farkas, A., & Tarján, J. (2011). Relation of erectile and vascular dysfunction in young patients suffering from visceral obesity to adipokins and the effect of weight reduction on erectile dysfunction. *ACTA PHYSIOLOGICA, 202*(Sp. 684), 61–61.
240. Cséplő, P., Vámos, Z., Tucsek, Z., Pákai, E., & Koller, Á. (2011). In vitro model of hemorrhagic stroke: extraluminal blood increases basal tone and impairs vasomotor responses of isolated rat cerebral arteries. *ACTA PHYSIOLOGICA, 202*(S684), 23–24.
241. Gara, E., Debreczeni, B., Márki, A., Rácz, A., & Koller, Á. (2011). Myogenic response of venous skeletal muscle microvessels is mediated by H₂O₂ and constrictor prostaglandins, acting on PGH₂/TXA₂ receptors. *ACTA PHYSIOLOGICA, 202*(S684), 32–32.
242. Debreczeni, B., Gara, E., Márki, A., Rácz, A., & Koller, Á. (2011). Hydrogen peroxide and arachidonic acid elicit constrictions of venous microvessels via PGH₂/TXA₂ receptors. *ACTA PHYSIOLOGICA, 202*(S684), 25–26.
243. Toth, P., Doczi, T., & Koller, A. (2011). Both human and rat cerebral arteries constrict to increase in intraluminal flow. A novel aspect of the autoregulation of cerebral blood flow. *FASEB JOURNAL, 25*.
244. Bailey-Downs, L., Mitschelen, M., Sosnowska, D., Valcarcel-Ares, N., Toth, P., Koller, A., ... Ungvari, Z. (2011). Liver-specific knockdown of IGF-1 decreases vascular oxidative stress resistance by impairing the Nrf2-dependent antioxidant response. *FASEB JOURNAL, 25*.
245. Vámos, Z., Cseplo, P., Koller, H., Degrell, P., Hamar, J., Toth, P., & Koller, A. (2011). Functional availability of vascular angiotensin type 1 (AT1) receptors is altered by aging. *FASEB JOURNAL, 25*.
246. Vámos, Z., Cséplő, P., Koller, A. H., Kósa, D., Hamar, J., & Koller, Á. (2011). Correlation with changes in blood pressure and expression of AT1-receptors. In *Acta Physiologica, Volume 202, Supplement 684* (pp. 126–126).
247. Párniczky, A., Solymár, M., Porpáczy, A., Miseta, A., Lenkey, Z., Szabados, S., ... Koller, Á. (2011b). Troponin-I and macrophage migration inhibitory factor (MIF) levels in the pericardial fluid (PF) could be early indicators of myocardial injury/ischemia and proinflammation. *ACTA PHYSIOLOGICA, 202*(S684), 94–94.
248. Párniczky, A., Solymár, M., Miseta, A., Lenkey, Z., Szabados, S., Cziráki, A., & Koller, Á. (2011). A perikardiális folyadék összetétele koszorúér revaszkularizációs műtéten (CABG) és műbillentyű beültetésén átesett (VR) betegekben. *ÉRBETEGSÉGEK / HUNGARIAN JOURNAL OF VASCULAR DISEASES, 18*(Suppl.1.), 21.
249. Párniczky, A., Solymár, M., Vigh, É., Miseta, A., Németh, Á., Lenkey, Z., ... Koller, Á. (2011). A perikardiális folyadék összetétele koszorúér revaszkularizációs műtéten (CABG) és műbillentyű beültetésén átesett (VR) betegekben. Composition of the pericardial fluid (PF) arter coronary artery bypass graft (CABG) and valve replacement (VR) surgery. *CARDIOLOGIA HUNGARICA, 41*.
250. Magyar, K., Riba, Á., Vámos, Z., Balogh, A., Deres, L., Kálai, T., ... Tóth, K. (2011). Az Akt és a MAP kináz rendszer szerepe krónikus hipertenzív patkány modellben a PARP gátlás által kiváltott védelemben. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája*.

251. Kovács, I., Koller, Á., Császár, A., Horváth, J., Szigeti, A., Farkas, A., & Tarján, J. (2011). VISZCERÁLIS OBESITASBAN SZENVEDŐ FIATAL BETEGEKBEN ÉSZLELT EREKTILIS ÉS VASZKULÁRIS DISZFUNKCIÓ KAPCSOLAT AZ ADIPOKINEKSEL, VALAMINT A TESTSÚLYCSÖKKENTÉS HATÁSA AZ EREKTILIS ISZFUNKCIÓRA. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 174–175).
252. Gara, E., Debreczeni, B., Márki, A., Rácz, A., & Koller, Á. (2011). A KONSTRIKTOR PROSZTAGLANDINOK ÉS A HIDROGÉN PEROXID SZEREPE A VÁZIZOM MIKROVÉNÁKBAN KIALAKULÓ MIOGÉN VÁLASZ SZABÁLYOZÁSÁBAN. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 118–118).
253. Tóth, P., Rózsa, B., Springó, Z., Dóczi, T., & Koller, Á. (2011). HUMÁN ÉS PATKÁNY AGYI EREKBEK AZ INTRALUMINÁLIS ÁRAMLÁS KONSTRIKCIÓT OKOZ – AZ AGYI AUTOREGULÁCIÓ EGY ÚJ ASPEKTUSA. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 291–291).
254. Debreczeni, B., Gara, E., Márki, A., Rácz, A., & Koller, Á. (2011). A HIDROGÉN PEROXID ÉS AZ ARACHIDON SAV A KONSTRIKTOR SZEREPE KIS VÉNÁKON. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 99–99).
255. Párniczky, A., Solymár, M., Porpáczy, A., Miseta, A., Lenkey, Z., Szabados, S., ... Koller, Á. (2011). TROPONIN-I ÉS A MACROPHAGE MIGRATION INHIBITORY FACTOR (MIF) A PERIKARDIÁLIS FOLYADÉKBAN (PF) A MIOKARDIÁLIS SÉRÜLÉS/ISCHAEMIA ÉS A PROINFLAMMATIO KORAI INDIKÁTORA LEHET. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 241–242).
256. Mihael, M., Renic, M., Koller, Á., & Drenjancevic, I. (2011). POSSIBLE MECHANISMS OF NEUROPROTECTION BY HYPERBARIC OXYGEN TREATMENT: EFFECTS ON VASCULAR AND NEURAL TISSUES. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 207–208).
257. Cséplő, P., Vámos, Z., Tucsek, Z., Pákai, E., & Koller, Á. (2011). IN VITRO MODEL OF HEMORRHAGIC STROKE: EXTRALUMINAL BLOOD INCREASES BASAL TONE AND IMPAIRS VASOMOTOR RESPONSES OF ISOLATED RAT CEREBRAL ARTERIES. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 95–95).
258. Vámos, Z., Cséplő, P., Koller, Á. H., Kósa, D., Degrell, P., Hamar, J., & Koller, Á. (2011). AGING ALTERS ANGIOTENSIN II - INDUCED CONTRACTILE RESPONSES AND TACHYPHYLAXIS OF RAT CAROTID ARTERIES. CORRELATION WITH CHANGES IN BLOOD PRESSURE. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 299–299).
259. Ungvári, Z., Sonntag, W., Koller, Á., & Császár, A. (2011). VASOPROTECTION BY CALORIC RESTRICTION MIMETICS IN AGING. In *Magyar Farmakológiai, Anatómus, Mikrocirkulációs és Élettani (FAMÉ) társaságok 2011. évi közös tudományos konferenciája* (pp. 295–295).
260. Springo, Z., Toth, P., & Koller, A. (2011). The nature of flow-induced responses of cerebral arteries is specific to brain location. *JOURNAL OF VASCULAR RESEARCH*, 48(Suppl. 1), 140–140.
261. Solymar, M., Tanai, E., Parniczky, A., Porpaczy, A., Hamar, J., & Koller, A. (2011). Superoxide dismutase (SOD) is more effective scavenger of reactive oxygen species than hydrogen sulphide (H₂S). Studies in isolated carotid arteries. *JOURNAL OF VASCULAR RESEARCH*, 48(Suppl. 1), 97–97.
262. Marki, A., Emilov, E., Koller, A., & Pries, A. (2011). Z-position measurement of fluorescent nanoparticles in biological samples with fluorescent microscopy. *JOURNAL OF VASCULAR RESEARCH*, 48(Suppl. 1), 19–19.
263. Parniczky, A., Solymar, M., Porpaczy, A., Miseta, A., Nemeth, A., Lenkey, Z., ... Koller, A. (2011). Pericardial fluid components may serve as indicators of the myocardial condition. *JOURNAL OF VASCULAR RESEARCH*, 48(Suppl. 1), 167–167.
264. Toth, P., Rozsa, B., Springo, Z., Doczi, T., & Koller, A. (2011). Isolated human and rat cerebral arteries constrict to increases in flow: role of 20-HETE and TP receptors. *JOURNAL OF CEREBRAL BLOOD FLOW AND METABOLISM*, 31(10), 2096–2105. <http://doi.org/10.1038/jcbfm.2011.74>
265. Koller, H. Á., Vámos, Z., & Koller, Á. (2011). Patkány carotisok angiotenzin II indukálta vazomotor válaszainak korfüggő eltérései és a vérnyomás változás összefüggései. In *Magyar Mikrokeringés Kongresszus, XVIII. Évfolyam, Suppl 1*.
266. Párniczky, A., Solymár, M., Vigh, É., Miseta, A., Németh, Á., Lenkey, Z., ... Koller, Á. (2011). A perikardiális folyadék összetéte koszorúér revaszkularizációs műtéten (CABG) és műbillentyűbeültetésen átesett (VR) betegekben. *CARDIOLOGIA HUNGARICA*, 41, F39–F40.
267. Bagi, Z., Feher, A., Cassuto, J., Akula, K., Labinsky, N., Kaley, G., & Koller, A. (2011). Increased availability of angiotensin AT(1) receptors leads to sustained arterial constriction to angiotensin II in diabetes - role for Rho-kinase activation. *BRITISH JOURNAL OF PHARMACOLOGY*, 163(5), 1059–1068. <http://doi.org/10.1111/j.1476-5381.2011.01307.x>

268. Toth, P., Koller, A., Pusch, G., Bosnyak, E., Szapary, L., Komoly, S., ... Wittmann, I. (2011). Microalbuminuria, Indicated by Total versus Immunoreactive Urinary Albumins, in Acute Ischemic Stroke Patients. *JOURNAL OF STROKE AND CEREBROVASCULAR DISEASES*, 20(6), 510–516. <http://doi.org/10.1016/j.jstrokecerebrovasdis.2010.03.002>
269. Vaccarino, V., Badimon, L., Corti, R., de Wit, C., Dorobantu, M., Hall, A., ... Bugiardini, R. (2011). Ischaemic heart disease in women: are there sex differences in pathophysiology and risk factors?: Position Paper from the Working Group on Coronary Pathophysiology and Microcirculation of the European Society of Cardiology. *CARDIOVASCULAR RESEARCH*, 90(1), 9–17. <http://doi.org/10.1093/cvr/cvq394>
270. Halmai, R., Szijarto, I. A., Feher, E., Fesus, G., Molnar, G., Brasnyo, P., ... Wittmann, I. (2011). Cigarette smoke elicits relaxation of renal arteries. *EUROPEAN JOURNAL OF CLINICAL INVESTIGATION*, 41(2), 195–202. <http://doi.org/10.1111/j.1365-2362.2010.02386.x>
271. Tóth, P., Vámos, Z., Rózsa, B., Tékus, É., Cséplő, P., Hamar, J., ... Koller, Á. (2010a). Az áramlás-növekedés konstriktiót okozó izolált cerebrális artériákban. In *Magyar Élettani Társaság LXXIII. Vándorgyűlése* (p. IÉ/67).
272. Kovács, I., Koller, Á., Császár, A., Horváth, J., Szigeti, A., Farkas, A., & Tarján, J. (2010). A viszcerális obesitas és az adipokinek szerepe az erektilis és vaszkuláris diszfunkció kialakulásában. *METABOLIZMUS*, 8(3), 172–178.
273. Magyar, K., Vámos, Z., Bruszt, K., Balogh, A., Kálai, T., Hideg, K., ... Toth, K. (2010). Poly(ADP-ribose)polymerase inhibition reduces vascular remodeling in a chronic hypertension model.
274. Tanai, E., Solymár, M., Hamar, J., & Koller, Á. (2010). A hidrogén-szulfid és a szuperoxid-diszmutáz antioxidáns hatásának összehasonlítása izolált kis vénákban.
275. Magyar, K., Vámos, Z., Bruszt, K., Solti, I., Hideg, K., Koller, Á., ... Halmosi, R. (2010). Poli(ADP-ribóz) polimeráz gátlásának vazoprotektív hatása spontán hipertenzív patkánymodellben. In *40. Membrán-Transzport Konferencia* (pp. 100–100).
276. Magyar, K., Vámos, Z., Bruszt, K., Solti, I., Cséplő, P., Hideg, K., ... Koller, Á. (2010). Egy új PARP-gátló vazoprotektív hatása spontán hipertóniás patkányokban. *CARDIOLOGIA HUNGARICA*, 40(Suppl. G), G45–G45.
277. Magyar, K., Bruszt, K., Vámos, Z., Solti, I., Kalai, T., Hideg, K., ... Toth, K. (2010). Vasoprotective effects of poly(ADP-ribose)polymerase inhibition in a spontaneously hypertensive rat model. *EXPERIMENTAL AND CLINICAL CARDIOLOGY*, 15(3), 48–48.
278. Cséplő, P., Vámos, Z., Tóth, P., Hamar, J., & Koller, Á. (2010a). Vasomotor effects of hemolysed blood in isolated rat cerebral arteries. In *IX. World Congress for Microcirculation* (p. x).
279. Cséplő, P., Vámos, Z., Tóth, P., Solymár, M., Hamar, J., & Koller, Á. (2010c). A hemolizált vér vazomotor hatása izolált cerebrális artériákban. In *XVII Magyar Klinikai Hemoreológiai Kongresszus, a Magyar Haemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyógykutató Társaság II. közös kongresszusa* (p. 28).
280. Vámos, Z., Cséplő, P., Rózsa, B., Degrell, P., Hamar, J., & Koller, Á. (2010). Az Angiotenzin II vazomotor hatása a kor függvényében. In *XVII Magyar Klinikai Hemoreológiai Kongresszus, a Magyar Haemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyógykutató Társaság II. közös kongresszusa* (p. 11).
281. Cséplő, P., Vámos, Z., Hamar, J., & Koller, Á. (2010b). A vérzéses stroke vazomotor hatásának modellezése izolált cerebrális artériákban. In *A Magyar Oxyológiai Társaság XV. Vándorgyűlése* (p. x).
282. Vámos, Z., Cséplő, P., Koller, Á., Tóth, P., Degrell, P., & Hamar, J. (2010). Aging dependent changes in angiotensin II-induced contractions of isolated rat carotid arteries. In *Second International Symposium on Hypertension* (pp. 38–39).
283. Cséplő, P., Vámos, Z., Tóth, P., Hamar, J., & Koller, Á. (2010b). Vasomotor effects of hemolysed blood in isolated rat cerebral arteries. In *Second International Symposium on Hypertension* (pp. 23–24).
284. Cséplő, P., Vámos, Z., Hamar, J., & Koller, Á. (2010a). A hemolizált vér vazomotor hatása izolált cerebrális artériákban. In *A Magyar Élettani Társaság (MÉT) LXXIV. Vándorgyűlése és a Magyar Kísérletes és Klinikai Farmakológiai Társaság (MFT) II. Közös Tudományos Konferenciája* (pp. 53–54).
285. Halmai, R., Szijártó, I. A., Fehér, E., Degrell, P., Molnár, G. A., Koller, Á., & Wittmann, I. (2010). Effect of smoking on vasomotor functions.
286. Sandor, B., Papp, J., Toth, A., Rabai, M., Kenyeres, P., Koller, A., & Toth, K. (2010). Hemoreológiai vizsgálatok hiperhomociszteinémiás patkány modellen. In *XVII Magyar Klinikai Hemoreológiai Kongresszus, a Magyar Haemorheológiai Társaság, a Magyar Mikrocirkulációs és Vaszkuláris Biológiai Társaság és a Magyar Szabadgyógykutató Társaság II. közös kongresszusa*.
287. Sándor, B., Papp, J., Tóth, A., Rábai, M., Kenyeres, P., Koller, Á., & Tóth, K. (2010). Hiperhomociszteinémia hatása a vér reológiai paramétereire. *CARDIOLOGIA HUNGARICA*, 40(Suppl. G), G69–G69.
288. P, C., Z, V., J, H., & Á, K. (2010). Modeling of vasomotor effects of hemorrhagic stroke in isolated rat cerebral arteries. *IDEGGYOGYASZATI SZEMLE / CLINICAL NEUROSCIENCE*, 63, 200–201.

289. Kovács, I., Koller, Á., Farkas, A., Horváth, J., Szigeti, A., & Tarján, J. (2010). Az erektilis és a vaszkuláris funkció kapcsolat viszcéláris obesitasban szenvedő betegeknél. *OBESITOLOGIA HUNGARICA*, 11(Suppl. 1.), S25–S26.
290. Springo, Z., Toth, P., Komoly, S., & Koller, A. (2010). Flow/shear stress-induced responses are opposite in cerebral arteries of different locations. In *IBRO International Workshop 2010*. <http://doi.org/10.3389/conf.fnins.2010.10.00130>
291. Koller, A., Toth, P., Rozsa, B., Cseplo, P., Hamar, J., & Vamos, Z. (2010). Aging-induced changes in angiotensin II-induced contractions and tachyphylaxis of isolated carotid arteries. *FASEB JOURNAL*, 24.
292. Marki, A., Gara, A., Veresh, Z., Seress, L., Toth, P., & Koller, A. (2010). Role of endothelial surface layer in mediation of flow-induced dilation of isolated arterioles. *FASEB JOURNAL*, 24.
293. Toth, P., Vamos, Z., Springo, Z., Komoly, S., Doczi, T., & Koller, A. (2010). Flow/shear stress-induced constriction of rat middle cerebral artery. *FASEB JOURNAL*, 24.
294. Tanai, E., Solymar, M., Hamar, J., & Koller, A. (2010). Comparison of antioxidant effects of hydrogen sulphide (H₂S) and superoxide dismutase (SOD) in isolated small veins. *ACTA PHYSIOLOGICA HUNGARICA*, 97(4), 481–481.
295. Vámos, Z., Cséplő, P., Hamar, J., & Koller, Á. (2010). Az öregedés hatása az angiotenzin II-indukálta vazomotor funkcióra. Klinikai relevancia.
296. Vamos, Z., Cseplo, P., Toth, P., Hamar, J., & Koller, A. (2010). Angiotensin II-induced contractions and tachyphylaxis of isolated carotid arteries change as a function of age.
297. Tóth, P., Vámos, Z., Rózsa, B., Tékus, É., Cséplő, P., Hamar, J., ... Koller, Á. (2010b). Az áramlás-növekedés konstriktiót okozó izolált cerebrális artériákban. In *Magyar Élettani Társaság LXXIII. Vándorgyűlése*.
298. Magyar, K., Vamos, Z., Bruszt, K., Solti, I., Hideg, K., Sumegi, B., ... Toth, K. (2010). Vasoprotective effects of a novel PARP-inhibitor in spontaneously hypertensive rats. *EUROPEAN HEART JOURNAL*, 31(Suppl. 1), 84–84.
299. Koller, A., Vamos, Z., Cseplo, P., Toth, P., Rozsa, B., & Hamar, J. (2010). Age-related changes in the angiotensin II-induced vasomotor activity. *EUROPEAN HEART JOURNAL*, 31(Suppl. 1), 101–101.
300. Vamos, Z., Cseplo, P., Koller, A., Toth, P., Degrell, P., & Hamar, J. (2010). Aging Dependent Changes in Angiotensin II-Induced Contractions of Isolated Rat Carotid Arteries. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 33(6), 436–436.
301. Springo, Z., Toth, P., Doczi, T., & Koller, A. (2010). Increases in Intraluminal Flow Elicit Constrictions in Isolated Rat Middle Cerebral Arteries. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 33(6), 433–433.
302. Solymar, M., Tanai, E., Hamar, J., & Koller, A. (2010). Comparison of Antioxidant Effects of Hydrogen Sulphide (H₂S) and Superoxide Dismutase (SOD) in Isolated Small Veins. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 33(6), 432–432.
303. Papp, J., Sándor, B., Tóth, A., Rábai, M., Vámos, Z., Kenyeres, P., ... Tóth, K. (2010). Effects of hyperhomocysteinemia on various hemorheological parameters. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 33(6), 428–428.
304. Magyar, K., Vamos, Z., Bruszt, K., Balogh, A., Kalai, T., Hideg, K., ... Toth, K. (2010). Inhibition of Poly(ADP-Ribose) Polymerase Reduces Hypertension Induced Vascular Remodeling in Spontaneous Hypertensive Rat (SHR) Model. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 33(6), 425–425.
305. Cseplo, P., Vamos, Z., Toth, P., Hamar, J., & Koller, A. (2010). Vasomotor Effects of Hemolysed Blood in Isolated Rat Cerebral Arteries. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 33(6), 417–417.
306. Cavka, A., Grizelj, I., Begic, I., Jelakovic, B., Lombard, J., Mihaljevic, I., ... Drenjancevic, I. (2010). Influence of High Salt Diet on Microvascular Reactivity in Young Healthy Female Human Subjects. *KIDNEY AND BLOOD PRESSURE RESEARCH*, 33(6), 416–417.
307. Monos, E., Koller, Á., Lénárd, L., & Bartha, J. (2010a). *LXXIIIrd Annual Meeting of the Hungarian Physiological Society*. (E. Monos, Á. Koller, L. Lénárd, & J. Bartha, Eds.) (Vol. 97(1):). Akadémiai Kiadó.
308. Monos, E., Koller, Á., Lénárd, L., & Bartha, J. (2010b). *Second Joint Meeting of the LXXIV Annual Meeting of the Hungarian Physiological Society and the Hungarian Society for Experimental and Clinical Pharmacology*. (E. Monos, Á. Koller, L. Lénárd, & J. Bartha, Eds.) (Vol. 97(4)). Akadémiai Kiadó.
309. Kovács, I., Koller, Á., Császár, A., Horváth, J., Szigeti, A., Farkas, A., & Tarján, J. (2010). A viszcéláris obesitas és az adipokinek szerepe az erektilis és vaszkuláris diszfunkció kialakulásában. *METABOLIZMUS*, VIII.(3), 172–178.
310. Nagy, J., Szapáry, L., Kovács, T., Késői, I., Tóth, P., Sági, B., ... Komoly, S. (2010). A cerebrovasculáris betegségek korai felismerésének és prevenciójának gyakorlati kérdései a belgyógyászok számára is kiemelkedően fontosak. *HYPERTONIA ÉS NEPHROLOGIA*, 14(2), 83–90.
311. Nagy, J., Kovács, T., Késői, I., Tóth, P., Sági, B., Szapáry, L., ... Kiss, I. (2010). Krónikus vesebetegségekben a stroke gyakori, súlyos, de megelőzhető cardiovascularis szövődmény. *HYPERTONIA ÉS NEPHROLOGIA*, 14(2), 93–101.
312. Koller, A. (2010c). Role of adrenergic receptors in norepinephrine-induced responses of isolated human coronary arterioles. *ACTA PHYSIOLOGICA HUNGARICA*, 97(1), 72–72.

313. Toth, P., Vamos, Z., Rozsa, B., Tekus, E., Cseplo, P., Hamar, J., ... Koller, A. (2010). Increases in flow/shear stress elicit constrictions of small cerebral arteries. *ACTA PHYSIOLOGICA HUNGARICA*, 97(1), 144–145.
314. Marki, A., Gara, E., Paloczi, Z., Balasko, M., & Koller, A. (2010). Role of glycocalyx in mediation of flow-induced vasodilation of arterioles. *ACTA PHYSIOLOGICA HUNGARICA*, 97(1), 121–121.
315. Koller, A. (2010b). Aging-induced changes in the regulation of coronary arteriolar tone. Role of nitric oxide and oxidative stress. *ACTA PHYSIOLOGICA HUNGARICA*, 97(1), 116–116.
316. Debreczeni, B., Veres, Z., Racz, A., Marki, A., Tamas, R., & Koller, A. (2010). Possible role of hydrogen peroxide (H₂O₂) in regulating the vasomotor tone of venules. *ACTA PHYSIOLOGICA HUNGARICA*, 97(1), 67–67.
317. Koller, A., Debreczeni, B., Veres, Z., Marki, A., Hamar, J., & Racz, A. (2010). Myogenic response of venules. Possible role of hydrogen peroxide (H₂O₂). *ACTA PHYSIOLOGICA HUNGARICA*, 97(1), 66–66.
318. Koller, A. (2010a). ADMA by activating arteriolar renin angiotensin system elicits release of ROS and constriction. *CARDIOVASCULAR RESEARCH*, 87, S89–S90.
319. Racz, A., Veresh, Z., Lotz, G., Bagi, Z., & Koller, A. (2010). Cyclooxygenase-2 derived thromboxane A₂ and reactive oxygen species mediate flow-induced constrictions of venules in hyperhomocysteinemia. *ATHEROSCLEROSIS*, 208(1), 43–49. <http://doi.org/10.1016/j.atherosclerosis.2009.06.014>
320. Buday, A., Orsy, P., Godo, M., Mozes, M., Kokeny, G., Lacza, Z., ... Hamar, P. (2010). Elevated systemic TGF-β impairs aortic vasomotor function through activation of NADPH oxidase-driven superoxide production and leads to hypertension, myocardial remodeling, and increased plaque formation in apoE(-/-) mice. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 299(2), H386–H395. <http://doi.org/10.1152/ajpheart.01042.2009>
321. Marli, A., Gara, E., Veresh, Z., & Koller, A. (2009). Az L-arginin metilált formája, az adma, a vascularis angiotensin-nad(p)h-oxidáz-oxidatív stressz jelúton keresztül vazokonstriktiót okoz.
322. Koller, Á. (2009b). Endothelial function from bench to bedside.
323. Koller, Á. (2009a). A véráramlás szabályozása vénás mikroerekben. A hemodinamikai erők és rheológiai faktorok szerepe.
324. Koller, Á., Springó, Z., Vámos, Z., Dóczi, T., Komoly, S., & Tóth, P. (2009). A hipertónia hatása az agyi vérkeringés és térfogat lokális szabályozására.
325. Halmai, R., Fehér, E., Mérei, Á., Szijártó, I., Brasnyó, P., Fésüs, G., ... Wittmann, I. (2009). Water soluble substances of cigarette smoke elicit relaxation of renal arteries of rats and humans. *NEPHROLOGY DIALYSIS TRANSPLANTATION PLUS (NDT PLUS)*, 2(Suppl 2), ii219.
326. Tóth, P., Vámos, Z., Rózsa, B., Hamar, J., Komoly, S., & Koller, Á. (2009). AZ ÁRAMLÁS-NÖVEKEDÉS KONSTRIKCIÓT OKOZ PATKÁNY A CEREBRI MEDIA-BAN.
327. Gara, E., Márki, A., & Koller, Á. (2009). Az endoteliális felszíni réteg, a glikokalyx szerepe az áramlás- indukálta dilatáció közvetítésében.
328. Bagi, Z., & Koller, A. (2009). Caveolae by interfering internalization of AT1 receptors regulate constrictions of isolated arterioles to Ang II. *FASEB JOURNAL*, 23(Suppl. 1).
329. Bagi, Z., Koller, A., & Kaley, G. (2009). Augmented angiotensin II-induced arteriolar constrictions in mice with type 2 diabetes mellitus - role for cyclooxygenase-2. *FASEB JOURNAL*, 23(Suppl. 1).
330. Racz, A., Veresh, Z., Erdei, N., Bagi, Z., & Koller, A. (2009c). Thromboxane A₂ contributes to the mediation of flow-induced responses of skeletal muscle venules:role of cyclooxygenases 1 and 2. *JOURNAL OF VASCULAR RESEARCH*, 2009(46), 397–405.
331. Rutkai, I., Fehér, A., Erdei, N., Herion, D., Papp, Z., Édes, I., ... Bagi, Z. (2009). Activatio of prostaglandin E₂ EP1 receptor increases arteriolar tone and blood pressure in mice with type 2 diabetes. *CARDIOVASCULAR RESEARCH*, 2009 Jul 1(83), 148–54.
332. Z, V., P, T., P, C., B, R., J, H., & Á, K. (2009a). Az öregedés hatása az AT1-receptorok vazomotor működésére. *HYPERTONIA ÉS NEPHROLOGIA*, 13(S3), 204–204.
333. Z, V., P, T., P, C., B, R., J, H., & Á, K. (2009b). Izolált carotis artériák Angiotensin I- ill. II-re adott eltérő vazomotor válasza. *ÉRBETEGSÉGEK / HUNGARIAN JOURNAL OF VASCULAR DISEASES*, XVI(2), 55–55.
334. Halmai, R., Szijártó, I., Brasnyó, P., Fésüs, G., Toth, P., Pusch, G., ... Wittmann, I. (2009). Water extracts of cigarette smoke elicit smooth muscle dependent relaxation of rat renal arteries. *FASEB JOURNAL*, 23.
335. Toth, P., Marko, L., Halmai, R., Bosnyak, E., Szapary, L., Koller, A., ... Wittmann, I. (2009). HPLC is more sensitive to assess urinary albumin than nephelometry in acute stroke patients. *FASEB JOURNAL*, 23.
336. Toth, P., Koller, A., Marko, L., Halmai, R., Bosnyak, E., Szapary, L., ... Wittmann, I. (2009). Correlation between acute stroke and microalbuminuria. Potential role of underlying systemic microvascular endothelial disease. *FASEB JOURNAL*, 23.
337. Toth, P., Halmai, R., Marko, L., Bosnyak, E., Toth, M., Bagoly, E., ... Komoly, S. (2009). Evaluation of kidney function and microalbuminuria in patients with acute stroke. *ACTA PHYSIOLOGICA HUNGARICA*, 96(1), 140–140.

338. Racz, A., Veresh, Z., Erdei, N., Bagi, Z., & Koller, A. (2009a). The role of cyclooxygenase-1 and-2 (COX-1,-2) in mediation of flow-induced responses of venules. *ACTA PHYSIOLOGICA HUNGARICA*, 96(1), 116–116.
339. Debreczeni, B., Veresh, Z., Racz, A., Tamas, R., & Koller, A. (2009). Potential role of hydrogen peroxide (H₂O₂) mediating myogenic response of isolated skeletal muscle venules. *ACTA PHYSIOLOGICA HUNGARICA*, 96(1), 67–67.
340. Cseko, C., & Koller, A. (2009). Distinct role of hydrogen peroxide in mediation of flow/shear stress dependent dilation of arterioles. *ACTA PHYSIOLOGICA HUNGARICA*, 96(1), 63–64.
341. Koller, A., & Bagi, Z. (2009). Highlights of the 25th Conference of the European Society for Microcirculation, August 26-29, 2008, Budapest, Hungary. *JOURNAL OF VASCULAR RESEARCH*, 46(6), 634–679. <http://doi.org/10.1159/000243977>
342. Racz, A., Veresh, Z., Erdei, N., Bagi, Z., & Koller, A. (2009b). Thromboxane A₂ Contributes to the Mediation of Flow-Induced Responses of Skeletal Muscle Venules: Role of Cyclooxygenases 1 and 2. *JOURNAL OF VASCULAR RESEARCH*, 46(5), 397–405. <http://doi.org/10.1159/000194270>
343. Rutkai, I., Feher, A., Erdei, N., Henrion, D., Papp, Z., Edes, I., ... Bagi, Z. (2009). Activation of prostaglandin E₂ EP₁ receptor increases arteriolar tone and blood pressure in mice with type 2 diabetes. *CARDIOVASCULAR RESEARCH*, 83(1), 148–154. <http://doi.org/10.1093/cvr/cvp098>
344. Miklos, Z., Kemecsei, P., Koller, A., & Ivanics, T. (2008). Cardiac reactive hyperemia is impaired in a rat model of hyperhomocysteinemia (HHcy). *FASEB JOURNAL*, 22(Suppl. 1), 1152.6.
345. Márki, A., Veres, Z., Racz, A., & Koller, A. (2008). Asymmetric dimethylarginine (ADMA) interferes with the regulation of arteriolar tone by activating local renin-angiotensin system -- Role nitric oxide and superoxide. 8th. *LIJECNICKI VJESNIK*, 130(Suppl 5), 65.
346. Veresh, Z., Racz, A., Hamar, J., & Koller, A. (2008). Asymmetric dimethylarginine (ADMA) elicits superoxide production in isolated arterioles via NAD(P)H oxidase. *FASEB JOURNAL*, 22.
347. Bagi, Z., Kaley, G., & Koller, A. (2008). High Glucose Concentrations via Activating Rho-kinase Leads to Augmented and Sustained Angiotensin II-induced Arteriolar Constrictions. *FASEB JOURNAL*, 22(Suppl. 1).
348. Halmai, R., Fésüs, G., Tóth, P., Koller, Á., & Wittmann, I. (2008c). Water-soluble components of cigarette smoke elicit endothelium independent relaxation of rat renal arteries. *JOURNAL OF VASCULAR RESEARCH*, 45(Suppl. 2), 118.
349. Bagi, Z., Erdei, N., & Koller, A. (2008a). High intraluminal pressure via H₂O₂ upregulates arteriolar constrictions to angiotensin II by increasing the functional availability of AT₁ receptors. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 2008 Aug(295), H835-41.
350. Halmai, R., Fésüs, G., Tóth, P., Koller, Á., & Wittmann, I. (2008a). A dohányfüst vízoldékony komponensei (Dvív) izolált renális artériákban endotheliumtól független vazorelaxációt okoznak.
351. Banga, P., Racz, A., Veresh, Z., Toth, P., Marki, A., & Koller, A. (2008). Temperature substantially modulates the basal tone of arterioles. *JOURNAL OF VASCULAR RESEARCH*, 45(Suppl. 2), 109–109.
352. Toth, P., Toth, J., Marki, A., Racz, A., Veresh, Z., & Koller, A. (2008). In vitro methods to investigate the vasomotor activity of microvessels. *JOURNAL OF VASCULAR RESEARCH*, 45(suppl 2), 154–154.
353. Toth, P., Halmai, R., Marko, L., Bosnyak, E., Toth, M., Bagoly, E., ... Komoly, S. (2008). Manifestation of systemic vascular disease: microalbuminuria and renal dysfunction in acute stroke. *JOURNAL OF VASCULAR RESEARCH*, 45(Suppl. 2), 160–160.
354. Halmai, R., Fésüs, G., Tóth, P., Koller, A., & Wittmann, I. (2008b). Water-soluble components of cigarette smoke elicit endothelium independent relaxation of rat renal arterie. *JOURNAL OF VASCULAR RESEARCH*, 45(S2), 159–159.
355. Koller, A. (2008a). *Proceedings of the European Society for Microcirculation*. (A. Koller, Ed.). Bologna: Medimond Publisher.
356. Rácz, A., Bagi, Z., & Koller, Á. (2008). Mechanoszenzitív mechanizmusok szerepe a reaktív hyperaemia kialakításában: Egy új koncepció. *CARDIOLOGIA HUNGARICA*, 38, 19–24.
357. Racz, A., Bagi, Z., & Koller, A. (2008). The role of mechanosensitive mechanisms in the development of reactive hyperemia: A novel concept. *CARDIOLOGIA HUNGARICA*, 38, 25–29.
358. Kovacs, I., Csaszar, A., Toth, J., Siller, G., Farkas, A., Tarjan, J., ... Koller, A. (2008). Correlation between flow-mediated dilation and erectile dysfunction. *JOURNAL OF CARDIOVASCULAR PHARMACOLOGY*, 51(2), 148–153. <http://doi.org/10.1097/FJC.0b013e31815e8514>
359. Jebelovszki, E., Kiraly, C., Erdei, N., Feher, A., Pasztor, E., Rutkai, I., ... Bagi, Z. (2008). High-fat diet-induced obesity leads to increased NO sensitivity of rat coronary arterioles: role of soluble guanylate cyclase activation. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 294(6), H2558–H2564. <http://doi.org/10.1152/ajpheart.01198.2007>
360. Bagi, Z., Erdei, N., & Koller, A. (2008b). High intraluminal pressure via H₂O₂ upregulates arteriolar constrictions to angiotensin II by increasing the functional availability of AT₁ receptors. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 295(2), H835–H841. <http://doi.org/10.1152/ajpheart.00205.2008>

361. Koller, A. (2008b). Viscosity, hematocrit, shear stress and regulation of microvascular resistance. *BIORHEOLOGY*, 45(1–2), 22–23.
362. Veresh, Z., Racz, A., Lotz, G., & Koller, A. (2008). ADMA impairs nitric oxide-mediated arteriolar function due to increased superoxide production by angiotensin II-NAD(P)H oxidase pathway. *HYPERTENSION*, 52(5), 960–966. <http://doi.org/10.1161/HYPERTENSIONAHA.108.116731>
363. Koller, A., Erdei, N., Feher, A., Edes, I., & Bagi, Z. (2007). Increased soluble guanylate cyclase (sGC) activity may compensate for the high fat diet-induced reduction in NO bioavailability of rat coronary arterioles. *FASEB JOURNAL*, 21(6), A1226–A1226.
364. Toth, J., Racz, A., Kaminski, P., Wolin, M., Bagi, Z., & Koller, A. (2007a). Asymmetric dimethylarginine (ADMA) increases the myogenic tone of arterioles due to enhanced release of superoxide. *FASEB JOURNAL*, 21(6), A1403–A1403.
365. Koller, A., Erdei, N., Edes, I., Toth, J., & Bagi, Z. (2007). High intraluminal pressure via increased release of hydrogen peroxide maintains arteriolar responsiveness to angiotensin II. *FASEB JOURNAL*, 21(6), A1248–A1248.
366. Bagi, Z., Erdei, N., Szerafin, T., Edes, I., & Koller, A. (2007). Multiple effects of diabetes mellitus on the vasomotor responses of human coronary arterioles. *FASEB JOURNAL*, 21(6), A1226–A1226.
367. Toth, E., Bagi, Z., Racz, A., & Koller, A. (2007). Aldose reductase inhibition reduces endothelial dysfunction and oxidative stress in skeletal muscle arterioles exposed to hyperglycemia. *FASEB JOURNAL*, 21(6), A834–A834.
368. Koller, A., & Kaley, G. (2007). Discovery and significance of shear stress dependent regulation of vascular resistance. In *Proceedings of the 8th World Congress for Microcirculation* (pp. 21–28).
369. Koller, A. (2007). A magas vérnyomás hatása a vascularis renin angiotenzin rendszer aktivitására. *HÁZIORVOS TOVÁBBKÉPZŐ SZEMLE*, 12(8), 603–608.
370. Erdei, N., Bagi, Z., Edes, I., Kaley, G., & Koller, A. (2007). H₂O₂ increases production of constrictor prostaglandins in smooth muscle leading to enhanced arteriolar tone in Type 2 diabetic mice. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 292(1), H649–H656. <http://doi.org/10.1152/ajpheart.00596.2006>
371. Suematsu, N., Ojaimi, C., Kinugawa, S., Wang, Z., Xu, X., Koller, A., ... Hintze, T. (2007). Hyperhomocysteinemia alters cardiac substrate metabolism by impairing nitric oxide bioavailability through oxidative stress. *CIRCULATION*, 115(2), 255–262. <http://doi.org/10.1161/CIRCULATIONAHA.106.652693>
372. Racz, A., Toth, E., Veresh, Z., Toth, J., & Koller, A. (2007). Increased role of prostaglandin H-2/thromboxane A(2) (PGH(2)/TXA(2)) in mediation of flow dependent responses of gracilis muscle vessels in hyperhomocysteinemia (HHcy). *FASEB JOURNAL*, 21(6), A846–A847.
373. Fulop, T., Jabelovszki, E., Erdei, N., Szerafin, T., Forster, T., Edes, I., ... Bagi, Z. (2007). Adaptation of vasomotor function of human coronary Arterioles to the simultaneous presence of obesity and hypertension. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, 27(11), 2348–2354. <http://doi.org/10.1161/ATVBAHA.107.147991>
374. Toth, E., Racz, A., Toth, J., Kaminski, P., Wolin, M., Bagi, Z., & Koller, A. (2007). Contribution of polyol pathway to arteriolar dysfunction in hyperglycemia. Role of oxidative stress, reduced NO, and enhanced PGH(2)/TXA(2) mediation. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 293(5), H3096–H3104. <http://doi.org/10.1152/ajpheart.01335.2006>
375. Bagi, Z., Fulop, T., Jabelovszki, E., Erdei, N., Szerafin, T., Forster, T., ... Edes, I. (2007). Adaptation of coronary arteriolar dilations to the simultaneous presence of obesity and hypertension: Role of increased nitric oxide sensitivity. *CIRCULATION*, 116(16), 230–230.
376. Erdei, N., Feher, A., Beleznaï, T., Edes, I., Koller, A., & Bagi, Z. (2007). Oxidative stress via activating soluble guanylate cyclase leads to increased nitric oxide sensitivity of coronary arterioles in high fat diet-induced obesity. *CIRCULATION*, 116(16 Suppl.), 28–28.
377. Koller, A., Erdei, N., Toth, J., & Bagi, Z. (2007). High intraluminal pressure reduces AT1 receptor internalization and maintains arteriolar constrictions to angiotensin II. *CIRCULATION*, 116(16), 14–14.
378. Toth, J., Racz, A., Kaminski, P., Wolin, M., Bagi, Z., & Koller, A. (2007b). Asymmetrical dimethylarginine inhibits shear stress-induced nitric oxide release and dilation and elicits superoxide-mediated increase in arteriolar tone. *HYPERTENSION*, 49(3), 563–568. <http://doi.org/10.1161/01.HYP.0000256764.86208.3d>
379. Hamar, P., Bagi, Z., Antus, B., Kökény, G., Rosivall, L., & Koller, Á. (2006). Urémia fokozza a vázizom arteriolák miogén tónusát és csökkenti a nitrogén oxid-mediálta dilatációt. In *Magyar Atherosclerosis Társaság 16. kongresszusa program, absztraktkötet* (p. n.a).
380. Szerafin, T., Erdei, N., Edes, I., Koller, A., & Bagi, Z. (2006). Diabetes mellitus alters the intrinsic constrictor and dilator mechanisms regulating the tone of human coronary microvessels: Role of cyclooxygenase-2. *EUROPEAN HEART JOURNAL*, 27(Suppl. 1), 879–879.
381. Banga, P., Racz, A., Toth, E., Toth, J., & Koller, A. (2006). Temperature-dependent modulation of myogenic tone of isolated gracilis and coronary arterioles. *FASEB JOURNAL*, 20(5), A1404–A1404.

382. Goetschkes, T., Toth, J., Debreczeni, B., Tamas, R., & Koller, A. (2006). Hydrogen peroxide elicits prostaglandins-mediated constriction of isolated skeletal muscle venules. *FASEB JOURNAL*, *20*(5), A1400–A1400.
383. Toth, J., Kaminski, P., Wolin, M., & Koller, A. (2006). Superoxide released to asymmetric dimethylarginine (ADMA) interferes with the vasomotor responses of isolated arterioles. *FASEB JOURNAL*, *20*(5), A1149–A1149.
384. Koller, A., Erdei, N., Toth, A., Edes, I., Toth, J., & Bagi, Z. (2006). High intraluminal pressure reduces tachyphylaxis to angiotensin II in isolated arterioles. *FASEB JOURNAL*, *20*(4), A306–A306.
385. Koller, A., Csiszar, A., Kaley, G., & Ungvary, Z. (2006). High intravascular pressure upregulates the expression of bone morphogenetic protein-2 in the arterial wall. - A possible molecular link between hypertension and atherosclerosis. *JOURNAL OF HYPERTENSION*, *24*, S123–S123.
386. Erdei, N., Toth, A., Pasztor, E., Papp, Z., Edes, I., Koller, A., & Bagi, Z. (2006b). Obesity-induced reduction in nitric oxide-dependent arteriolar dilation in rats. Role of xanthine oxidase-derived superoxide. *JOURNAL OF VASCULAR RESEARCH*, *43*, 86–86.
387. Racz, A., Toth, E., Debreczeni, B., Toth, J., & Koller, A. (2006). Impairment of vasomotor function of gracilis venules in hyperhomocysteinemia. *JOURNAL OF VASCULAR RESEARCH*, *43*, 52–52.
388. Bagi, Z., Erdei, N., Toth, A., Edes, I., & Koller, A. (2006). Interaction between hydrogen peroxide and prostaglandin metabolism leads to microvascular dysfunction in type 2 diabetes mellitus. *JOURNAL OF VASCULAR RESEARCH*, *43*, 32–32.
389. Szekeres, M., Kaley, G., Nadasy, G. L., Dezsi, L., & Koller, A. (2006). Nitric oxide modulates the interaction of pressure-induced wall mechanics and myogenic response of rat intramural coronary arterioles. *ACTA PHYSIOLOGICA HUNGARICA*, *93*(1), 1–12. <http://doi.org/10.1556/APhysiol.93.2006.1.1>
390. Koller, A. (2006a). A hipertónia és az ateroszklerózis molekuláris szintű kapcsolatai. Háziorvos továbbképző szemle. *HÁZIORVOS TOVÁBBKÉPZŐ SZEMLE*, *11*, 443–447.
391. Koller, A., Frangos, J., Kaley, G., & Bagi, Z. (2006). Role of platelet endothelial adhesion molecule (PECAM)-1 in sensing and mediating high temporal gradients of shear stress in arterioles. *JOURNAL OF VASCULAR RESEARCH*, *43*(1), 56–56.
392. Szerafin, T., Erdei, N., Fulop, T., Pasztor, E., Edes, I., Koller, A., & Bagi, Z. (2006). Increased cyclooxygenase-2 expression and prostaglandin-mediated dilation in coronary arterioles of patients with diabetes mellitus. *CIRCULATION RESEARCH*, *99*(5), E12–E17. <http://doi.org/10.1161/01.RES.0000241051.83067.62>
393. Kovacs, I., Toth, J., Tarjan, J., & Koller, A. (2006). Correlation of flow mediated dilation with inflammatory markers in patients with impaired cardiac function. Beneficial effects of inhibition of ACE. *EUROPEAN JOURNAL OF HEART FAILURE*, *8*(5), 451–459. <http://doi.org/10.1016/j.ejheart.2005.10.011>
394. Koller, A. (2006c). Molecular pathways involved in the signal transduction of shear stress-induced dilation of microvessels. *JOURNAL OF VASCULAR RESEARCH*, *43*(Suppl. 1), 27–27.
395. Koller, A. (2006b). Flow-Dependent remodeling of small arteries: the stimuli and the sensors are (still) in question. *CIRCULATION RESEARCH*, *99*(1), 6–9. <http://doi.org/10.1161/01.RES.0000233144.65663.23>
396. Bagi, Z., Erdei, N., Papp, Z., Edes, I., & Koller, A. (2006). Up-regulation of vascular cyclooxygenase-2 in diabetes mellitus. *PHARMACOLOGICAL REPORTS*, *58*(Suppl), 52–56.
397. Erdei, N., Toth, A., Pasztor, E., Papp, Z., Edes, I., Koller, A., & Bagi, Z. (2006a). High-fat diet-induced reduction in nitric oxide-dependent arteriolar dilation in rats: role of xanthine oxidase-derived superoxide anion. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *291*(5), H2107–H2115. <http://doi.org/10.1152/ajpheart.00389.2006>
398. Bagi, Z., Hamar, P., Kardos, M., & Koller, Á. (2006). Lack of Flow Mediated Dilation and Enhanced Angiotensin II-induced Constriction in Skeletal Muscle Arterioles of Lupus-Prone Autoimmune Mice. *LUPUS*, *15*(6), 326–334. <http://doi.org/10.1191/0961203306lu2297oa>
399. Bagi, Z., Erdei, N., Toth, A., Li, W., Hintze, T., Koller, A., & Kaley, G. (2005b). Type 2 diabetic mice have increased arteriolar tone and blood pressure: enhanced release of COX-2-derived constrictor prostaglandins. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *2005 Aug*(25), 1610–6.
400. Szekeres, M., Nádasy, G., Dézsi, L., Kaley, G., Monos, E., & Koller, A. (2005). Heterogeneity in vascular biomechanics and functional reactivity of coronary arteries and arterioles. *ACTA PHYSIOLOGICA HUNGARICA*, *92*(3–4), 307–308.
401. Koller, A., Toth, E., Cseko, C., Toth, J., Kovacs, I., & Bagi, Z. (2005). Role of polyol pathway in oxidative stress-induced arteriolar dysfunction in diabetes mellitus (DM). *FASEB JOURNAL*, *19*(4), A633–A633.
402. Bagi, Z., Koller, A., & Kaley, G. (2005). Specific roles of COX-1 and COX-2 inhibitors to interfere with the regulation of microvascular resistance in normal mice and mice with type 2 diabetes mellitus. *FASEB JOURNAL*, *19*(4), A633–A633.
403. Bagi, Z., Erdei, N., Toth, A., Edes, I., Kaley, G., & Koller, A. (2005). Hydrogen peroxide elicits COX-2-dependent production of constrictor prostaglandins in arterioles of type 2 diabetic mice. *CIRCULATION*, *112*(17), U230–U230.

404. Toth, J., Cseko, C., Toth, E., Kovacs, I., & Koller, A. (2005). Assymetric dimethyl-L-arginine (ADMA) inhibits endothelium dependent regulation of arteriolar resistance. *FASEB JOURNAL*, *19*(5), A1678–A1678.
405. Kovacs, I., Csaszar, A., Toth, J., Siller, G., Farkas, A., Tarjan, J., ... Koller, A. (2005). Positive correlation between erectile and endothelial dysfunctions. *FASEB JOURNAL*, *19*(5), A1238–A1238.
406. Ungvari, Z., Smith, K., Edwards, J., Koller, A., & Csiszar, A. (2005). High pressure-induced arterial H₂O₂ production and NF-κB activation. *FASEB JOURNAL*, *19*(5), A1231–A1231.
407. Csiszar, A., Smith, K., Koller, A., Kaley, G., Edwards, J., & Ungvari, Z. (2005). Regulation of bone morphogenetic protein-2 expression in endothelial cells - Role of nuclear factor-κB activation by tumor necrosis factor-α, H₂O₂, and high intravascular pressure. *CIRCULATION*, *111*(18), 2364–2372. <http://doi.org/10.1161/01.CIR.0000164201.40634.1D>
408. Cseko, C., & Koller, A. (2005). Regulation of skeletal muscle arteriolar resistance by intraluminal and endogenous hydrogen peroxide. *FASEB JOURNAL*, *19*(4), A730–A731.
409. Szekeres, M., Kaley, G., Nadasy, G., Dezsi, L., & Koller, A. (2005). Interaction between pressure-induced passive wall biomechanics and active responses of rat intramural coronary arterioles; role of nitric oxide. *FASEB JOURNAL*, *19*(4), A730–A730.
410. Becker, J., Huang, H., Wang, Z., Koller, A., Kaley, G., & Hintze, T. (2005). Is hyperhomocysteinemia a cardiac metabolic disease? *FASEB JOURNAL*, *19*(4), A692–A692.
411. Bagi, Z., Frangos, J., Yeh, J., White, C., Kaley, G., & Koller, A. (2005). PECAM-1 mediates NO-dependent dilation of arterioles to high temporal gradients of shear stress. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *25*(8), 1590–1595. <http://doi.org/10.1161/01.ATV.0000170136.71970.5f>
412. Bagi, Z., Erdei, N., Toth, A., Li, W., Hintze, T., Koller, A., & Kaley, G. (2005a). Type 2 diabetic mice have increased arteriolar tone and blood pressure. Enhanced release of COX-2 derived constrictor prostaglandins. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *25*(8), 1610–1616. <http://doi.org/10.1161/01.ATV.0000172688.26838.9f>
413. Becker, J., Adler, A., Schneeberger, A., Huang, H., Wang, Z., Walsh, E., ... Hintze, T. (2005). Hyperhomocysteinemia, a cardiac metabolic disease: role of nitric oxide and the p22phox subunit of NADPH oxidase. *CIRCULATION*, *111*(16), 2112–2118. <http://doi.org/10.1161/01.cir.0000162506.61443.15>
414. Kovács, I., Császár, A., Koller, Á., Tóth, J., Siller, G., Szigeti, A., ... Nagy, L. (2004). Erectilis dysfunctio mint az endothel diszfunkcio markere. *DIABETOLOGIA HUNGARICA*, *12*(s1), 78–79.
415. Dézsi, L., Nadasy, G., Szekeres, M., Kaley, G., & Koller, A. (2004). Adaptation of biomechanical and pharmacological properties of intramural coronary arteries to the lack of nitric oxide. *ACTA PHYSIOLOGICA HUNGARICA*, *91*, 289–290.
416. Koller, A. (2004). EDHF in the microcirculation. *JOURNAL OF VASCULAR RESEARCH*, *41*(1), 92–92.
417. Szekeres, M., Nadasy, G., Kaley, G., & Koller, A. (2004). Nitric oxide and prostaglandins modulate pressure-induced myogenic responses of intramural coronary arterioles. *JOURNAL OF CARDIOVASCULAR PHARMACOLOGY*, *43*(2), 242–249. <http://doi.org/10.1097/00005344-200402000-00012>
418. Koller, Á., & Bagi, Z. (2004). A vaszkuláris oxidatív stressz szerepe az atherosclerosis kialakulásában. In *Atherosclerosis* (pp. 106–112).
419. Ungvari, Z., Csiszar, A., Ahmad, M., Smith, K., Kaminski, P., Wolin, M., & Koller, A. (2004). Pressure-induced phenotypic changes underlie the activation of arterial renin-angiotensin system and PKC-NAD(P)H oxidase axis. *CIRCULATION*, *110*(17), 259–259.
420. Koller, A., & Bagi, Z. (2004b). Nitric oxide and hydrogen peroxide contribute to the development of reactive dilation in isolated coronary arterioles. *CIRCULATION*, *110*(17), 76–76.
421. Bagi, Z., Koller, A., & Kaley, G. (2004d). Type 2 diabetic mice have increased blood pressure and enhanced arteriolar basal tone due to COX-2-dependent TxA₂/PGH₂ production. *CIRCULATION*, *110*(17), 34–34.
422. Bagi, Z., Kaley, G., & Koller, A. (2004). Oxidative stress contributes significantly to the development of cardiac pump dysfunction in hyperhomocysteinemia. *FASEB JOURNAL*, *18*(5), A1244–A1245.
423. Csiszar, A., Ungvari, Z., Koller, A., Edwards, J., & Kaley, G. (2004a). Aging-induced pro-inflammatory phenotype of coronary arteries promotes endothelial apoptosis. *FASEB JOURNAL*, *18*(5), A1216–A1216.
424. Bagi, Z., Koller, A., & Kaley, G. (2004c). Transient elevation of glucose concentration reduces NO-mediation of flow-induced arteriolar dilation due to interaction between superoxide and tetrahydrobiopterin (BH₄). *FASEB JOURNAL*, *18*(4), A622–A622.
425. Bagi, Z., Koller, A., & Kaley, G. (2004a). PPAR gamma activation improves wall shear stress dependent regulation of coronary arteriolar diameter in type 2 diabetes mellitus. *FASEB JOURNAL*, *18*(4), A622–A622.
426. Ungvari, Z., Csiszar, A., Huang, A., Kaminski, P., Wolin, M., & Koller, A. (2004). High intraluminal pressure induces superoxide production in isolated arteries via PKC-dependent activation of NAD(P)H oxidase. *FASEB JOURNAL*, *18*(4), A274–A274.

427. Cseko, C., Bagi, Z., Toth, E., & Koller, A. (2004). Hydrogen peroxide modulates arteriolar myogenic tone by activating multiple vasomotor mechanisms. *FASEB JOURNAL*, *18*(4), A251–A251.
428. Csiszar, A., Ungvari, Z., Edwards, J., Kaley, G., & Koller, A. (2004). Hyperhomocysteinemia-induced pro-inflammatory cytokine expression in coronary arteries. *FASEB JOURNAL*, *18*(4), A12–A12.
429. Cseko, C., Bagi, Z., & Koller, A. (2004). Biphasic effect of hydrogen peroxide on skeletal muscle arteriolar tone via activation of endothelial and smooth muscle signaling pathways. *JOURNAL OF APPLIED PHYSIOLOGY*, *97*(3), 1130–1137. <http://doi.org/10.1152/jappphysiol.00106.2004>
430. Koller, A., & Bagi, Z. (2004a). Nitric oxide and H₂O₂ contribute to reactive dilation of isolated coronary arterioles. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *287*(6), H2461–H2467. <http://doi.org/10.1152/ajpheart.00295.2004>
431. Pemberton, C., Tokola, H., Bagi, Z., Koller, A., Pöntinen, J., Ola, A., ... Ruskoaho, H. (2004). Ghrelin induces vasoconstriction in the rat coronary vasculature without altering cardiac peptide secretion. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *287*(4), H1522–H1529. <http://doi.org/10.1152/ajpheart.00193.2004>
432. Csiszar, A., Ungvari, Z., Koller, A., Edwards, J., & Kaley, G. (2004b). Proinflammatory phenotype of coronary arteries promotes endothelial apoptosis in aging. *PHYSIOLOGICAL GENOMICS*, *17*(1), 21–30. <http://doi.org/10.1152/physiolgenomics.00136.2003>
433. Bagi, Z., Toth, E., Koller, A., & Kaley, G. (2004). Microvascular dysfunction after transient high glucose is caused by superoxide-dependent reduction in the bioavailability of NO and BH(4). *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *287*(2), H626–H633. <http://doi.org/10.1152/ajpheart.00074.2004>
434. Kovacs, I., Csiszar, A., Koller, A., Farkas, A., Horváth, J., Toth, J., ... Nagy, L. (2004). Az atorvastatin pleiotrop hatása primer hypercholesterinaemia betegek konduktív artériájának endothelfunkciója. *CARDIOLOGIA HUNGARICA*, *34*, 114–119.
435. Ungvari, Z., Csiszar, A., Kaminski, P., Wolin, S., & Koller, A. (2004). Chronic high pressure-induced arterial oxidative stress. Involvement of protein kinase C-dependent NAD(P)H oxidase and local Renin-Angiotensin system. *AMERICAN JOURNAL OF PATHOLOGY*, *165*(1), 219–226. [http://doi.org/10.1016/S0002-9440\(10\)63290-7](http://doi.org/10.1016/S0002-9440(10)63290-7)
436. Bagi, Z., Koller, A., & Kaley, G. (2004b). PPAR γ activation, by reducing oxidative stress, increases NO bioavailability in coronary arterioles of mice with Type 2 diabetes. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *286*(2), H742–H748. <http://doi.org/10.1152/ajpheart.00718.2003>
437. Hamar, P., Bagi, Z., Kökény, G., & Koller, Á. (2003c). Szisztémás lupus hatása egér vázizom Arteriálák Vazomotor működésére. In *Magyar Nephrológiai Társaság 2003. Évi Nagygyűlése* (p. 35).
438. Hamar, P., Bagi, Z., Kökény, G., & Koller, Á. (2003a). Arteriola működési zavar szisztémás autoimmun betegségben egerekben. In *A Magyar Élettani Társaság LXVII. vándorgyűlése : előadások és poszterek összefoglalói* (p. 95).
439. Hamar, P., Bagi, Z., Antus, B., Kökény, G., Rosivall, L., & Koller, Á. (2003). A nitrogén oxid dilatációs mechanizmus sérülése urémiában. In *A Magyar Élettani Társaság LXVII. vándorgyűlése : előadások és poszterek összefoglalói* (p. 90).
440. Hamar, P., Bagi, Z., Kökény, G., & Koller, A. (2003b). Arteriolar Dysfunction in Mice with Systemic Autoimmune Disease. *JOURNAL OF THE AMERICAN SOCIETY OF NEPHROLOGY*, *2003*, n.a.
441. Hamar, P., Bagi, Z., Antus, B., Kökény, G., Rosivall, L., & Koller, Á. (2003). Urémia fokozza a vázizom arteriálák miogén tónusát és csökkenti a nitrogén oxid-mediálta dilatációt.
442. Ungvari, Z., Csiszar, A., Edwards, J., Kaminski, P., Wolin, M., Kaley, G., & Koller, A. (2003b). Increased superoxide production in coronary arteries in hyperhomocysteinemia - Role of tumor necrosis factor- α , NAD(P)H oxidase, and inducible nitric oxide synthase. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *23*(3), 418–424. <http://doi.org/10.1161/01.ATV.0000061735.85377.40>
443. Bagi, Z., & Koller, A. (2003a). Lack of nitric oxide mediation of flow-dependent arteriolar dilation in type I diabetes is restored by sepiapterin. *JOURNAL OF VASCULAR RESEARCH*, *40*(1), 47–57. <http://doi.org/10.1159/000068938>
444. Csiszar, A., Ungvari, Z., Koller, A., Edwards, J., & Kaley, G. (2003b). Aging-induced proinflammatory shift in cytokine expression profile in rat coronary arteries. *FASEB JOURNAL*, *17*(6), 1183–1185. <http://doi.org/10.1096/fj.02-1049fje>
445. Ungvari, Z., Csiszar, A., Edwards, J., Kaminski, P., Wolin, M., Kaley, G., & Koller, A. (2003a). Hyperhomocysteinemia-induced increased superoxide production in coronary arteries: Role of TNF α , NAD(P)H oxidase and iNOS. *FASEB JOURNAL*, *17*(5), A884–A885.
446. Ungvari, Z., Csiszar, A., Kaminski, P., Wolin, M., & Koller, A. (2003). High pressure upregulates PKC and increases arterial superoxide production by NAD(P)H oxidase. *FASEB JOURNAL*, *17*(5), A855–A855.

447. Bagi, Z., Koller, A., & Kaley, G. (2003a). Enhanced superoxide production reduces NO-mediation of flow-dependent dilation of isolated coronary arteries in type 2 diabetes mellitus. *FASEB JOURNAL*, *17*(5), A854–A854.
448. Bagi, Z., & Koller, A. (2003b). Tetrahydrobiopterin (BH4) is essential for NO-mediated flow-dependent dilation of isolated skeletal muscle arterioles. *FASEB JOURNAL*, *17*(4), A539–A539.
449. Csiszar, A., Ungvari, Z., Koller, A., Edwards, J., & Kaley, G. (2003a). Aging-induced pro-inflammatory shift in cytokine expression profile in small coronary arteries. *FASEB JOURNAL*, *17*(4), A538–A538.
450. Ungvari, Z., Csiszar, A., Huang, A., Kaminski, P., Wolin, M., & Koller, A. (2003). High pressure induces superoxide production in isolated arteries via protein kinase C-dependent activation of NAD(P)H oxidase. *CIRCULATION*, *108*(10), 1253–1258. <http://doi.org/10.1161/01.CIR.0000079165.84309.4D>
451. Bagi, Z., Koller, A., & Kaley, G. (2003c). Superoxide-NO interaction decreases flow- and agonist-induced dilations of coronary arterioles in Type 2 diabetes mellitus. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *285*(4), H1404–H1410. <http://doi.org/10.1152/ajpheart.00235.2003>
452. Gupte, S., Arshad, M., Viola, S., Kaminski, P., Ungvari, Z., Rabbani, G., ... Wolin, M. (2003). Pentose phosphate pathway coordinates multiple redox-controlled relaxing mechanisms in bovine coronary arteries. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *285*(6), H2316–H2326. <http://doi.org/10.1152/ajpheart.00229.2003>
453. Bagi, Z., Cseko, C., Toth, E., & Koller, A. (2003). Oxidative stress-induced dysregulation of arteriolar wall shear stress and blood pressure in hyperhomocysteinemia is prevented by chronic vitamin C treatment. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *285*(6), H2277–H2283. <http://doi.org/10.1152/ajpheart.00448.2003>
454. Koller, A., & Bagi, Z. (2003). Reduced level of tetrahydrobiopterin is responsible for the lack of nitric oxide mediation of flow-dependent arteriolar dilation in diabetes mellitus. *EUROPEAN HEART JOURNAL*, *24*, 214–214.
455. Bagi, Z., Koller, A., & Kaley, G. (2003b). PPAR gamma activation restores NO-Mediated dilations of coronary Arterioles in type 2 diabetes Mellitus. *CIRCULATION*, *108*(17), 80–80.
456. Bagi, Z., Hamar, P., Antus, B., Rosivall, L., & Koller, A. (2003). Chronic renal failure leads to reduced flow-dependent dilation in isolated rat skeletal muscle arterioles due to lack of NO mediation. *KIDNEY AND BLOOD PRESSURE RESEARCH*, *26*(1), 19–26. <http://doi.org/10.1159/000069762>
457. Hamar, P., Bagi, Z., Antus, B., Kökény, G., Rosivall, L., & Koller, Á. (2002a). A nitrogén oxid dilatációs mechanizmus sérülése urémiában. In *Magyar Nephrológiai Társaság Nagygyűlése* (p. 41).
458. Szollár, L., Koller, Á., & Bagi, Z. (2002). Kóreléttani mechanizmusokon alapuló egészségmegőrzés lehetőségei az atherosclerosis-hoz vezető hyperhomocysteinemiában. In *Az egészség fenntarthatósága szív-érrendszeri betegségekben* (pp. 30–47).
459. Hamar, P., Bagi, Z., Antus, B., Kökény, G., Rosivall, L., & Koller, Á. (2002b). A nitrogén oxid dilatációs mechanizmus sérülése urémiában. *HYPERTONIA ÉS NEPHROLOGIA*, *6*, 33.
460. Huang, A., Sun, D., Shesely, E., Levee, E., Koller, A., & Kaley, G. (2002). Neuronal NOS-dependent dilation to flow in coronary arteries of male NOS-KO mice. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *282*(2), H429–H436. <http://doi.org/10.1152/ajpheart.00501.2001>
461. Bagi, Z., Ungvari, Z., & Koller, A. (2002). Xanthine oxidase-derived reactive oxygen species convert flow-induced arteriolar dilation to constriction in hyperhomocysteinemia - Possible role of peroxynitrite. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *22*(1), 28–33. <http://doi.org/10.1161/hq0102.101127>
462. Sun, D., Huang, A., Koller, A., & Kaley, G. (2002a). Decreased arteriolar sensitivity to shear stress in adult rats is reversed by chronic exercise activity. *MICROCIRCULATION*, *9*(2), 91–97. <http://doi.org/10.1038/sj/mn/7800124>
463. Ungvari, Z., Csiszar, A., Bagi, Z., & Koller, A. (2002a). Functional and morphological evidence for increased peroxynitrite formation in hyperhomocysteinemia impairing flow-induced coronary dilation. *FASEB JOURNAL*, *16*(4), A508–A509.
464. Koller, A., & Huang, A. (2002). Xanthine oxidase-derived superoxide released to high intraarteriolar pressure impairs nitric oxide-mediated flow induced dilation. *FASEB JOURNAL*, *16*(4), A428–A428.
465. Koller, A., Ungvari, Z., & Bagi, Z. (2002). Xanthine oxidase-derived reactive oxygen species convert flow-induced arteriolar dilation to constriction in hyperhomocysteinemia. Possible role of peroxynitrite. *FASEB JOURNAL*, *16*(4), A220–A220.
466. Bagi, Z., & Koller, A. (2002). Impaired NO-mediation of flow dependent arteriolar dilation in diabetes due to reduced level of tetrahydrobiopterin. *FASEB JOURNAL*, *16*(4), A120–A120.
467. Ungvari, Z., Csiszar, A., & Koller, A. (2002a). EDHF-type arteriolar dilation due to Ca²⁺-induced activation of endothelial K_{Ca} channels and gap junctional coupling. *FASEB JOURNAL*, *16*(4), A84–A84.
468. Ungvari, Z., Csiszar, A., & Koller, A. (2002b). Increases in endothelial Ca²⁺ activate K^{Ca} channels and elicit EDHF-type arteriolar dilation via gap junctions. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *282*(5), H1760–H1767. <http://doi.org/10.1152/ajpheart.00676.2001>

469. Huang, A., Sun, D., Koller, A., & Kaley, G. (2002). Estrogen-dependent regulation of flow-induced dilation in NO deficiency. *FASEB JOURNAL*, *16*(5), A1113–A1113.
470. Sun, D., Huang, A., Koller, A., & Kaley, G. (2002c). Rhythmic compression of isolated rat coronary arterioles enhances basal release of NO and facilitates flow-induced dilation. *FASEB JOURNAL*, *16*(5), A863–A863.
471. Csiszar, A., Ungvari, Z., Edwards, J., Koller, A., & Kaley, G. (2002). Aging-induced phenotypic changes affect redox state and function of coronary arterioles. *FASEB JOURNAL*, *16*(5), A862–A863.
472. Bagi, Z., Konrad, F., & Koller, A. (2002). Differential reversal of microvascular endothelial dysfunction in rats with hyperhomocysteinemia by vitamin-C and -E treatments. *FASEB JOURNAL*, *16*(5), A825–A825.
473. Csiszar, A., Ungvari, Z., Edwards, J., Kaminski, P., Wolin, M., Koller, A., & Kaley, G. (2002). Aging-induced phenotypic changes and oxidative stress impair coronaryarteriolar function. *CIRCULATION RESEARCH*, *90*(11), 1159–1166. <http://doi.org/10.1161/01.RES.0000020401.61826.EA>
474. Ungvari, Z., Csiszar, A., Bagi, Z., & Koller, A. (2002b). Impaired nitric oxide-mediated flow-induced coronary dilation in hyperhomocysteinemia - Morphological and functional evidence for increased peroxynitrite formation. *AMERICAN JOURNAL OF PATHOLOGY*, *161*(1), 145–153. [http://doi.org/10.1016/S0002-9440\(10\)64166-1](http://doi.org/10.1016/S0002-9440(10)64166-1)
475. Ungvari, Z., Brown, G., Venuto, R., Koller, A., & Losonczy, G. (2002). Increased NO-mediated and reduced TxA_2 -dependent responses in skeletal muscle arterioles in pregnancy. *HYPERTENSION IN PREGNANCY*, *21*(2), 135–146. <http://doi.org/10.1081/PRG-120005358>
476. Koller, A. (2002). Signaling pathways of mechanotransduction in arteriolar endothelium and smooth muscle cells in hypertension. *MICROCIRCULATION*, *9*(4), 277–294. <http://doi.org/10.1038/sj.mn.7800142>
477. Sun, D., Huang, A., Mital, S., Kichuk, M., Marboe, C., Addonizio, L., ... Kaley, G. (2002). Norepinephrine elicits beta(2)-receptor-mediated dilation of isolated human coronary arterioles. *CIRCULATION*, *106*(5), 550–555. <http://doi.org/10.1161/01.CIR.0000023896.70583.9F>
478. Massett, M., Ungvari, Z., Csiszar, A., Kaley, G., & Koller, A. (2002). Different roles of PKC and MAP kinases in arteriolar constrictions to pressure and agonists. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *283*(6), H2282–H2287. <http://doi.org/10.1152/ajpheart.00544.2002>
479. Koller, A., & Bagi, Z. (2002). On the role of mechanosensitive mechanisms eliciting reactive hyperemia. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *283*(6), H2250–H2259. <http://doi.org/10.1152/ajpheart.00545.2002>
480. Sun, D., Huang, A., Koller, A., & Kaley, G. (2002b). Enhanced NO-mediated dilations in skeletal muscle Arterioles of chronically exercised rats. *MICROVASCULAR RESEARCH*, *64*(3), 491–496. <http://doi.org/10.1006/mvre.2002.2450>
481. Hamar, P., Bagi, Z., Antus, B., Rosivall, L., & Koller, A. (2002). Reduced arteriolar smooth muscle responsiveness to nitric oxide in rats with mild uremia. *FASEB JOURNAL*, *16*(5), A887–A887.
482. Kecskemeti, V., Pacher, P., Ungvari, Z., Tekes, K., & Koller, A. (2001). The role of NO in altered sensitivity of vascular preparations to drugs in diabetic animals. In *Nitric Oxide: Basic Research and Clinical Applications* (pp. 199–200).
483. Bagi, Z., Hamar, P., Antus, B., Rosivall, L., & Koller, Á. (2001). A nitrogén monoxid mediált mechanizmus sérülése veseelégtelenségben. In *Magyar Hypertonia Társaság Kongresszusa* (p. n.a).
484. Bagi, Z., Hamar, P., Antus, B., Rosivall, L., & Koller, Á. (2001). A nitrogén-oxid mediált dilatációs mechanizmus sérülése vese elégtelenségben. *HYPERTONIA ÉS NEPHROLOGIA*, *5*(S4), 198.
485. Szekeres, M., Dezsi, L., Nadasy, G., Kaley, G., & Koller, A. (2001). Pharmacologic inhomogeneity between the reactivity of intramural coronary arteries and arterioles. *JOURNAL OF CARDIOVASCULAR PHARMACOLOGY*, *38*(4), 584–592. <http://doi.org/10.1097/00005344-200110000-00011>
486. Sun, D., Huang, A., Recchia, F., Cui, Y., Messina, E., Koller, A., & Kaley, G. (2001). Nitric oxide-mediated arteriolar dilation after endothelial deformation. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *280*(2), H714–H721.
487. Bagi, Z., Ungvari, Z., Szollar, L., & Koller, A. (2001). Flow-induced constriction in arterioles of hyperhomocysteinemic rats is due to impaired nitric oxide and enhanced thromboxane A₂ mediation. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *21*(2), 233–237. <http://doi.org/10.1161/01.ATV.21.2.233>
488. Ungvari, Z., & Koller, A. (2001e). NO elicits arteriolar dilation via cGMP-mediated modulation of smooth muscle Ca²⁺ sensitivity. *FASEB JOURNAL*, *15*(4), A454–A454.
489. Koller, A., & Ungvari, Z. (2001). Different modulation of endothelial [Ca²⁺]_i by wall shear stress (WSS) and acetylcholine in arterioles. *FASEB JOURNAL*, *15*(4), A122–A122.
490. Ungvari, Z., & Koller, A. (2001a). EDHF but not 5,6-EET reduces smooth muscle [Ca²⁺]_i and myogenic tone of skeletal muscle arterioles. *FASEB JOURNAL*, *15*(4), A51–A51.

491. Sun, D., Huang, A., Koller, A., & Kaley, G. (2001c). Endothelial K-Ca channels mediate flow-dependent dilation of arterioles of skeletal muscle and mesentery. *MICROVASCULAR RESEARCH*, 61(2), 179–186. <http://doi.org/10.1006/mvre.2000.2291>
492. Sun, D., Huang, A., Sharma, S., Koller, A., & Kaley, G. (2001). Endothelial microtubule disruption blocks flow-dependent dilation of arterioles. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 280(5), H2087–H2093.
493. Sun, D., Huang, A., Koller, A., & Kaley, G. (2001a). Activation of COX-1 and COX-2 maintains flow-induced dilation in arterioles of eNOS-deficient mice. *FASEB JOURNAL*, 15(5), A783–A783.
494. Koller, A., & Bagi, Z. (2001). Peroxynitrite is responsible for flow-induced arteriolar constriction in hyperhomocysteinemia (HHcy). *FASEB JOURNAL*, 15(5), A782–A782.
495. Huang, A., Sun, D., Falck, J., Koller, A., & Kaley, G. (2001). 20-HETE mediated, enhanced myogenic response in coronary arteries of eNOS-KO mice. *FASEB JOURNAL*, 15(5), A764–A764.
496. Huang, A., Sun, D., Carroll, M., Jiang, H., Smith, C., Connetta, J., ... Kaley, G. (2001). EDHF mediates flow-induced dilation in skeletal muscle arterioles of female eNOS-KO mice. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 280(6), H2462–H2469.
497. Wu, Y., Huang, A., Sun, D., Falck, J., Koller, A., & Kaley, G. (2001). Gender-specific compensation for the lack of NO in the mediation of flow-induced arteriolar dilation. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 280(6), H2456–H2461.
498. Ungvari, Z., & Koller, A. (2001b). Homocysteine reduces smooth muscle $[Ca^{2+}]_{i}$ and constrictor responses of isolated arterioles. *JOURNAL OF CARDIOVASCULAR PHARMACOLOGY*, 37(6), 705–712. <http://doi.org/10.1097/00005344-200106000-00008>
499. Ungvari, Z., & Koller, A. (2001f). Signal Transduction in Smooth Muscle Selected Contribution: NO released to flow reduces myogenic tone of skeletal muscle arterioles by decreasing smooth muscle Ca^{2+} sensitivity. *JOURNAL OF APPLIED PHYSIOLOGY*, 91(1), 522–527.
500. Ungvari, Z., Sun, D., Huang, A., Kaley, G., & Koller, A. (2001). Role of endothelial $[Ca^{2+}]_{i}$ in activation of eNOS in pressurized arterioles by agonists and wall shear stress. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 281(2), H606–H612.
501. Ungvari, Z., & Koller, A. (2001d). Mediation of EDHF-Induced Reduction of Smooth Muscle $[Ca^{2+}]_{i}$ and Arteriolar Dilation by K^{+} Channels, 5,6-EET, and Gap Junctions. *MICROCIRCULATION*, 8(4), 265–274. <http://doi.org/10.1038/sj.mn.7800080>
502. Ungvari, Z., & Koller, A. (2001c). Hypertension enhances gap junctions-mediated arteriolar myoendothelial coupling. *CIRCULATION*, 104(17), 298–298.
503. Sun, D., Huang, A., Koller, A., & Kaley, G. (2001b). Cardiac compression elicits NO-dependent increase in coronary flow. *CIRCULATION*, 104(17), 287–287.
504. Huang, A., Wu, Y., Sun, D., Koller, A., & Kaley, G. (2001b). Role of estrogen in the mediation of flow-induced dilation in NO deficiency. *CIRCULATION*, 104(17), 138–138.
505. Huang, A., Wu, Y., Sun, D., Koller, A., & Kaley, G. (2001a). Effect of estrogen on flow-induced dilation in NO deficiency: role of prostaglandins and EDHF. *JOURNAL OF APPLIED PHYSIOLOGY*, 91(6), 2561–2566.
506. Ungvari, Z., & Koller, A. (2000a). Endothelin and nitric oxide modulate arteriolar smooth muscle Ca^{2+} sensitivity and myogenic tone in hypertension. In *21ST EUROPEAN CONFERENCE ON MICROCIRCULATION* (pp. 105–110). Medimond Srl.
507. Dornyei, G., Monos, E., Kaley, G., & Koller, A. (2000). Regular exercise enhances blood pressure lowering effect of acetylcholine by increased contribution of nitric oxide. *ACTA PHYSIOLOGICA HUNGARICA*, 87(2), 127–138.
508. Huang, A., Sun, D., Koller, A., & Kaley, G. (2000). 17 beta-estradiol restores endothelial nitric oxide release to shear stress in arterioles of male hypertensive rats. *CIRCULATION*, 101(1), 94–100. <http://doi.org/10.1161/01.CIR.101.1.94>
509. Sun, D., Huang, A., Zhao, G., Bernstein, R., Forfia, P., Xu, X., ... Hintze, T. (2000). Reduced NO-dependent arteriolar dilation during the development of cardiomyopathy. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 278(2), H461–H468.
510. Huang, A., Sun, D., Smith, C., Connetta, J., Shesely, E., Koller, A., & Kaley, G. (2000). In eNOS knockout mice skeletal muscle arteriolar dilation to acetylcholine is mediated by EDHF. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 278(3), H762–H768.
511. Huang, A., Sun, D., Doe, C., Smith, C., Connetta, J., Shesely, E., ... Kaley, G. (2000). Cytochrome P-450 metabolites maintain flow/shear stress-induced dilation in arterioles of female eNOS knockout mice. *FASEB JOURNAL*, 14(4), A574–A574.
512. Huang, A., Sun, D., & Koller, A. (2000a). High intraarteriolar pressure impairs shear stress-induced release of nitric oxide. Role of superoxide and angiotensin II. *FASEB JOURNAL*, 14(4), A461–A461.

513. Ungvari, Z., Sarkadi-Nagy, E., Bagi, Z., Szollar, L., & Koller, A. (2000a). Increased PGH(2)/TXA(2) synthesis in isolated arterioles and platelets of rats with hyperhomocysteinemia (HHCY). *FASEB JOURNAL*, *14*(4), A454–A454.
514. Bagi, Z., Ungvari, Z., & Koller, A. (2000a). Impaired flow-induced dilation in skeletal muscle arterioles of rats with hyperhomocysteinemia (HHCY). Role of nitric oxide and constrictor prostanoids. *FASEB JOURNAL*, *14*(4), A454–A454.
515. Ungvari, Z., & Koller, A. (2000). Serotonin reuptake inhibitor (SSRI) fluoxetine dilates arterioles by reducing $[Ca^{2+}]_i$ in smooth muscle. *FASEB JOURNAL*, *14*(4), A141–A141.
516. Massett, M., Koller, A., & Kaley, G. (2000a). Effect of map kinase kinase (MEK) inhibitor PD98059 on constrictor responses in skeletal muscle arterioles. *FASEB JOURNAL*, *14*(4), A29–A29.
517. Koller, A., & Ungvari, Z. (2000a). Direct effect of homocysteine (HCY) on isolated rat arterioles. *FASEB JOURNAL*, *14*(4), A29–A29.
518. Ungvari, Z., Kaley, G., & Koller, A. (2000). Endothelial control of smooth muscle calcium signaling enhances myogenic constriction in hypertension. *FASEB JOURNAL*, *14*(4), A9–A9.
519. Sun, D., Huang, A., Koller, A., & Kaley, G. (2000). Reduced NO release and activity to shear stress in arteries of aged rats. *FASEB JOURNAL*, *14*(4), A3–A3.
520. Huang, A., Sun, D., & Koller, A. (2000b). Shear stress-induced release of prostaglandin H-2 in arterioles of hypertensive rats. *HYPERTENSION*, *35*(4), 925–930. <http://doi.org/10.1161/01.HYP.35.4.925>
521. Ungvari, Z., Sarkadi-Nagy, E., Bagi, Z., Szollar, L., & Koller, A. (2000b). Simultaneously Increased TxA_2 Activity in Isolated Arterioles and Platelets of Rats With Hyperhomocysteinemia. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *20*(5), 1203–1208. <http://doi.org/10.1161/01.ATV.20.5.1203>
522. Ungvari, Z., Pacher, P., & Koller, A. (2000). Serotonin reuptake inhibitor fluoxetine decreases arteriolar myogenic tone by reducing smooth muscle $[Ca^{2+}]_i$. *JOURNAL OF CARDIOVASCULAR PHARMACOLOGY*, *35*(6), 849–854. <http://doi.org/10.1097/00005344-200006000-00004>
523. Bagi, Z., Ungvari, Z., & Koller, A. (2000b). Intrinsic vascular mechanisms stimulated by changes in pressure and now elicit reactive dilatation of isolated arterioles. *JOURNAL OF PHYSIOLOGY-LONDON*, *526*, 147P–148P.
524. Koller, A., & Ungvari, Z. (2000b). NO dilates arterioles primarily by a smooth muscle $[Ca^{2+}]_i$ -independent pathway. *JOURNAL OF PHYSIOLOGY-LONDON*, *526*, 129P–129P.
525. Szekeres, M., Koller, A., & Kaley, G. (2000). Mediation of responses of rat intramural coronary arterioles by nitric oxide and prostaglandins. *JOURNAL OF PHYSIOLOGY-LONDON*, *526*, 126P–127P.
526. Ungvari, Z., & Koller, A. (2000b). Endothelin and Prostaglandin H_2 /Thromboxane A2 Enhance Myogenic Constriction in Hypertension by Increasing Ca^{2+} Sensitivity of Arteriolar Smooth Muscle. *HYPERTENSION*, *36*(5), 856–861. <http://doi.org/10.1161/01.HYP.36.5.856>
527. Massett, M., Koller, A., & Kaley, G. (2000b). Hyperosmolality dilates rat skeletal muscle arterioles: role of endothelial K-ATP channels and daily exercise. *JOURNAL OF APPLIED PHYSIOLOGY*, *89*(6), 2227–2234.
528. Huang, A., Sun, D., Li, W., Smith, C., Connetta, J., Shesely, E., ... Kaley, G. (2000). Flow dependent dilation in coronary arteries of eNOS knockout mice. *CIRCULATION*, *102*(18), 14–14.
529. Dörnyei, G., Monos, E., Kaley, G., & Koller, A. (1999a). Rendszeres fizikai aktivitás a nitrogén monoxid fokozott felszabadulása révén növeli az acetilkolin vérnyomás csökkentő hatását patkányban.
530. Dörnyei, G., Monos, E., Kaley, G., & Koller, A. (1999b). Role of hemodynamic forces in the regulation of tone of skeletal muscle venules.
531. Kecskeméti, V., Pacher, P., Magyar, J., Szigligeti, P., Bányász, T., Ungvári, Z., ... Koller, Á. (1999). Cardiac electrophysiological and vascular effects of fluoxetine. *EUROPEAN HEART JOURNAL*, *20*, 575.
532. Ungvári, Z., Tóth, T., Szollár, L., & Koller, Á. (1999a). Hiperhomociszteinaemia fokozza a thromboxán A2 konstriktor hatását patkány vázizom arteriolákban.
533. Sarkadi, N. E., Ungvári, Z., Rischák, K., Solti, P., Koller, Á., & Szollár, L. (1999). Fokozott kollagén és ADP-indukálta trombocita aggregáció metionin etetés okozta hiperhomociszteinaemiában.
534. Sarkadi, N. E., Ungvári, Z., Rischák, K., Koller, Á., & Szollár, L. (1999). A hiperhomociszteinaemia fokozza a trombociták aggregációját a konstriktor prosztoglandinok szintézisének fokozása révén.
535. Ungvári, Z., Tóth, T., Szollár, L., & Koller, Á. (1999b). Thromboxán A2 fokozott konstriktort okoz hiperhomociszteinaemiás patkány arteriolában.
536. Pacher, P., Ungvari, Z., Kecskeméti, V., & Koller, A. (1999a). Serotonin reuptake inhibitor, fluoxetine, dilates isolated skeletal muscle arterioles. Possible role of altered Ca^{2+} sensitivity. *BRITISH JOURNAL OF PHARMACOLOGY*, *127*(3), 740–746. <http://doi.org/10.1038/sj.bjp.0702571>
537. Sun, D., Huang, A., Smith, C., Stackpole, C., Connetta, J., Shesely, E., ... Kaley, G. (1999). Enhanced release of prostaglandins contributes to flow-induced arteriolar dilation in eNOS knockout mice. *CIRCULATION RESEARCH*, *85*(3), 288–293. <http://doi.org/10.1161/01.RES.85.3.288>

538. Ungvari, Z., Pacher, P., Rischak, K., Szollar, L., & Koller, A. (1999a). Dysfunction of nitric oxide mediation in isolated rat arterioles with methionine diet-induced hyperhomocysteinemia. *ARTERIOSCLEROSIS THROMBOSIS AND VASCULAR BIOLOGY*, *19*(8), 1899–1904. <http://doi.org/10.1161/01.ATV.19.8.1899>
539. Ungvari, Z., Pacher, P., Kecskemeti, V., Papp, G., Szollar, L., & Koller, A. (1999b). Increased myogenic tone in skeletal muscle arterioles of diabetic rats. Possible role of increased activity of smooth muscle Ca^{2+} channels and protein kinase C. *CARDIOVASCULAR RESEARCH*, *43*(4), 1018–1028. [http://doi.org/10.1016/S0008-6363\(99\)00106-6](http://doi.org/10.1016/S0008-6363(99)00106-6)
540. Ungvari, Z., Pacher, P., Kecskemeti, V., & Koller, A. (1999). Fluoxetine Dilates Isolated Small Cerebral Arteries of Rats and Attenuates Constrictions to Serotonin, Norepinephrine, and a Voltage-Dependent Ca^{2+} Channel Opener. *STROKE*, *30*(9), 1949–1954. <http://doi.org/10.1161/01.STR.30.9.1949>
541. Huang, A., Sun, D., Koller, A., & Kaley, G. (1999b). 17 beta-estradiol restores endothelial nitric oxide release to shear stress in arterioles of male spontaneously hypertensive rats. *HYPERTENSION*, *34*(2), 358–358.
542. Huang, A., Sun, D., Smith, C., Stackpole, C., Shesely, E., Koller, A., & Kaley, G. (1999). Attenuated acetylcholine (ACh)-induced dilation in arterioles of eNOS knockout mice. *FASEB JOURNAL*, *13*(5), A1066–A1066.
543. Ungvari, Z., Pacher, P., Kecskemeti, V., Papp, G., Szollar, L., & Koller, A. (1999a). Increased myogenic tone and NE-induced constriction in skeletal muscle arterioles of diabetic rats. Role of altered Ca^{2+} sensitivity and nitric oxide. *FASEB JOURNAL*, *13*(5), A834–A834.
544. Ungvari, Z., Pacher, P., Rischak, K., Szollar, L., & Koller, A. (1999b). Impaired nitric oxide release in isolated arterioles of rats with hyperhomocysteinemia (HHcy). *FASEB JOURNAL*, *13*(4), A515–A515.
545. Pacher, P., Ungvari, Z., Kecskemeti, V., & Koller, A. (1999b). Serotonin reuptake inhibitor fluoxetine dilates isolated skeletal muscle arterioles. Possible role of altered Ca^{2+} sensitivity. *FASEB JOURNAL*, *13*(4), A434–A434.
546. Sun, D., Huang, A., Koller, A., & Kaley, G. (1999). Exercise activity enhances endothelial function of arterioles in aged rats. *FASEB JOURNAL*, *13*(4), A417–A417.
547. Massett, M., Koller, A., & Kaley, G. (1999). K-ATP channels mediate glucose-induced dilation. *FASEB JOURNAL*, *13*(4), A30–A30.
548. Sun, D., Huang, A., Smith, C., Stackpole, C., Shesely, E., Koller, A., & Kaley, G. (1999). Maintained flow-induced dilation via enhanced release of prostaglandins (PGs) in arterioles of eNOS knockout mice. *FASEB JOURNAL*, *13*(4), A25–A25.
549. Koller, A., Kaley, G., & Szekeres, M. (1999). Nitric oxide and constrictor prostaglandins contribute to myogenic dilation and constriction of intramural coronary arterioles. *FASEB JOURNAL*, *13*(4), A10–A10.
550. Koller, A., & Huang, A. (1999). Development of nitric oxide and prostaglandin mediation of shear stress-induced arteriolar dilation with aging and hypertension. *HYPERTENSION*, *34*(5), 1073–1079. <http://doi.org/10.1161/01.HYP.34.5.1073>
551. Koller, A., Mizuno, R., & Kaley, G. (1999). Flow reduces the amplitude and increases the frequency of lymphatic vasomotion: role of endothelial prostanoids. *AMERICAN JOURNAL OF PHYSIOLOGY: REGULATORY INTEGRATIVE AND COMPARATIVE PHYSIOLOGY*, *277*(6), R1683–R1689.
552. Huang, A., Sun, D., Smith, C., Connetta, J., Stackpole, C., Shesely, E., ... Kaley, G. (1999). Role of EDHF in ACh-induced responses of skeletal muscle arterioles of eNOS-KO mice. *CIRCULATION*, *100*(18), 486–487.
553. Sun, D., Huang, A., Recchia, F., Cui, Y., Koller, A., Messina, E., & Kaley, G. (1999). A novel endothelial mechanism that counteracts arteriolar constriction. *CIRCULATION*, *100*(18), 339–340.
554. Huang, A., Sun, D., Koller, A., & Kaley, G. (1999a). 17 beta-estradiol restores endothelial nitric oxide release to shear stress in arterioles of male hypertensive rats. *CIRCULATION*, *100*(18), 224–224.
555. Pacher, P., Ungvari, Z., Magyar, J., Szigligeti, P., Banasz, T., Kecskemeti, V., ... Koller, A. (1999). Inhibition of cardiac Ca^{2+} and Na^{+} channels by fluoxetine. *FASEB JOURNAL*, *13*(4), A97.
556. Dörnyei, G., Kaley, G., & Koller, A. (1998a). A nitrogén monoxid és prosztoglandinok szerepe a vázizom venulák áramlás-indukált válaszában.
557. Dörnyei, G., Kaley, G., Monos, E., & Koller, A. (1998). A vázizom venulák tónusát szabályozó lokális mechanizmusok - Az endotélium szerepe.
558. Dörnyei, G., Monos, E., Kaley, G., & Koller, A. (1998a). Az endothelium szerepe a vázizom venulák tónusának szabályozásában.
559. Dörnyei, G., Monos, E., Kaley, G., & Koller, A. (1998b). Endothelial factors in the regulation of venular tone.
560. Ungvári, Z., Pacher, P., Rischák, K., Szollár, L., & Koller, Á. (1998b). Hyperhomociszteinémia endothel diszfunkciót okozhat vázizom arteriolákban.
561. Ungvári, Z., Pacher, P., Rischák, K., Szollár, L., & Koller, Á. (1998a). Hiperhomociszteinémia endothel diszfunkciót okozhat vázizom arteriolákban.
562. Koller, Á., Ungvári, Z., Pacher, P., Kecskeméti, V., & Szollár, L. (1998). Diabetes mellitus fokozza a patkány vázizom arteriolák tónusát. A miogén mechanizmus és a NO szerepe.

563. Ungvári, Z., Koller, Á., & Szollár, L. (1998). Homocisztein akut hatása az izolált vázizom arteriolák működésére.
564. Szollár, L., Koller, Á., Rischák, K., Böröcz, Z., Belovai, L., Ungvári, Z., & Tornóci, L. (1998). Homocisztein és atherosclerosis – endothel támadáspont – pro és kontra.
565. Dörnyei, G., Kaley, G., & Koller, A. (1998b). Regulation of wall shear stress in skeletal muscle venules: Role of nitric oxide and prostaglandins. *FASEB JOURNAL*, 12(4).
566. Koller, A., Dornyei, G., & Kaley, G. (1998c). Flow-induced responses of skeletal muscle venules are mediated by nitric oxide, prostaglandins and a constrictor factor. In *20th European Conference on Microcirculation. Paris, France. August 30 - September 2, 1998* (pp. 283–286).
567. Koller, A., Dornyei, G., & Kaley, G. (1998a). Flow-induced responses in skeletal muscle venules: Modulation by nitric oxide and prostaglandins. *JOURNAL OF VASCULAR RESEARCH*, 35(Suppl. 2), 90–90.
568. Dörnyei, G., Monos, E., Kaley, G., & Koller, Á. (1998c). Role of endothelium-derived constrictor factors in regulation of venular tone. *PATHOPHYSIOLOGY*, 5, 67.
569. Koller, A., & Kaley, G. (1998). Shear stress-induced dilation of arterioles. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 274(1), H382–H383.
570. Huang, A., Sun, D., Kaley, G., & Koller, A. (1998a). Estrogen preserves regulation of shear stress by nitric oxide in arterioles of female hypertensive rats. *HYPERTENSION*, 31(1), 309–314. <http://doi.org/10.1161/01.HYP.31.1.309>
571. Mizuno, R., Koller, A., & Kaley, G. (1998). Regulation of the vasomotor activity of lymph microvessels by nitric oxide and prostaglandins. *AMERICAN JOURNAL OF PHYSIOLOGY: REGULATORY INTEGRATIVE AND COMPARATIVE PHYSIOLOGY*, 274(3), R790–R796.
572. Koller, A., Huang, A., Sun, D., & Kaley, G. (1998). Role of estrogen in regulation of skeletal muscle arteriolar resistance. *JOURNAL OF VASCULAR RESEARCH*, 35(Suppl. 1), 7–7.
573. Sun, D., Huang, A., Koller, A., & Kaley, G. (1998a). Adaptation of flow-induced dilation of arterioles to daily exercise. *MICROVASCULAR RESEARCH*, 56(1), 54–61. <http://doi.org/10.1006/mvre.1998.2083>
574. Pacher, P., Ungvari, Z., Ronai, A., Kecskemeti, V., & Koller, A. (1998). Dilation of skeletal muscle arterioles by fluoxetine is independent of ATP-sensitive K⁺ channels and endothelium. *NAUNYN-SCHMIEDEBERG ARCHIVES OF PHARMACOLOGY*, 358(1), R256–R256.
575. Koller, A., Dornyei, G., & Kaley, G. (1998b). Flow-induced responses in skeletal muscle venules: modulation by nitric oxide and prostaglandins. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 275(3), H831–H836.
576. Huang, A., Sun, D., Koller, A., & Kaley, G. (1998b). Nitric oxide synthesis is restored in arterioles of hypertensive rats following incubation with estrogen. *FASEB JOURNAL*, 12(4), A367–A367.
577. Sun, D., Huang, A., Koller, A., & Kaley, G. (1998b). Endothelial nitric oxide-dependent vasodilator responses are inhibited by disassembly of endothelial caveolae. *FASEB JOURNAL*, 12(4), A366–A366.
578. Chung, H., Sun, D., Huang, A., Koller, A., & Kaley, G. (1998). Nitric oxide (NO) release as a function of wall shear stress in isolated rat mesenteric arteries. *FASEB JOURNAL*, 12(4), A79–A79.
579. Szekeres, M., Kaley, G., & Koller, A. (1998). Myogenic responses of intramural coronary arterioles: Modulation by nitric oxide and constrictor prostaglandins. *FASEB JOURNAL*, 12(4), A16–A16.
580. Koller, A., Huang, A., & Kaley, G. (1998). Interaction between superoxide and nitric oxide following acute elevation intravascular pressure in isolated arterioles. *FASEB JOURNAL*, 12(4), A14–A14.
581. Huang, A., Sun, D., Koller, A., & Kaley, G. (1998a). Gender difference in flow-induced dilation and regulation of shear stress: role of estrogen and nitric oxide. *AMERICAN JOURNAL OF PHYSIOLOGY: REGULATORY INTEGRATIVE AND COMPARATIVE PHYSIOLOGY*, 275(5), R1571–R1577.
582. Huang, A., Sun, D., Kaley, G., & Koller, A. (1998b). Superoxide released to high intra-arteriolar pressure reduces nitric oxide-mediated shear stress- and agonist-induced dilations. *CIRCULATION RESEARCH*, 83(9), 960–965. <http://doi.org/10.1161/01.RES.83.9.960>
583. Koller, A. (1998). Differences in function of arterioles of female and male hypertensive rats. Role of nitric oxide and estrogen. *JOURNAL OF VASCULAR RESEARCH*, 35(Suppl. 2), 6–6.
584. Dörnyei, G., Monos, E., Kaley, G., & Koller, A. (1997). Az oxigén szabadgyökök szerepe izolált venulák acetilkolin-indukált válaszában.
585. Ungvári, Z., Koller, Á., & Szollár, L. (1997). Homocisztein akut hatása az izolált vázizom arteriolák miogén tónusára.
586. Mizuno, R., Koller, A., & Kaley, G. (1997). Flow-induced constriction of isolated rat lymph microvessels: Role of constrictor prostanoids. *CIRCULATION*, 96(8), 1385–1385.
587. Dörnyei, G., Kaley, G., & Koller, A. (1997). Superoxide is involved in the mediation of acetylcholine-induced constriction of venules. *FASEB JOURNAL*, 11(3), 400.
588. Koller, A. (1997). Role of microvascular endothelium in the regulation of peripheral resistance. *CARDIOLOGIA HUNGARICA*, 2(suppl 2), 21–29.

589. Sun, D., Huang, A., Koller, A., & Kaley, G. (1997a). Age-related reduction in endothelial function of arterioles is reversed by exercise activity. *FASEB JOURNAL*, *11*(3), 3012–3012.
590. Koller, A., & Huang, A. (1997). High pressure elicits the release of superoxide which reduces nitric oxide-mediated responses of arterioles. *FASEB JOURNAL*, *11*(3), 399–399.
591. Huang, A., Sun, D., Koller, A., & Kaley, G. (1997c). Gender difference in myogenic tone of rat arterioles is due to estrogen-induced, enhanced release of NO. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *272*(4), H1804–H1809.
592. Huang, A., Sun, D., Kaley, G., & Koller, A. (1997). Estrogen maintains nitric oxide synthesis in arterioles of female hypertensive rats. *HYPERTENSION*, *29*(6), 1351–1356. <http://doi.org/10.1161/01.HYP.29.6.1351>
593. Dornyei, G., Kaley, G., & Koller, A. (1997). Release of nitric oxide and prostaglandin H-2 to acetylcholine in skeletal muscle venules. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *272*(6), H2541–H2546. <http://doi.org/10.1152/ajpheart.1997.272.6.H2541>
594. Huang, A., Sun, D., Koller, A., & Kaley, G. (1997b). Estrogen preserves nitric oxide-mediated responses in arterioles of female hypertensive rats. *HYPERTENSION*, *30*(3), 56–56.
595. Huang, A., Sun, D., Koller, A., & Kaley, G. (1997a). Estrogen enhances flow-induced dilation of arterioles of female rats via increased release of endothelial nitric oxide (NO). *CIRCULATION*, *96*(8), 1986–1986.
596. Huang, A., Sun, D., & Koller, A. (1997). High pressure elicits the release of superoxide leading to impaired nitric oxide-mediated flow-induced responses of arterioles. *CIRCULATION*, *96*(8), 1598–1598.
597. Sun, D., Huang, A., Koller, A., & Kaley, G. (1997b). Nitric-oxide dependent, flow-induced dilation of arterioles is inhibited by disassembly of endothelial caveolae. *CIRCULATION*, *96*(8), 262–262.
598. Huang, A., & Koller, A. (1997). Endothelin and prostaglandin H-2 enhance arteriolar myogenic tone in hypertension. *HYPERTENSION*, *30*(5), 1210–1215. <http://doi.org/10.1161/01.HYP.30.5.1210>
599. Mizuno, R., Dornyei, G., Koller, A., & Kaley, G. (1997). Myogenic responses of isolated lymphatics: Modulation by endothelium. *MICROCIRCULATION*, *4*(4), 413–420. <http://doi.org/10.3109/10739689709146805>
600. Dörnyei, G., Kaley, G., & Koller, A. (1996b). Nitric oxide, prostaglandin H2 and endothelium-derived hyperpolarizing factor mediate acetylcholine-induced biphasic responses of rat skeletal muscle venules.
601. Dörnyei, G., Monos, E., Kaley, G., & Koller, Á. (1996). Role of endothelial mediators in the regulation of venular tone of rat skeletal muscle. *MICROCIRCULATION*, *3*(1), 84.
602. Dörnyei, G., Kaley, G., & Koller, Á. (1996a). Acetylcholine-induced responses of rat skeletal muscle venules are mediated by multiple factors. *FASEB JOURNAL*, *10*(3), 308–308.
603. Koller, A., & Kaley, G. (1996). Shear stress dependent regulation of vascular resistance in health and disease: Role of endothelium. *ENDOTHELIUM-JOURNAL OF ENDOTHELIAL CELL RESEARCH*, *4*(4), 247–272. <http://doi.org/10.3109/10623329609024701>
604. Mizuno, R., Dörnyei, G., Koller, A., & Kaley, G. (1996). Effects of endogenous and exogenous nitric oxide (no) on isolated rat lymphatics. *FASEB JOURNAL*, *10*(3), 309–309.
605. Koller, A., Dornyei, G., & Kaley, G. (1996). Exercise training augments flow-dependent dilation in rat skeletal muscle venules. *FASEB JOURNAL*, *10*(3), 292–292.
606. Huang, A., Sun, D., & Koller, A. (1996). Role of endothelin in the enhanced myogenic constriction of skeletal muscle arterioles from hypertensive rats. *FASEB JOURNAL*, *10*(3), 3628–3628.
607. Kaley, G., Sun, D., Huang, A., & Koller, A. (1996). Activation of endothelial K-Ca channels are essential in the mediation of flow-dependent dilation of arterioles. *FASEB JOURNAL*, *10*(3), 3291–3291.
608. Huang, A., & Koller, A. (1996). Both nitric oxide and prostaglandin-mediated responses are impaired in skeletal muscle arterioles of hypertensive rats. *JOURNAL OF HYPERTENSION*, *14*(7), 887–895. <http://doi.org/10.1097/00004872-199607000-00012>
609. Dornyei, G., Monos, E., Kaley, G., & Koller, A. (1996). Myogenic responses of isolated rat skeletal muscle venules: Modulation by norepinephrine and endothelium. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, *271*(1), H267–H272.
610. Mizuno, R., Koller, A., & Kaley, G. (1996). Short term exercise enhances myogenic constrictor tone in rat lymph microvessels. *CIRCULATION*, *94*(8), 3559–3559.
611. Huang, A., Sun, D., Koller, A., & Kaley, G. (1996). Difference in myogenic tone of arterioles is due to estrogen-induced enhanced release of nitric oxide. *CIRCULATION*, *94*(8), 2480–2480.
612. Dörnyei, G., Monos, E., Kaley, G., & Koller, A. (1995). Nyomás által indukált myogén válasz vázizom izolált venuláiban.
613. Dörnyei, G., Monos, E., Koller, A., & Kaley, G. (1995). Az endothélium szerepe a venulák áramlási ellenállásának szabályozásában.
614. CHANDER, P., SUN, D., POLLOCK, J., KOLLER, A., & KALEY, G. (1995). LOCALIZATION OF ENDOTHELIAL NITRIC-OXIDE SYNTHASE IN RAT SKELETAL-MUSCLE MICROVASCULATURE. *CIRCULATION*, *92*(8), 1742–1742.

615. Dörnyei, G., Monos, E., Zaidi, S., Kaley, G., & Koller, Á. (1995). In vitro responses of first order venules of rat gracilis muscle to perfusion pressure, flow and vasoactive agents. *MICROCIRCULATION*, 2(1), 65.
616. KALEY, G., & KOLLER, A. (1995). PROSTAGLANDIN-NITRIC OXIDE INTERACTIONS IN THE MICROCIRCULATION. In *PROSTAGLANDINS AND RELATED COMPOUNDS - NINTH INTERNATIONAL CONFERENCE, FLORENCE, ITALY* (Vol. 6, pp. 485–490).
617. Sun, D., Huang, A., Koller, A., & Kaley, G. (1995). Flow dependent dilation and myogenic constriction interact to establish the resistance of skeletal muscle arterioles. *MICROCIRCULATION*, 2(3), 289–295. <http://doi.org/10.3109/10739689509146775>
618. HUANG, A., & KOLLER, A. (1995). ENDOTHELIUM-DEPENDENT CONSTRICTION TO A23187 IN HYPERTENSIVE ARTERIOLES. *FASEB JOURNAL*, 9(3), A561–A561.
619. KALEY, G., HUANG, A., SUN, D., KICHUK, M., MARBOE, C., ADDONIZIO, L., ... KOLLER, A. (1995). ENDOTHELIUM-DEPENDENT REGULATION OF HUMAN CORONARY ARTERIOLES. *FASEB JOURNAL*, 9(4), A912–A912.
620. KOLLER, A., HUANG, A., SUN, D., & KALEY, G. (1995b). LONG-TERM EXERCISE ACTIVITY UP-REGULATES ENDOTHELIAL NITRIC-OXIDE SYNTHASE ACTIVITY IN GRACILIS MUSCLE ARTERIOLES OF RATS. *FASEB JOURNAL*, 9(4), A841–A841.
621. KOLLER, A., HUANG, A., SUN, D., & KALEY, G. (1995a). EXERCISE TRAINING AUGMENTS FLOW-DEPENDENT DILATION IN RAT SKELETAL-MUSCLE ARTERIOLES - ROLE OF ENDOTHELIAL NITRIC-OXIDE AND PROSTAGLANDINS. *CIRCULATION RESEARCH*, 76(4), 544–550. <http://doi.org/10.1161/01.RES.76.4.544>
622. KOLLER, A., RODENBURG, J., & KALEY, G. (1995). EFFECTS OF HOE-140 AND RAMIPRILAT ON ARTERIOLAR TONE AND DILATION TO BRADYKININ IN SKELETAL-MUSCLE OF RATS. *AMERICAN JOURNAL OF PHYSIOLOGY: HEART AND CIRCULATORY PHYSIOLOGY*, 268(4), H1628–H1633.
623. KOLLER, A., & HUANG, A. (1995b). SHEAR STRESS-INDUCED DILATION IS ATTENUATED IN SKELETAL-MUSCLE ARTERIOLES OF HYPERTENSIVE RATS. *HYPERTENSION*, 25(4), 758–763. <http://doi.org/10.1161/01.HYP.25.4.758>
624. SUN, D., HUANG, A., XU, X., HINTZE, T., KOLLER, A., & KALEY, G. (1995). IMPAIRED NITRIC OXIDE-MEDIATED FLOW-INDUCED DILATION IN CORONARY ARTERIOLES AFTER PACING-INDUCED HEART-FAILURE IN DOGS. *CIRCULATION*, 92(8), 3693–3693.
625. SUN, D., HUANG, A., KOLLER, A., & KALEY, G. (1995). FLOW-DEPENDENT DILATION OF ARTERIOLES IS ABOLISHED BY BLOCKADE OF ENDOTHELIAL MICROTUBULE ASSEMBLY. *CIRCULATION*, 92(8), 3015–3015.
626. KOLLER, A., & HUANG, A. (1995a). AGE-DEPENDENT DEVELOPMENT OF NITRIC-OXIDE SYNTHASE ACTIVITY IS ABSENT IN HYPERTENSIVE RATS. *CIRCULATION*, 92(8), 1653–1653.
627. Dörnyei, G., Monos, E., Kaley, G., & Koller, Á. (1994). A kisvénák keringési ellenállásának in vitro vizsgálata.
628. KOLLER, A., & HUANG, A. (1994a). IMPAIRED NITRIC OXIDE-MEDIATED FLOW-INDUCED DILATION IN ARTERIOLES OF SPONTANEOUSLY HYPERTENSIVE RATS. *CIRCULATION RESEARCH*, 74(3), 416–421. <http://doi.org/10.1161/01.RES.74.3.416>
629. KALEY, G., HUANG, A., SUN, D., KICHUK, M., MARBOE, C., ADDONIZIO, L., ... KOLLER, A. (1994). HUMAN CORONARY ARTERIOLES EXHIBIT MYOGENIC CONSTRICTION AND ENDOTHELIUM-DEPENDENT FLOW-INDUCED DILATION. *FASEB JOURNAL*, 8(4), A537–A537.
630. SUN, D., HUANG, A., KOLLER, A., & KALEY, G. (1994a). INTERACTION BETWEEN FLOW-DEPENDENT AND MYOGENIC MECHANISMS DETERMINES THE BASAL TONE OF SKELETAL-MUSCLE ARTERIOLES. *FASEB JOURNAL*, 8(5), A1059–A1059.
631. HUANG, A., SUN, D., & KOLLER, A. (1994). IMPAIRED NITRIC OXIDE-MEDIATED DILATOR MECHANISM FAVORS CONSTRICTIONS OF SKELETAL-MUSCLE ARTERIOLES IN HYPERTENSION. *FASEB JOURNAL*, 8(5), M1044–M1044.
632. DORNYEI, G., KIM, A., SUN, D., MONOS, E., KALEY, G., & KOLLER, A. (1994). EXERCISE INDUCES AN ENHANCEMENT OF THE BLOOD-PRESSURE-LOWERING EFFECT OF ACETYLCHOLINE. *FASEB JOURNAL*, 8(5), A864–A864.
633. KOLLER, A., HUANG, A., SUN, D., & KALEY, G. (1994a). ENDOTHELIUM-DEPENDENT ENHANCEMENT OF FLOW-INDUCED DILATION IN ARTERIOLES OF EXERCISED RATS. *FASEB JOURNAL*, 8(5), A826–A826.
634. SUN, D., HUANG, A., KOLLER, A., & KALEY, G. (1994b). SHORT-TERM DAILY EXERCISE ACTIVITY ENHANCES ENDOTHELIAL NO SYNTHESIS IN SKELETAL-MUSCLE ARTERIOLES OF RATS. *JOURNAL OF APPLIED PHYSIOLOGY*, 76(5), 2241–2247.
635. SUN, D., KALEY, G., & KOLLER, A. (1994). CHARACTERISTICS AND ORIGIN OF MYOGENIC RESPONSE IN ISOLATED GRACILIS MUSCLE ARTERIOLES. *AMERICAN JOURNAL OF PHYSIOLOGY*, 266(3), H1177–H1183. <http://doi.org/10.1152/ajpheart.1994.266.3.H1177>
636. KOLLER, A., SUN, D., HUANG, A., & KALEY, G. (1994). CORELEASE OF NITRIC-OXIDE AND PROSTAGLANDINS MEDIATES FLOW-DEPENDENT DILATION OF RAT GRACILIS MUSCLE ARTERIOLES. *AMERICAN JOURNAL OF PHYSIOLOGY*, 267(1), H326–H332.

637. HUANG, A., & KOLLER, A. (1994). IMPAIRMENT OF CA²⁺ INFLUX INDUCED, BUT NOT RECEPTOR-MEDIATED EDRF/NO IN SKELETAL-MUSCLE ARTERIOLES OF HYPERTENSIVE RATS. *HYPERTENSION*, 24(3), 391–391.
638. KOLLER, A., & HUANG, A. (1994b). SHEAR STRESS-INDUCED, NITRIC OXIDE-MEDIATED DILATION IS IMPAIRED IN SKELETAL-MUSCLE ARTERIOLES OF HYPERTENSIVE RATS. *HYPERTENSION*, 24(3), 390–390.
639. MESSINA, E., SUN, D., KOLLER, A., WOLIN, M., & KALEY, G. (1994). INCREASES IN OXYGEN-TENSION EVOKE ARTERIOLAR CONSTRICTION BY INHIBITING ENDOTHELIAL PROSTAGLANDIN SYNTHESIS. *MICROVASCULAR RESEARCH*, 48(2), 151–160. <http://doi.org/10.1006/mvre.1994.1046>
640. KOLLER, A., HUANG, A., SUN, D., & KALEY, G. (1994b). EXERCISE TRAINING AUGMENTS FLOW-INDUCED DILATION IN RAT ARTERIOLES VIA INCREASED ENDOTHELIAL SYNTHESIS OF NITRIC-OXIDE AND PROSTAGLANDINS. *CIRCULATION*, 90(4), 514–514.
641. SUN, D., KOLLER, A., & KALEY, G. (1993). MYOGENIC RESPONSE IS MODULATED BY THE ENDOTHELIUM IN ISOLATED GRACILIS MUSCLE ARTERIOLES. *FASEB JOURNAL*, 7(4), A904–A904.
642. HUANG, A., SUN, D., KALEY, G., & KOLLER, A. (1993). ENDOTHELIUM DEPENDENT ENHANCED MYOGENIC TONE IN ARTERIOLES OF SPONTANEOUSLY HYPERTENSIVE RATS (SHR). *FASEB JOURNAL*, 7(4), A888–A888.
643. KOLLER, A., SUN, D., & KALEY, G. (1993a). BOTH NITRIC-OXIDE AND PROSTAGLANDINS MEDIATE SHEAR-STRESS INDUCED DILATION OF GRACILIS MUSCLE ARTERIOLES. *FASEB JOURNAL*, 7(4), A756–A756.
644. HAJDU, M., RODENBURG, J., KALEY, G., & KOLLER, A. (1993). EFFECTS OF HYPERTENSION ON SENSITIVITY OF ARTERIOLAR SMOOTH-MUSCLE TO ENDOTHELIUM DERIVED VASODILATOR FACTORS. *FASEB JOURNAL*, 7(4), A557–A557.
645. KOLLER, A., SUN, D., MESSINA, E., & KALEY, G. (1993). L-ARGININE ANALOGS BLUNT PROSTAGLANDIN-RELATED DILATION OF ARTERIOLES. *AMERICAN JOURNAL OF PHYSIOLOGY*, 264(4 Pt 2), H1194–H1199.
646. KOLLER, A., SUN, D., & KALEY, G. (1993b). ROLE OF SHEAR-STRESS AND ENDOTHELIAL PROSTAGLANDINS IN FLOW-INDUCED AND VISCOSITY-INDUCED DILATION OF ARTERIOLES INVITRO. *CIRCULATION RESEARCH*, 72(6), 1276–1284. <http://doi.org/10.1161/01.RES.72.6.1276>
647. SUN, D., HUANG, A., KOLLER, A., & KALEY, G. (1993). EXERCISE-INDUCED ENHANCEMENT OF ENDOTHELIAL NITRIC-OXIDE SYNTHESIS IN SKELETAL-MUSCLE ARTERIOLES. *CIRCULATION*, 88(4), 184–184.
648. HUANG, A., SUN, D., & KOLLER, A. (1993). ENDOTHELIAL DYSFUNCTION AUGMENTS MYOGENIC ARTERIOLAR CONSTRICTION IN HYPERTENSION. *HYPERTENSION*, 22(6), 913–921. <http://doi.org/10.1161/01.HYP.22.6.913>
649. KOLLER, A., SUN, D., MESSINA, E., & KALEY, G. (1992). PROSTAGLANDINS MEDIATE FLOW (SHEAR-STRESS) INDUCED DILATION OF RAT SKELETAL-MUSCLE ARTERIOLES INVITRO. *FASEB JOURNAL*, 6(4), A1457–A1457.
650. MESSINA, E., SUN, D., KOLLER, A., WOLIN, M., & KALEY, G. (1992a). CHANGES IN ARTERIOLAR DIAMETER IN RESPONSE TO INCREASES IN OXYGEN-TENSION ARE DUE TO ENDOTHELIUM-DERIVED PROSTAGLANDINS. *FASEB JOURNAL*, 6(4), A977–A977.
651. SUN, D., MESSINA, E., KALEY, G., & KOLLER, A. (1992b). MYOGENIC REACTIVITY OF ISOLATED MESENTERIC ARTERIOLES IS INDEPENDENT OF ENDOTHELIUM. *FASEB JOURNAL*, 6(5), A2085–A2085.
652. SUN, D., MESSINA, E., KOLLER, A., WOLIN, M., & KALEY, G. (1992). ENDOTHELIUM-DEPENDENT DILATION TO L-ARGININE IN ISOLATED RAT SKELETAL-MUSCLE ARTERIOLES. *AMERICAN JOURNAL OF PHYSIOLOGY*, 262(4), H1211–H1216.
653. KALEY, G., KOLLER, A., RODENBURG, J., MESSINA, E., & WOLIN, M. (1992). REGULATION OF ARTERIOLAR TONE AND RESPONSES VIA L-ARGININE PATHWAY IN SKELETAL-MUSCLE. *AMERICAN JOURNAL OF PHYSIOLOGY*, 262(4), H987–H992.
654. MESSINA, E., SUN, D., KOLLER, A., WOLIN, M., & KALEY, G. (1992b). ROLE OF ENDOTHELIUM-DERIVED PROSTAGLANDINS IN HYPOXIA-ELICITED ARTERIOLAR DILATION IN RAT SKELETAL-MUSCLE. *CIRCULATION RESEARCH*, 71(4), 790–796. <http://doi.org/10.1161/01.RES.71.4.790>
655. KOLLER, A., SUN, D., & KALEY, G. (1992). INCREASES IN VISCOSITY OF PERFUSION SOLUTION ELICIT A PROSTAGLANDIN MEDIATED DILATION OF ISOLATED RAT SKELETAL-MUSCLE ARTERIOLES. *CIRCULATION*, 86(4), 224–224.
656. SUN, D., MESSINA, E., KALEY, G., & KOLLER, A. (1992a). CHARACTERISTICS AND ORIGIN OF MYOGENIC RESPONSE IN ISOLATED MESENTERIC ARTERIOLES. *AMERICAN JOURNAL OF PHYSIOLOGY*, 263(5), H1486–H1491.
657. TOTH, A., TISCHLER, M., PAL, M., KOLLER, A., & JOHNSON, P. (1992). A multipurpose instrument for quantitative intravital microscopy. *JOURNAL OF APPLIED PHYSIOLOGY*, 73(1), 296–306.
658. Koller, A., Seyed, N., Gerritsen, M., & Kaley, G. (1991). EDRF released from microvascular endothelial cells dilates arterioles in vivo. *AMERICAN JOURNAL OF PHYSIOLOGY*, 261(1 Pt 2), H128–H133.
659. Koller, A., Rodenburg, J., Wolin, M., Messina, E., & Kaley, G. (1991). Modified arteriolar responses to ATP after impairment of endothelium by light-dye techniques in vivo. *MICROVASCULAR RESEARCH*, 41(1), 63–72. [http://doi.org/10.1016/0026-2862\(91\)90008-Y](http://doi.org/10.1016/0026-2862(91)90008-Y)

660. KOLLER, A., & KALEY, G. (1991a). A NEW ROLE FOR PROSTAGLANDINS IN THE REGULATION OF PERIPHERAL RESISTANCE. *ADVANCES IN PROSTAGLANDIN AND THROMBOXANE RESEARCH*, 21, 595–598.
661. KALEY, G., RODENBURG, J., KOLLER, A., MESSINA, E., & WOLIN, M. (1991). EDRF IN THE MICROCIRCULATION - ARTERIOLAR DILATION TO ACETYLCHOLINE AND BRADYKININ IS INHIBITED BY NITRO-L-ARGININE. *FASEB JOURNAL*, 5(4), A658–A658.
662. KOLLER, A., & KALEY, G. (1991b). ENDOTHELIAL REGULATION OF WALL SHEAR-STRESS AND BLOOD-FLOW IN SKELETAL-MUSCLE MICROCIRCULATION. *AMERICAN JOURNAL OF PHYSIOLOGY*, 260(3), H862–H868.
663. KOLLER, A., & KALEY, G. (1990b). ENDOTHELIUM REGULATES SKELETAL-MUSCLE MICROCIRCULATION BY A BLOOD-FLOW VELOCITY-SENSING MECHANISM. *AMERICAN JOURNAL OF PHYSIOLOGY*, 258(3), H916–H920.
664. KOLLER, A., & KALEY, G. (1990c). PROSTAGLANDINS MEDIATE ARTERIOLAR DILATION TO INCREASED BLOOD-FLOW VELOCITY IN SKELETAL-MUSCLE MICROCIRCULATION. *CIRCULATION RESEARCH*, 67(2), 529–534. <http://doi.org/10.1161/01.RES.67.2.529>
665. KOLLER, A., & KALEY, G. (1990a). ENDOTHELIAL (FLOW DEPENDENT) FACTORS IN REACTIVE DILATION OF SKELETAL-MUSCLE ARTERIOLES. *CIRCULATION*, 82(4), 116–116.
666. KOLLER, A., & KALEY, G. (1990d). ROLE OF ENDOTHELIUM IN REACTIVE DILATION OF SKELETAL-MUSCLE ARTERIOLES. *AMERICAN JOURNAL OF PHYSIOLOGY*, 259(5), H1313–H1316.
667. SHERMAN, T., POPEL, A., KOLLER, A., & JOHNSON, P. (1989). THE COST OF DEPARTURE FROM OPTIMAL RADII IN MICROVASCULAR NETWORKS. *JOURNAL OF THEORETICAL BIOLOGY*, 136(3), 245–265. [http://doi.org/10.1016/S0022-5193\(89\)80162-6](http://doi.org/10.1016/S0022-5193(89)80162-6)
668. KOLLER, A., MESSINA, E., WOLIN, M., & KALEY, G. (1989a). Effects of endothelial impairment on arteriolar dilator responses in vivo. *AMERICAN JOURNAL OF PHYSIOLOGY*, 257(5 Pt 2), H1485–H1489.
669. KOLLER, A., MESSINA, E., WOLIN, M., & KALEY, G. (1989b). ENDOTHELIAL IMPAIRMENT INHIBITS PROSTAGLANDIN AND EDRF-MEDIATED ARTERIOLAR DILATION INVIVO. *AMERICAN JOURNAL OF PHYSIOLOGY*, 257(6), H1966–H1970.
670. KOLLER, A., & KALEY, G. (1989). FLOW VELOCITY-DEPENDENT REGULATION OF MICROVASCULAR RESISTANCE INVIVO. *MICROCIRCULATION ENDOTHELIUM AND LYMPHATICS*, 5(6), 519–529.
671. POPEL, A., LIU, A., DAWANT, B., KOLLER, A., & JOHNSON, P. (1988). DISTRIBUTION OF VASCULAR-RESISTANCE IN TERMINAL ARTERIOLAR NETWORKS OF CAT SARTORIUS MUSCLE. *AMERICAN JOURNAL OF PHYSIOLOGY*, 254(6), H1149–H1156.
672. SHERMAN, T., POPEL, A., KOLLER, A., & JOHNSON, P. (1987). MICROVASCULAR JUNCTIONS AND MURRAYS LAW. *FEDERATION PROCEEDINGS*, 46(4), 1542–1542.
673. KOLLER, A., DAWANT, B., LIU, A., POPEL, A., & JOHNSON, P. (1987). QUANTITATIVE-ANALYSIS OF ARTERIOLAR NETWORK ARCHITECTURE IN CAT SARTORIUS MUSCLE. *AMERICAN JOURNAL OF PHYSIOLOGY*, 253(1), H154–H164.
674. Koller, A., & Johnson, P. C. (1985). In vivo quantitative estimation of pyridine nucleotide (PN) concentration in skeletal muscle. *FEDERATION PROCEEDINGS*, 44(3), 637–637.
675. Koller, A., & P C, J. (1985). Pyridine nucleotide fluorescence measurements with simultaneous visualization of the microcirculation in skeletal muscle. *ADVANCES IN EXPERIMENTAL MEDICINE AND BIOLOGY*, 191, 375–385.
676. Rubanyi, G., Ligeti, L., Koller, A., & Kovach, A. G. B. (1984). Nickel ions and ischemic coronary vasoconstriction. *BIBLIOTHECA CARDIOLOGICA*, 38, 200–208.
677. RUBANYI, G., LIGETI, L., KOLLER, A., & KOVACH, A. (1984). POSSIBLE ROLE OF NICKEL IONS IN THE PATHOGENESIS OF ISCHEMIC CORONARY VASOCONSTRICTION IN THE DOG HEART. *JOURNAL OF MOLECULAR AND CELLULAR CARDIOLOGY*, 16(6), 533–546. [http://doi.org/10.1016/S0022-2828\(84\)80640-9](http://doi.org/10.1016/S0022-2828(84)80640-9)
678. DORA, E., KOLLER, A., & KOVACH, A. (1984). EFFECT OF TOPICAL ADENOSINE-DEAMINASE TREATMENT ON THE FUNCTIONAL HYPEREMIC AND HYPOXIC RESPONSES OF CEREBROCORTICAL MICROCIRCULATION. *JOURNAL OF CEREBRAL BLOOD FLOW AND METABOLISM*, 4(3), 447–457. <http://doi.org/10.1038/jcbfm.1984.64>
679. Dora, E., Koller, A., & Kovach, A. (1983). Role of extracellular released adenosine/ADO/ in the regulation of cerebral blood flow/CBF/. *JOURNAL OF CEREBRAL BLOOD FLOW AND METABOLISM*, 3(Suppl 1.), S478–S479.
680. KOVACH, A., Erös, D., SZEDLACSEK, S., & KOLLER, A. (1983). EFFECT OF THE ORGANIC CALCIUM-ANTAGONIST D-600 ON CEREBROCORTICAL VASCULAR AND REDOX RESPONSES EVOKED BY ADENOSINE, ANOXIA, AND EPILEPSY. *JOURNAL OF CEREBRAL BLOOD FLOW AND METABOLISM*, 3(1), 51–61. <http://doi.org/10.1038/jcbfm.1983.6>
681. DORA, E., KOLLER, A., & KOVACH, A. (1983). ADENOSINE AND REGULATION OF CEREBROCORTICAL MICRO-CIRCULATION. *FEDERATION PROCEEDINGS*, 42(4), 747–747.
682. RUBANYI, G., LIGETI, L., KOLLER, A., & KOVACH, A. (1983). EVIDENCE THAT ENDOGENOUS NICKEL RELEASE MAY BE RESPONSIBLE FOR ISCHEMIC CORONARY VASOSPASM IN THE DOG HEART. *BLOOD VESSELS*, 20(4), 206–206.
683. KOLLER, A., RUBANYI, G., LIGETI, L., & KOVACH, A. (1982b). INHIBITION OF MYOCARDIAL REACTIVE HYPEREMIA BUT NOT OF HYPOXIC CORONARY VASODILATATION BY CONSTANT VERAPAMIL INFUSION IN THE INSITU DOG HEART. *ACTA PHYSIOLOGICA ACADEMIAE SCIENTIARUM HUNGARICAE*, 59(2), 187–195.

684. KOLLER, A., RUBANYI, G., LIGETI, L., & KOVACH, A. (1982a). EFFECT OF VERAPAMIL AND PHENOXYBENZAMINE ON NICKEL-INDUCED CORONARY VASOCONSTRICTION IN THE ANESTHETIZED DOG. *ACTA PHYSIOLOGICA ACADEMIAE SCIENTIARUM HUNGARICAE*, 59(3), 287–290.
685. Rubanyi, G., Ligeti, L., & Koller, A. (1981). Nickel is released from the ischemic myocardium and contracts coronary vessels by a Ca-dependent mechanism. *JOURNAL OF MOLECULAR AND CELLULAR CARDIOLOGY*, 13(11), 1023–1026. [http://doi.org/10.1016/0022-2828\(81\)90477-6](http://doi.org/10.1016/0022-2828(81)90477-6)
686. ARISZTID, G., KOVACH, G., RUBANYI, G., LIGETI, L., & KOLLER, A. (1980). REDUCTION OF CORONARY AND HINDLIMB BLOOD-FLOW AND REACTIVE HYPEREMIA BY NICKEL IONS IN ANESTHETIZED DOGS. *FEDERATION PROCEEDINGS*, 39(3), 397–397.
687. RUBANYI, G., KOVACH, A., LIGETI, L., & KOLLER, A. (1980). INHIBITION OF CORONARY VASODILATATION BY NICKEL IONS. *BLOOD VESSELS*, 17(3), 160–160.
688. LIGETI, L., KOLLER, A., KOLTAY, E., & KOVACH, A. (1979). EFFECT OF A GRADED REDUCTION OF CORONARY BLOOD-FLOW ON THE CIRCULATORY REACTIONS AND METABOLISM OF THE HEART. *ACTA PHYSIOLOGICA ACADEMIAE SCIENTIARUM HUNGARICAE*, 53(2), 249–249.
689. KOLLER, A., RUBANYI, G., & KOVACH, A. (1979). NI-CA INTERACTION ON THE ISOLATED RAT-HEART. *ACTA PHYSIOLOGICA ACADEMIAE SCIENTIARUM HUNGARICAE*, 53(2), 246–246.